

DAFTAR PUSTAKA

1. Guerrant RL, Gilder TV, Steiner TS, Thielman NM, Slutsker L, Tauxe RV, et al. Practice Guidelines for the Management of Infectious Diarrhea. *Clinical infectious disease* 2001;32:331-50.
2. Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan RI. Laporan nasional riset kesehatan dasar tahun 2010. In: Jakarta: Depkes; 2010.
3. Bhutta ZA. Acute gastroenteritis in children. In: Kliegman RM, Stanton BF, Schor NF, Game JW, Behrman RE, eds. *Nelson textbook of pediatrics*. 19 ed. Philadelphia: Elsevier Saunders; 2011:1323-38.
4. Muliadi A, Manullung EV, Khairani, Widiantini W, Mulyanto NJ. Situasi diare di Indonesia. *Buletin Jendela Data dan Informasi Kesehatan RI* 2011; 2.
5. UNICEF/WHO. *Diarrhoea: Why children are still dying and what can be done*. In: 2009.
6. Iwasa T, Matsubayashi N. Protein-losing enteropathy associated with rotavirus infection in an infant. *World J Gastroenterol* 2008;14:1630-2.
7. Guandalini S. Acute diarrhea. In: Walker, Goutlet, Klienmann, eds. *Pediatrics gastrointestinal diseases*.
8. Mota-Hernández F, Calva JJ, Gutiérrez-Camacho C, Villa-Contreras S, Arias CF, Padilla-Noriega L, et al. Rotavirus Diarrhea Severity Is Related to the VP4 Type in Mexican Children. *Journal Of Clinical Microbiology* 2003; 41:3158-62.
9. Albano F, Buzzese E, Bella A, Cascio A, Titone L, Arista S, et al. Rotavirus and not age determines gastroenteritis severity in children: a hospital-based study. *Eur J Pediatr* 2007;166:241-7.
10. Rossignol JF. Infectious diarrhea-etiology, diagnosis and treatment. . US gastrology review 2007:78-80.
11. M Farthing, M Salam, G Lindberg, et a. Acute diarrhea in adults and children : a global perspective. *World Gastroenterology Organisation Global Guidelines* 2012.
12. Nel ED. Diarrhoea and malnutrition. *S Afr J Clin Nutr* 2010;23:Supplement:S15-S8.
13. Iskandar WJ, Sukardi W, Soenarto Y. Risk of nutritional status on diarrhea among under five children. *Paediatr Indones* 2015;55:235-8.
14. Ferdous F, Das SK, Ahmed S, Farzana FD, Latham JR, Chisti MJ, et al. Severity of diarrhea and malnutrition among under five-year-old children in rural Bangladesh. *Am J Trop Med Hyg* 2013;89:223–8.
15. Halaby H, Bakheet SM, Shabib S, Powe JE, Mehadib AA, Nazer H. 99mTcHumafl Serum Albumin Scans in Children with Protein-Losing Enteropathy. *The Journal Of Nuclear Medicine* 2000;41:215-9.
16. Pariawihardja IS. Tinjauan Terapi Nutrisi pada Diare Anak. Semarang: Universitas Diponegoro; 1994.
17. Weizman Z, Binsztok M, Fraser D, Deckelbaum RJ, Granot E. Intestinal Protein Loss in Acute and Persistent Diarrhea of Early Childhood. *J Clin Gastroenterol* 2002;34:427-9.

18. Quigley EMM, Ross IN, Haeney MR, Holbrook IB, Marsh MN. Reassessment of faecal alpha-1antitrypsin excretion for use as screening test for intestinal protein loss. *J Clin Pathol* 1987;40:61-6.
19. Dinari G, Rosenbach Y, Zahavi I, Sivan Y, Nitzan M. Random Fecal Alpha-1-Antitrypsin Excretion in Children With Intestinal Disorders. *Am J Dis Child* 1984;138:971-3.
20. Lisowska-Myjak B, Pachecka J, Sokrates O, Brzozowska-Binda A, Torbicka E. Fecal Alpha-1-Antitrypsin Excretion in Children with Diarrhea. *Scand J Gastroenterol* 1998; 33:255-9.
21. Strygler B, Nicar MJ, Santangelo WC, Porter JL, Fordtran JS. Alpha 1-Antitrypsin excretion in stool in normal subjects and in patients with gastrointestinal disorders. *Gastroenterology* 1990;99:1380-7.
22. Maki M, Harmoinen A, Vesikari T, Visakorpi J. Fecal excretion of alpha-1 antitrypsin in acute diarrhea *Arch Dis Child* 1982 57:154-6.
23. Megazzu G, Jacono G, Pasquale GD, et al. Reliability and usefulness of random fecal alpha-1 antitrypsin concentration : Further simplification of the method. *Journal of Pediatric gastroenterology and nutrition* 1985;4:402-7.
24. Tangilsat D, Atamasirikul K, Treepongkaruna S, Nathsevee S, Sumritsopak R, Kunakorn M. Fecal Alpha1 - Antitrypsin in Healthy and Intestinal-Disorder Thai Children. *J Med Assoc Thai* 2007;90:1317-22.
25. D. Aulia, I.S. Timan, Firmansyah A. Fecal alpha-1 antitrypsin concentration in protein-losing enteropathies caused by Rotavirus and enteropathogenic bacteria infection. *Paediatrica Indonesiana* 2009;49:315-21.
26. Subagyo B, Santoso BN. Diare akut. In: Juffrie M, Soenarto SSY, Oswari H, Arief S, Rosalina I, Mulyani NS, eds. *Buku ajar gastroenterologi-hepatologi*. Jakarta: Badan Penerbit IDAI; 2010:87-120.
27. Koletzko S, Osterrieder S. Acute infectious diarrhea in children. *Dtsch Arztebl Int* 2009;106:539-48.
28. Surendran S. Rotavirus infection : molecular changes and patophysiology. *EXCLI Journal* 2008;7:154-62.
29. Bhandari N, Bahl R, Taneja S, Strand T, Mølbak K, Ulvik RJ, et al. Substantial Reduction in Severe Diarrheal Morbidity by Daily Zinc Supplementation in Young North Indian Children. *Pediatrics* 2002;109.
30. Listianingsih E. Peran faktor genetik rotavirus terhadap keparahan diare infeksi akut pada bayi dan anak balita di Indonesia. Depok: Universitas Indonesia; 2012.
31. Lee G, Yori PP, Olortegui MP, Caulfield LE, Sack DA, Fischer-Walker C, et al. An instrument for the assessment of diarrhoeal severity based on a longitudinal community-based study. *BMJ Open* 2014;4.
32. Schnadower D, Tarr PI, Gorelick MH, O'Connell K, Roskind CG, Powell EC, et al. Validation of the Modified Vesikari Score in Children with Gastroenteritis in 5 U.S. Emergency Departments. *J Pediatr Gastroenterol Nutr* 2013 57:514-9.
33. Freedman SB, Eltorky M, Gorelick M. Evaluation of a gastroenteritis severity score for use in outpatient settings. *Pediatrics* 2010;125:e1278-e85.
34. Fagundes-Neto U, Andrade JABd. Acute Diarrhea and Malnutrition: Lethality Risk in Hospitalized Infants. *Journal of the American College of Nutrition* 1999;18:303-8

35. Simon S Rabinowitz, Carmen Cuffari. Pediatric Protein-Losing Enteropathy In: www.emedicine.medscape.com; 2011.
36. Silvester FA. Protein Losing Enteropathy. In: Wyllie R, Hyams JS, eds. Pediatric Gastrointestinal and Liver Disease: Elsevier Health Sciences; 2010.
37. Braamkamp MJAM, Dolman KM, Tabbers MM. Protein-losing enteropathy in children. Eur J Pediatr 2010;169:1179-85.
38. Umar SB, John K DiBaise Protein-Losing Enteropathy: Case Illustrations and Clinical Review. Am J Gastroenterol 2010;105:43-9.
39. Proujansky R. Protein Losing Enteropathy. In: Walker WA, Goulet O, Kleinman RE, et al, eds. Pediatric Gastrointestinal Disease: BC Decker; 2004:194-202.
40. Bode L, Salvestrini C, Park PW, et al. Heparan sulfate and syndecan-1 are essential in maintaining murine and human intestinal epithelial barrier function. J Clin Invest 2008;118:229-38.
41. Bode L, Eklund EA, Murch S, Freeze HH. Heparan sulfate depletion amplifies TNF- α -induced protein leakage in an in vitro model of protein-losing enteropathy. Am J Physiol Gastrointest Liver Physiol 2005;288:G1015-G23.
42. Hidayat S, Rahajoe AU, Iskandarsyah K. Tatalaksana Medis Protein-Losing Enteropathy Pasca Bedah Total Cavo Pulmonary Connection. J Kardiol Ind 2007;28:364-9.
43. Greenwald DA. Protein-Losing Gastroenteropathy. In: Feldman M, Friedman LS, Brandt LJ, eds. Sleisenger and Fordtran's Gastrointestinal and Liver Disease: Pathophysiology/Diagnosis/Management. Ninth Edition ed: Elsevier Inc; 2010:437-43.
44. Brown KH. Diarrhea and Malnutrition. The Journal of Nutrition 2003;328S-32S.
45. Chiu N-T, Lee B-F, Hwang S-J, Chang J-M, Liu G-C, Yu H-S. Protein-losing Enteropathy: Diagnosis with 99mTc-labeled Human Serum Albumin Scintigraphy. Radiology 2001;86-90.
46. Molmenti EP, Perlmutter DH, Rubin DC. Cell-specific Expression of α 1-Antitrypsin in Human Intestinal Epithelium. J Clin Invest October 1993, ;92:2022-34.
47. Karbach U, Ewe K, Bondenstein H. Alpha1-antitrypsin, a reliable endogenous marker for intestinal protein loss and its application in patients with Crohn's disease. Gut 1983;24:718-23.
48. Chau TN, Mok MY, Chan EYT, Luk WH, Lai KB, Li FTW, et al. Evaluation of Performance of Measurement of Faecal 1 - Antitrypsin Clearance and Technetium-99m Human Serum Albumin Scintigraphy in Protein-Losing Enteropathy. Digestion 2011;84:199-206.
49. Hossein Yousofi Darani, Gorbanali Rahimian, Mohamadreza Nafisi, Saeid A Amini, Amaneh Najafi, Sarafpoor M. Unsuitability of Fecal Alpha 1-Antitrypsin as a Marker for Differentiation of Microbial and Non-Microbial Diarrhea. Kuwait Medical Journal 2005;37:91-3.
50. Catalog. Human α 1-antitrypsin ELISA kit In: Bioassay Technology Laboratory.
51. RI PddiK. Situasi diare di Indonesia. Buletin jendela data dan informasi kesehatan 2011;2:1-18.

52. Banerjee I, Ramani S, Primrose B, Moses P, Iturriza-Gomara M, Gray JJ, et al. Comparative Study of the Epidemiology of Rotavirus in Children from a Community-Based Birth Cohort and a Hospital in South India. *Journal of clinical microbiology* 2006;44:2468-74.
53. Adisasmoro W. Faktor risiko diare pada bayi dan balita di Indonesia: *Systematic review penelitian akademik bidang kesehatan masyarakat*. Makara Kesehatan 2007;11:1-10.
54. John AS, Johnson JA, Khan M, Driscoll DJ, Warnes CA, Cetta F. Clinical Outcomes and Improved Survival in Patients With Protein-Losing Enteropathy After the Fontan Operation. *Journal of the American college of cardiology* 2014;64:54-62.

