

DAFTAR PUSTAKA

1. Hariana, A, *Tumbuhan Obat dan Khasiatnya*, Penebar Swadaya; Jakarta, 2007, Hal 111.
2. Mardisadora, O, *Identifikasi dan Potensi Antioksidan Flavonoid Kulit Kayu Mahoni (Swietenia Macrophylla KING)*, Skripsi, Institute Pertanian Bogor, 2010.
3. Sampath, M and Vasanthi, M., *Isolation, Structural Elucidation of Flavonoids from Polyalthia longifolia (Sonn) Thaiwaites and Evaluation of Antibacterial, Antioxidant and Anticancer Potensial*. International Journal of Pharmacy and Pharmaceutical Science, 2013, Vol.5, Issue 1.
4. Chang F.R., Hwang T.L., Yang Y.L., Li C.E., Wu C.C., Issa H.H., Hsieh W.B., Wu Y.C, *Planta Medica*, 2006, No.72 hal. 1344-1347.
5. Braude, B. A, Brook, A. G, Linstead R.P, *Antioxidant Determinations by the Use of a Stable Free Radical*, Journal of Chemical Society, 1954, Hal 3574-3578.
6. Brand-Williams, W, Cuvelier, M.E, Berset C, *Use of free radical method to evaluate antioxidant activity*. Lebensmittel Wissenschaft und Technologie. 1995, 28, Hal 25-30.
7. Khalaf, N. A: Antioxidant Activity of Some Common Plants, Faculty of Pharmacy and Medical Sains, Jordan, 2008, 32, Hal 51-55.
8. Samiati, M. I: *Uji Aktifitas Antioksidan Ekstrak Daun Garcinia Lateriflora Blume Var. Javanica Boerl dengan Metode DPPH dan Identifikasi Senyawa Kimia dari Fraksi yang Aktif*, Jakarta, Universitas Indonesia, 2012. Hal 5.
9. Manner, Harley I dan Craig R. Elevitch: *Cananga odorata (ylang - ylang) Species Profiles for Pacific Island Agroforestry*, 2006. Hal 2-3.
10. Tjandra, O, Rusliati, T. R, Zulhipri, *Uji Aktivitas Antioksidan dan Profil Fitokimia Kulit Rambutan Rapiah (Nephelium lappaceum)*, Fakultas Kedokteran, Universitas Tarumanegara. Hal 2-5.
11. Fermanasari, D.; Zahara, T.A.; Wibowo, M.A.: Uji Total Fenol, Aktivitas Antioksidan dan Sitosoksitas Daun Akar Bambak (*Ipomoea sp.*). Jurusan Kimia, Fakultas MIPA, Universitas Tanjungpura: 2016, 5(4), 68-73.

12. Rasyid, A.: Identifikasi Senyawa Metabolit Sekunder Serta Uji Aktivitas Antibakteri Dan Antioksidan Ekstrak Metanol Teripang *Stichopus hermanii*. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 2012, 4, 2, 360-368
13. Sari, A. K.; Ayuchecaria, N.: Penetapan Kadar Fenolik Total dan Flavonoid Total Ekstrak Beras Hitam (*Oryza sativa L*) Dari Kalimantan Selatan. Akademi Farmasi ISFI Banjarmasin. *Jurnal Ilmiah Ibnu Sina*, 2 (2), 327-335.
14. Copriady, J.; Yasmi, E.; Hidayati.: Isolasi dan Karakterisasi Senyawa Kumarin Dari Kulit Buah Jeruk Purut (*Citrus hystrix DC*). *Jurnal Biogenesis*, 2005, 2(1), 13-15
15. Bawa, P. A.; Bogoriani, N.W., Diantariani, N.P.; Utari S.N.L.: Ekstraksi Zat Warna Alam dari Bonggol Tanaman Pisang (*Musa paradisiaca L.*) Dengan Metode Maserasi, Refluks, dan Sokletasi. *Jurnal Kimia Universitas Udayana*. 2014, 8, 1, 113-119
16. Sashidara K.V., Singh S.P., Sarkar J., Sinha S. *Cytotoxic clerodane diterpenoids from the leaves of Polyalthia longifolia*, Natural Product Resources. 2010; 24: 1687-1694.
17. Faizi S., Khan R.A., Mughal N.R., Malik M.S., Sajjadi E.S., Ahmad A. *Antimicrobial activity of various parts of Polyalthia longifolia var. pendula: isolation of active principles from the leaves and the berries*, Phytotherapy Research. 2008; 22: 907-912.
18. Chen C.Y., Chang F.R., Shih Y.C., Hsieh T.J., Chia Y.C., Tseng H.Y. *Cytotoxic constituents of Polyalthia longifolia var. Pendula*, Journal of Natural Products. 2000; 63:1475-8.
19. Dixit, P., T.Mishra, M.Pal, T.S. Rana, and D.K. Upreti, *Polyalthia longifolia and its Pharmacological Activities : Review*, International Journal of Scientific and Innovative Research, 2014, Vol.2 (1), hal.17-25
20. Wu Y.C., Duth C.Y., Wang S.K., Chen K.S., Yang T.H. *Two new natural azofluorene alkaloids and cytotoxic aporphine alkaloids from P.longifolia*, Journal of NaturalProducts. 1990; 5: 1327-1331.
21. Faizi S., Khan R.A., Azher S., Khan S.A., Tauseef S., Ahmad A. *New antimicrobial alkaloids from the roots of Polyalthia longifolia var. Pendula*. Planta Medica. 2003; 69: 350 355.
22. Braude, B. A, Brook, A. G, LinsteadR.P, *Antioxidant Determinations by the Use of a Stable Free Radical*, Journal of Chemical Society, 1954, Hal 3574-3578.

23. Rashid, M.A., Hossain, M.A., Hasan, C.M., & Reza, M.S, *Antimicrobial diterpenes from Polyalthia longifolia var. pendula (Annonaceae)*, Phytotherapy Research, 1996, Vol.10, hal 79–81.
24. Saleem, R., Muhammad, A., Iqbal, A.S., Mohammad, A., Khan, A.R., Rasool, N., Saleem, H., Noor, F. and Faizi, S, *Hypotensive activity and toxicology of constituents from root bark of Polyalthia longifolia var. pendula*. Phytotherapy Research, 2005, Vol.19, hal 881-884.
25. Malairajan P., Gopalkrishnan G., Narasimhan S., Veni K, , *Evalution of anti-ulcer activity of Polyalthia longifolia (Sonn.) Thwaites in experimental animals*. Indian Journal of Pharmacology, 2008, Vol.40 (3), hal 126-128
26. Sahidhara, koneni V., Suriya P. Singh., Anuj Srivastava., Anju Pur, *Identification Of The Antioxidant Principles of Polyalthia longifolia var. pendula Using TEAC Assays*. Natural Product Research, 2000. Vol.25 (9), hal.918-926.
27. Jothy, S.L., Y.S.Choong., D.Saravanan., S.Deivanal, *Polyalthia longifolia Sonn: an Ancient Remedy to Explore for Nover Therapeutic Agent*, Research Journal of Pharmaceutical, Bioiloical and Chemical Science, 2013, Vol.4 Issue 1, hal.714-730.
28. Markham,K.R, *Techniques of Flavonoid Identification (Cara Mengidentifikasi Flavonoid)*, terjemahan Dr. Kosasih Padmawinata dan Dra. Sofia Niksolihin, Bandung : Penerbit ITB, 1988.
29. Teruna, H.Y, *Phytochemical study of Annonaceae Plant from Sumatera , Indonesia*. Centre for Phytochemistry and Pharmakology. Southern Cross University, Lismore, Australia. 2006.
30. Thenmozhi, M and Sifaraj, R, *Phytochemical Analysis and Antimicrobial Activity of Polyalthia longifolia*, International Journal of Pharma and Bio Science, 2010, Vol.1 (3), hal 1-6.
31. Murthy, M.M., Subramanyam, M., Bindu, M.H. and Annapurna, J, *Antimicrobial activity of clerodanediterpenoids from Polyalthia longifolia seeds*, Fitoterapia, 2005, Vol.76 (3-4), hal 336-339.
32. Ghosh G., Subudhi B.B., Banerjee M., Mishra S.K.A, *New Clerodane-type gamma-hydroxybutenolidediterpene from the bark of Polyalthia longifolia var. Angustifolia*, Indian Journal of Chemistry, 2011; 50 B:1510-1512.
33. Lee T.H., Wang M.J., Chen P.Y., Wu T.Y., Wen W.C.,Tsai F.Y., Lee C.K. *Journal of Natural Products*. 2009;72: 1960-1963.