

DAFTAR PUSTAKA

- Agung, A. P., S. P. Rahayu, B. Melati, F. A. Febria. 2013. Potensi kelenjar mukosa pada kulit *Duttaphrynus melanostictus* dalam menghambat pertumbuhan bakteri *Escherichia coli* dan *Staphylococcus aureus*. *Prosiding BioETI*. 1: 74-77.
- Akkafa, F., F. Dilmec, Z. Alpua. 2008. Identification of Leishmania parasites in clinical samples obtained from cutaneous leishmaniasis patients using PCR-RFLP technique in endemic region, Sanliurfa province, in Turkey. *Parasitol Res*. 103:583–586.
- AmphibiaWeb. 2016. *Information on amphibian biology and conservation*. Berkeley, California. <http://amphibiaweb.org/>. diakses pada 16 Agustus 2016.
- Annenberg Foundation. 2016. *Life Science: Session 6 Vertebrate Evolution*. <https://www.learner.org/courses/essential/life/session6/closer3.html>. Diakses pada 16 Agustus 2016.
- Biju, S. D., S. Garg, S. Mahony, N. Wijayathilaka, G. Senevirathne, M. Meegaskumbura. 2014. NA barcoding, phylogeny and systematics of Golden-backed frogs (*Hylarana*, Ranidae) of the Western Ghats-Sri Lanka biodiversity hotspot, with the description of seven new species. *Contributions to Zoology*. 83(4): 269-335.
- Boore, J. L. 1999. Animal Mitochondrial Genomes. *Nucleic Acids Research*. 27(8), pp. 1767–1780.
- Boye, K., E. Høgdall, M. Borre. 1999. Identification of bacteria using two degenerate 16S rDNA sequencing primers. *Microbiol Res*. 154(1): 23-6.
- Brown, R. M. and C. D. Siler. 2013. Spotted stream frog diversification at the Australasian faunal zone interface, mainland versus island comparisons, and a test of the Philippine ‘dual-umbilicus’ hypothesis. *Journal of Biogeography*. <http://wileyonlinelibrary.com/journal/jbi1> doi:10.1111/jbi.12192.
- Case, R. J., Y. Boucher, I. Dahllöf, C. Holmström, W. F. Doolittle Dan S. Kjelleberg 2007. Use Of 16S Rrna And *Rpob* Genes As Molecular Markers For Microbial Ecology Studies. *Applied And Environmental Microbiology*. 73(1):278
- Centers for Epidemiology and Animal Health. 2001. *The Reptile and Amphibian Communities in the United States*. Centers for Epidemiology and Animal. South Howes.

- Cunha, D. B., H. Schneider, M. Vallinoto, D. Sodre, I. Sampaio, A. C. A. Santos, F. Sequeira. 2013. A Rapid Method For Species Identification And Interspecies Introgression Based On A PCR–RFLP: Application To The Closely Related Neotropical Toads *Rhinella Marina* And *R. Schneideri* (Anura: Bufonidae). *Conservation Genet Resour.* 5:227–229.
- Djong, H. T., D. T. Iskandar, D. Gusman. 2010. Hubungan Filogenetik Spesies *Limnonectes* (Ranidae: Amphibia) Asal Sumatera Barat Dan Asal Asia Tenggara Berdasarkan Gen 16S Ribosomal RNA. *Makara, Sains.* 14(1): 79-87
- Frost, D. R. 2016. *Amphibian Species of the World: an Online Reference. Version 6.0.* [http:// research.amnh.org/ herpetology/ amphibia/ index .html](http://research.amnh.org/herpetology/amphibia/index.html). American Museum of Natural History. New York. USA. Diakses pada 16 Agustus 2016.
- Goin, C. J., O. B. Goin, G. R. Zug. 1978. *Introduction to Herpetology, 3rd Edition.* W. H. Freeman and Company. San Fransisco.
- Greengenes.lbl.gov. 2013. *What is the 16S rRNA Gene?.* [http://greengenes. lbl. gov/ cgi-bin/ JD_ Tutorial/nph-16S.cgi](http://greengenes.lbl.gov/cgi-bin/JD_Tutorial/nph-16S.cgi). Diakses pada 18 November 2016.
- Hall, T. A. 1999. BioEdit: A User-Friendly Biological Sequence Alignment editor and Analysis Program for Windows 95/98/NT. *Nucleic Acid Symposium Series.* 41: 95-98.
- Hajjaran, H., F. Vasigheh, M. Moheballi, S. Rezaei, S. Mamishi, S. Charedar. 2011. Direct Diagnosis of Leishmania Species on Serosity Materials Punctured From Cutaneous Leishmaniasis Patients Using PCR-RFLP. *Journal of Clinical Laboratory Analysis.* 25: 20–24.
- Hartl, D. L., and Jones, E. W. 1998. *Genetics Principles and Analysis 4th Edition.* Jones and Bartlett Publishers. Canada.
- Hasan, M, M. M. Islam, M. M. R. Khan, T. Igawa, M. S. Alam, T. H. Djong, N. Kurniawan, H. Joshy, Y. H. Sen, D. M. Belabut, A. Kurabayashi, M. Kuramoto, M. Sumida. 2014. Genetic divergences of South and Southeast Asian frogs : a case study of several taxa based on 16S ribosomal RNA gene data with notes on the generic name *Fejervarya*. *Turkish Journal of Zoology,* 38, pp. 389–411.
- Igawa, T., S. Komaki, T. Takahara, M. Sumida. 2015. Development and Validation of PCR-RFLP Assay to Identify Three Japanese Brown Frogs of the True Frog Genus *Rana*. *Current Herpetology.* 34(1): 89–94.

- Inger, R. F., B. L. Stuart, D. T. Iskandar. 2009. Systematics of a widespread Southeast Asian frog, *Rana chalconota* (Amphibia: Anura: Ranidae). *Zoological Journal of the Linnean Society*. 155: 123–147.
- _____, H. K. Voris. 2001. The biogeographical relations of the frogs and snakes of Sundaland. *Journal of Biogeography*. 28: 863–892.
- Isenbarger, T. A., C. E. Carr, S. S. Johnson, M. Finney, G. M. Church, W. Gilbert, M. Zuber, T. Maria, G. Ruvkun. 2008. The Most Conserved Genome Segments for Life Detection on Earth and Other Planets. *Origins of Life and Evolution of Biospheres*. 38 (6): 517–533.
- Iskandar, D. T. 1998. Amfibi Jawa dan Bali. *Puslitbang Biologi-LIPI*. Bogor.
- _____. and W. R. Erdelen. 2006. Conservation of amphibians and reptiles Indonesia: issues and problems. *Amphibian and Reptile Conservation*. 4:60-87.
- IUCNredlist. 2017. The IUCN Red List of Threatened Species. Version 2017-3. www.iucnredlist.org. Diakses pada: 9 Januari 2017.
- Jamsari. 2007. *Bioteknologi Pemula: Prinsip Dasar dan Aplikasi Analisis Molekular*. Unri Press. Pekanbaru.
- Janda, J. M. dan S. L. Abbott. 2007. Minireview: 16S rRNA Gene Sequencing For Bacterial Identification In The Diagnostic Laboratory: Pluses, Perils, And Pitfalls. *Journal Of Clinical Microbiology*. 45(9): 2761–2764.
- Jarman, S. N. 2006. Cleaver: software for identifying taxon specific restriction endonuclease recognition sites. *Bioinformatics*. 22: 2160–2161.
- Johns, G. C. and Avise, J. C. 1998. A comparative summary of genetic distances in the vertebrates from the mitochondrial cytochrome b Gene. *Mol. Biol. Evol.*, 15: 1481-1490.
- Karin, B. R., I. Das, T. R. Jackman, A. M. Bauer. 2017. Ancient Divergence Time Estimates In *Eutropis rugifera* Support The Existence Of Pleistocene Barriers On The Exposed Sunda Shelf. *PeerJ* 5:e3762; DOI10.7717/peerj.3762.
- Kark, S., W. Solarz, F. Chiron, P. Clergeau, S. Shirley. 2009. *Alien Birds, Amphibians and Reptiles of Europe*. Daisie (ed.). *Handbook of Alien Species in Europe*. Springer Science + Business Media B.V.
- Kawabata, H., L. A. Dancel, S. Y. A. M. Villanueva, Y. Yanagihara, N. Koizumi, H. Watanabe. 2001. flab-Polymerase Chain Reaction (flab-PCR) and Its Restriction Fragment Length Polymorphism (RFLP) Analysis Are an

Efficient Tool for Detection And Identification of *Leptospira* spp.
Microbiol Immunol. 45(6): 491-496.

Kementrian Sekretariat Negara Republik Indonesia. 2010. *Geografi Indonesia*.
<http://www.indonesia.go.id/in/sekilas-indonesia/geografi-indonesia>. Diakses pada 28 Juli 2013 pukul 23.30.

Konieczny, A., F. M. Ausubel. 1993. Technical Advance: A Procedure for Mapping Arabidopsis Mutation Using Co-dominant Ecotype-specific PCR-based Markers. *The Plant Journal.* 4(2): 403-410.

Kunihisa, M., N. Fukino, S. Matsumoto. 2003. Development of cleavage amplified polymorphic sequence (CAPS) markers for identification of strawberry cultivars. *Euphytica.* 134: 209–215.

Kurniati, H. 2012. *Final Report: Ecological Assessment Of Sumatran Torrent Frogs*. The Mohammed bin Zayed Species Conservation Fund Indonesian Institute of Sciences (LIPI). Cibinong.

Kurniawan, N., D. R. Ahmadlia, D. S. Nahari, A. S. Firdaus. 2015. Speciation and Zoogeography of Amphibian in Sundaland. *Journal of Biological Researches.* 21(1): 1–7

Kusrini, M. D. 2007. Konservasi Amfibi Di Indonesia: Masalah Global Dan Tantangan. *Media Konservasi.* 12(2): 89 – 95.

_____. 2013. *Panduan Bergambar Identifikasi Amphibi Jawa Barat*. Fakultas Kehutanan IPB dan Direktorat Konservasi Keanekaragaman Hayati. Bogor.

Larkin, M. A., G. Blackshields, N. P. Brown, R. Chenna, P. A. McGettigan, H. McWilliam, I. M. Wallace, A. Wilm, R. Lopez, J. D. Thompson, T. J. Gibson, D. G. Higgins. 2007. Clustal W and Clustal X version 2.0. *Bioinformatics.* 23, 2947-2948.

Lembaga Ilmu Pengetahuan Indonesia. 1995. *Laporan Ahir Proyek Survey dan Pemetaan Sumber Daya Alam Terpadu Pulau Siberut*. Lembaga Ilmu Pengetahuan Indonesia. Jakarta.

Malkmus, R., U. Manthey, G. Vogel, P. Hoffman. 2002. *Amphibians and Reptiles of Mount Kinabalu (North Borneo)*. A. R. G. Gantner Verlag Kommanditgesellschaft. Ruggell.

Matsui, M., T. Shimada, W. Z. Liu, M. Maryati, W. Khonsue, N. Orlov. 2006. Phylogenetic relationships of Oriental torrent frogs in the genus *Amolops* and its allies (Amphibia , Anura , Ranidae). *Molecular Phylogenetic And Evolution,* 38: 659–666.

- _____, A. Hamidy, N. Kuraishi. 2014. A New Species of Polypedates from Sumatra , Indonesia (Amphibia : Anura). *Species Diversity*. 19: 1–7.
- _____, K. Nishikawa, K. Eto. 2014. A new burrow-utilising fanged frog from Sarawak , East Malaysia (Anura : Dicroglossidae). *Taxonomy & Systematics*, 62: 679–687.
- Mistar. 2008. *Panduan Lapangan Amfibi & Reptil di Areal Mawas Propinsi Kalimantan Tengah (Catatan di Hutan Lindung Beratus)*. The Borneo Orangutan Survival Foundation. Palangkaraya
- Narayanan, S. 1991. Applications of restriction fragment length polymorphism. *Ann Clin Lab Sci*. 21(4): 291-296.
- Oliver, L. A. E. Prendini F. Kraus, C. J. Raxworthy. 2015. Systematics and biogeography of the Hylarana frog (Anura: Ranidae) radiation across tropical Australasia, Southeast Asia, and Africa Lauren. *Molecular Philogenetic And Evolution*. Elsevier Inc. doi: 10.1016/j.ympev. 2015.05.001.
- Ota, M., H. Fukushima, J. K. Kulski, H. Inoko. 2007. Single Nucleotide Polymorphism Detection By Polymerase Chain Reaction-Restriction Fragment Length Polymorphism. *Nature Protocols*. 2(11): 2857–2864
- Palo, J. U., J. Merilä. 2003. A simple RFLP method for identification of two ranid frogs. *Conservation Genetics*. 4: 801–803.
- Patrelle, C., T. Ohst, D. Picard, A. Pagano, S. Sourice, M. Dallay, J. Plotner. 2011. Molecular Diagnostics And Dna Taxonomy A New Pcr-Rflp-Based Method For An Easier Systematic Affiliation Of European Water Frogs. *Molecular Ecology Resources*. 11: 200–205.
- Pierce, B. A. 2002. *Genetics A Conceptual Approach*. Paperback. Book Condition. United Kingdom.
- Rasmussen, H., B. 2012 . *Restriction Fragment Length Polymorphism Analysis of PCR-Amplified Fragments (PCR-RFLP) and Gel Electrophoresis - Valuable Tool for Genotyping and Genetic Fingerprinting*. S. Magdeldin (ed). *Gel Electrophoresis - Principles and Basics*. InTech. Rijeka, Croatia. 312-334.
- Rensch, T., D. Villar, J. Horvath, D. T. Odom, P. Flicek. 2016. Mitochondrial heteroplasmy in vertebrates using ChIP-sequencing data. *Genome Biology*. 17: 1–14
- Riyanto, A., Mumpuni, J. A. McGuire. 2011 Morphometry Of Striped Tree Frogs, Polypedates leucomystax (Gravenhorst, 1829) From Indonesia With

Description Of A New Species. *Russian Journal of Herpetology*. 18(1): 29 – 35.

Sasmito, D. E. K., R. Kurniawan, I. Muhimmah. 2014. Karakteristik Primer pada *Polymerase Chain Reaction* (PCR) untuk Sekuensing DNA: Mini Review. *SNIMed* V. 93-102.

Shine, R. 2010. The Ecological Impact Of Invasive Cane Toads (*Bufo marinus*) In Australia. *The Quarterly Review of Biology*. 85(3): 253-291.

Stiegler, P., P. Carbon, M. Zuker, J. P. Ebel, C, Ehresmann. 1981. Structural organization of the 16S ribosomal RNA from *E. coli*. Topography and secondary structure. *Nucleic Acids Res*. 9(9): 2153–2172.

Sutrisno, H., M. S. A. Zein, S. Sulandari. 2013. *DNA Barcode*. M. S. A. Zein, D. M. Prawiradilaga. *DNA Barcode Fauna Indonesia*. Kencana Prenadamedia Grup. Jakarta. 10-24.

van Treuren, R. 2012. *Cleaved Amplified Polymorphic Sequence (CAPS)*. Wagenigen University. <http://www.wur.nl/en/show/Cleaved-Amplified-Polymorphic-Sequence-CAPS.htm>. Diakses pada 27 september 2016 pukul 11.52.

Vences, M., M. Thomas, A. Van Der Meijden, Y. Chiari, D. R. Vieites. 2005. Comparative Performance of the 16S rRNA Gene in DNA Barcoding of Amphibians. *Frontiers in Zoology* 2(5): 1-12.

Voris, H. K. 2000. Maps of Pleistocene sea levels in Southeast Asia: Shorelines, River Systems and Time Durations. *Journal of Biogeography* 27:1153–1167.

Voytaz, D. 1991. *Agarose Gel Electrophoresis*. Boyle. A. *Current Protocols in Immunology*. DOI: 10.1002/0471142735.

Warkentin, I. G., D. Bickford, N. S. Sodhi, C. J. A. Bradshaw. 2009. Eating Frogs To Extinction. *Conservation Biology*. 23(4): 1056–1059.

Whitten, A. J., S. J. Damanik, J. Azwar, N. Hisyam. 1987. *The Ecology of Sumatra*. Gadjah Mada University Press. Yogyakarta.

Wilting, A, R. Sollmann, E. Meijaard, K. M. Helgen, J. Fickel. 2012. Mentawai's Endemic, Relictual Fauna: Is It Evidence for Pleistocene Extinctions on Sumatra?. *Journal of Biogeography*. 39: 1608-1620.

Weisburg, W. G., S. M. Barns, D. A. Pelletier, D. J. Lane. 1991. 16S Ribosomal DNA Amplification for Phylogenetic Study. *Journal of Bacteriology*. 173(2): 697-703.

Yilmaz, M., C. Ozic, I. Gok. 2012. Principles of Nucleic Acid Separation by Agarose Gel Electrophoresis. S. Magdeldin (ed). *Gel Electrophoresis - Principles and Basics*. InTech. Rijeka, Croatia. 33-40.

Yuliatmy, P., D. I. Roesma, and T. H. Djong. 2016. Genetic Variation of *Rana parvaccola* (Inger , Stuart and Iskandar , 2009) Based on DNA Microsatellites in West Sumatra. *Journal of Entomology and Zoology Studies*. 4(4): 1068–1071.

