

DAFTAR PUSTAKA

- Achari, B., Chowdhury, U.S., Dutta, P.K., Pakrashi, S.C. 1984. Two isomeric flavanones from *Vitex negundo*. *Phytochemistry* 23(3):703-704.
- Adfa M, Rahmad R, Ninomiya M, Yudha S. S, Tanaka K, Koketsu M. 2016. Antileukemic activity of lignans and phenylpropanoids of *Cinnamomum parthenoxylon*. *Bioorg Med Chem Lett* 26:761-764.
- Ahmad, B., Azam, S., Bashir, S., Adhikari, A, A. dan Choudhary, M. Iqbal. 2010. Biological activities of a new compound isolated from the aerial parts of *Vitex agnus-castus* L. *African Journal of Biotechnology* 9(53):9063-9069.
- Al-Amin, M.D., Islam, M.D.M., Siddiqi, M.M.A., Haque, M.M., Akter, S., Ahmed, S., Sultana, N., and Chowdhury, A.M.S. 2012. Neoandrographolide isolated from leaves of *Adhatoda vasica* Nees. *Dhaka Univ. J. Sci* 60(1): 1-3.
- Aphajitt, S., Nimgirawath, K., Suksamrarn, A., Tootakong, U. 2006. Isolation and crystal structure of limonidilactone-a labdane diterpene from *Vitex limonifolia*. *Australian Journal of Chemistry* 48(1):133-137.
- Arbain, D. 2004. Dua dekade penelitian kimia tumbuhan Sumatera. *Bulletin of the Indonesian Society of Natural Products Chemistry* 4(1):1-12.
- Athar, A., Nathan, M., Chad, D. I. And Radhika, S. 2009. Minor Chemical Constituents of *Vitex pinnata*. *Nat. Prod. Commun* 4(1):1-4.
- Bao, Z., Guan, S., Cheng, C., Wu, S., Wong, S.H., Kemeny, D.M., Leung, B.P., and Wong, W. S.F. 2009. A novel antiinflammatory role for andrographolide in asthma via inhibition of the nuclear factor- κ B pathway. *Am J. Respir Crit Care Med* 179:657-665.
- Cao, S.G., Valerie, H.L., Sing, Wu, X.H., Sim K.Y., Tan, B.H.K., Pereira, J.T., and Goh, S.H. 1998. Novel cytotoxic polyprenylated xanthenes from *Garcinia gaundichaudii* (Guttiferae). *Tetrahedron* 54:10915-10924.
- Calabrese, C., Berman, S.H., Babish, J.G., Ma, X., Shinto, L., Dorr, M., Wells, K., Wenner, C.A., Standish, L.J. 2000. A phase I trial of andrographolide in HIV positive patients and normal volunteers. *Phytotherapy Research* 14:333-338.
- Chen, J.X., Xue, H.J., Ye, W.C., Fang, B.H., Liu, Y.H., Yuan, S.H., Yu, P., Wang, Y.Q. 2009. Activity of andrographolide and its derivatives against influenza virus in vivo and in vitro. *Biol Pharm Bull* 32(8):1385-1391.

- Chao, W.W., Kuo, Y. H., Lin, B.F. 2010. Anti-inflammatory activity of new compounds from *Andrographis paniculata* by NF- κ B transactivation inhibition. *J. Agric Food Chem* 58:2505-2512.
- Chowdhury, A., Alam, Md. A., Rashid, R.B., Al-Mansur, M. A., Rahman, M.S. and Rashid, M. A. 2013. Steroids and triterpenoids from *Corypha taliera* Roxb: A crytieally endangered palm species of Bangladesh. *Research Journal of medicinal Plant*. 7(2):125-129.
- Chen, Shao Nong, Friesen, J. Brent, Webster, Donna, Nikolic, Dejan, Van Breemen, Richard B. Wang, Z. Jim Fong, Harry H S, Farnsworth, Norman R. Pauli, Guido F. 2011. Phytoconstituents from *Vitex agnus-castus* fruits. *Fitoterapia* 32(4):528-533.
- Collegate, S.M., and Molyneux, R. J. 1993. Bioactive natural products, detection, isolation and structure determination. Boca Raton, Ann Arbor London, Tokyo: CRC. Press. Inc.
- Caltagirone, S., Rossi, C., Poggi, A., O. Ranelletti, F., Giorgio, N. P., Brunetti, M., B. Atello, F., Piantelli, M. 2000. Flavonoids apigenin and quercetin inhibit melanoma growth and metastatic potential. *International Journal Cancer* 87:595-600.
- Candramu, C., Rao, D.M., Krupanandam, D.G.L and Reddy, D.F. 2003. Isolation, characterization and biological activity of betulinic acid and ursolic acid from *Vitex negundo* L. *Phytotherapy Research* 17:129-134.
- Cui, L., Qiu F. And Yao, X. 2005. Isolation and identification of seven glucuronide conjugates of andrographolide in human urine. *Drug Metabolism & Disposition* 33(4):555-562.
- Choudhary, M I; Azizuddin, J S; Nawaz, SA; Khan, KM; Tareen, RB; Atta-ur-Rahman. 2009. Antiinflam-matory and lipoxygenase inhibitory compounds from *Vitex agnus-castus*. *Phytother Res* 23:1336-1339.
- Chung, III-Min, Park, Han-Young, Ali, M., San, K. Y., Peebles, C. A. M., Hong, Seung-Beom, and Ahmad, A. 2007. A new chemical constituent from the hairy root cultures of *Catharanthus roseus*. *Bull. Korean Chem. Soc* 28 (2):229-234.
- Deng, Y., Chin, Y., Chai, H., de Blanco, E.C., Kardono, L.B.S., Riswan, S., Soejarto, D.D., Farnsworth, N.R., Kinghorn, D. 2011. Phytochemical and bioactivity studies on constituents of the leaves of *Vitex quinata*. *Phytochemistry Letters* 4:213-217.
- Diaz, F., Chavez, D., lee, D., Mi, Q., Chai, H., Tan, G., Kardono, L.B.S., Riswan, S., Fairchild, C.R., Wild, R., Farnsworth, N.R., Cordell, G.A., Pezzuto, J.M. and Kinghorn, A.D. 2003. Cytotoxic flavone analogues of

- vitexicarpin, a constituent of the leaves of *Vitex negundo*. *Journal of Natural Products* 66:845-867.
- De Kok, R.P.J. 2007. The genus *Vitex* L (Lamiaceae) in New Guinea and the South Pacific Island. *Kew Buletin* 62:587-603.
- De Kok, R.P.J. 2008. The genus *Vitex* L (Lamiaceae) in the flora Malesiana region, excluding New Guinea. *Kew Buletin* 63:17-40.
- Dhakai, R. C., Awale, S., Rajbhandari, M., Kalauni, S. K and Gewali M.B. 2008/2009. Phytochemical constituents of the bark of *Vitex negundo* L. *Journal Nepal Chem. Soc* 23:89-92.
- El-Kousy, S., Mohamed, Mona dan Mohamed, Shima. 2012. Phenolic and biological activities of *Vitex trifolia* aerials parts. *Life Science Journal* 9(2):670-677.
- El-Mola, S. G., Motaal, A. A., Hefnawy, H. E., Fishawy, A. E. 2016. Cytotoxic activity of phenolic constituents from *Echinochloa crus-galli* against four human cancer cell lines. *Revista Brasileira de farmacognosia* 26:62-67.
- Fang, J., Zhou, Q, Liu, L., Xia, C., Hu, X., Shi, X and Jiang, B. 2007. Apigenin inhibits tumor angiogenesis through decreasing HIF-1 α and VEGF expression. *Carcinogenesis* 28(4):858-864.
- Fulda, S. 2008. Betulinic acid for cancer treatment and prevention. *Internasional Journal of Molecular Sciences* 9:1096-1107.
- Fujika, T, Fujitani, R, Takeda, Y, Takaishi, Y, Yamada, T, Kido, M and Miura I. 1984. *Chem. Pharm. Bull* 32(6):2117 dalam Atta-ur-Rahman and Uddin, A, V. 1992. *Diterpenes, ¹³C-NMR of natural products*. Vol. 2. New York: Springer Science and Business Media.
- Ghaffari, M.M., Ahmad, F., Samzadeh-Kermani, A. 2012. Biological activity of betulinic acid: A review. *Pharmacology & Pharmacy* 3:119-123.
- Ganapaty, S., dan Vidyadhar, K.N. 2005. Phytoconstituents and biological activities of *Vitex*-a review. *Journal of Natural Remedies* 5(2):75-95.
- Gossel, T.A., and Bricker, J.D. 1990. *Principles of clinical toxicologi*. New York: Reven Press.
- Gu Wei. 2009. Toxicity and estrogen effects of methyl paraben on *Drosophila melanogaster*. *Food Science* 30 (1):252–254
- Heyne, K. 1987. *Tumbuhan berguna Indonesia III*. Badan Penelitian dan Pengembangan Kehutanan. Jakarta:Departemen Kehutanan.

- Hirobe, C., Qiao, Z.S., Takeya, K., Itokawa, H. 1997. Cytotoxic flavonoids from *Vitex agnus castus*. *Phytochemistry*. 46:521-524.
- Huang, L. Zhong, J.Xie, F. Wang, Y. Zhang. 2013. A new taraxastane-type triterpene from *Vitex trifolia* Var. *Simplicifolia*. *Helvetica Chimica Acta* 96(11):2040-2045.
- Ito, C., Itoigawa, M., Takakura, T., Ruangrunsi, N., Enjo, F., Tokuda, H., Nishino, H. and Furukawa, H. 2003. Chemical constituents of *Garcinia fusca*: structure elucidation of eight new xanthenes and their cancer chemopreventive activity. *Journal of Natural Products* 66:200-205.
- Kakumu A, Ninomiya M, Efdi M, Adfa M, Hayashi M, Tanaka K, Koketsu M. 2014. Phytochemical analysis and antileukemic activity of polyphenolic constituents of *Toona sinensis*. *Bioorg Med Chem Lett* 24:4286–4290.
- Kannathasan, A., Senthilkumar, A., Venkatesalu, V. 2011. Mosquito larvicidal activity of methyl-p-hydroxybenzoate isolated from the leaves of *Vitex trifolia* Linn. *Acta Tropica* 120:115-118.
- Keerti, G. dan Padma, K. 2012. Evaluation of phytochemical and antimicrobial study of extracts of *Vitex negundo* Linn. *International Journal of Drug development & Research* 4(4).
- Kementrian Kesehatan RI. 2015. Infodatin, Pusat Data dan Informasi Kementrian Kesehatan RI. Jakarta:Kementrian Kesehatan.
- Kim, H., Yi, J., Kim, N.S., Lee, Y.J., Kim, J., Oh, D., Oh, Se., Bang, O., Lee, J. 2012. Cytotoxic compounds from the fruits of *Vitex rotundifolia* againsts human cancer cell lines. *J Korean Soc Appl Biol Chem*. 55:433-437.
- Ko, W.G., Kang, T.H., Lee, S.J., Kim, Y.C., Lee, B.H.. 2001. Rotundifuran, a labdan-type diterpene from *V. rotundifolia*, induces apoptosis in human myeloid leukemia cells. *Phytotherapy Research* 15(6):535-537.
- Ko, W.G., Kang, T.H., Lee, S.J., Kim, N.Y., Kim Y.C., Sohn, D.H., Lee, B.H. 2000. Polymethoxyflavonoids from *V. rotundifolia* inhibit proliferation by inducing apoptosis in human myeloid leukemia cells. *Food Chem Toxicol* 38(10):861-865.
- Kiuchi, F., Matsuo, K., Ito, M., Qui, T.K., Honda, G. 2004. New norditerpenoids with trypanocidal activity from *Vitex trifolia*. *Chem. Pharm. Bull* 52(12):1492-1494.
- Kobayakawa, J., Sato-Nishimori, F., Moriyasu, M., Matsukawa, Y. 2004. G2-M arrest and antimitotic activity mediated by casticin, a flavonoid isolated from *Viticis Fructus* (*Vitex rotundifolia* Linne fil). *Cancer Letters* 208:59-64.

- Kulyal, P., Tiwari, U.K., Shukla, A. And Gaur, A.K. 2010. Chemical constituents from *Andrographis paniculata*. Indian Journal of Chemistry 49B:356-359.
- Kikuchi, H., Yuan, B., Nishimura, Y., Imai, M., Furutani, R., Kamoi, S., Seno, M., Fukushima, S., Hazama, S., Hirobe, C., Ohyama, K., Hu, X., Takagi, N., Hirano, T., and Toyoda, H. 2013. Cytotoxicity of *Vitex agnus-castus* fruit extract and its major component, casticin, correlates with differentiation status in leukemia cell lines. International Journal of Oncology 43:1976-1984.
- Lee, KC, Chang HH., Chung YH., Lee TY. 2011. Andrographolide acts as an anti-inflammatory agent in LPS-stimulated RAW264.7 macrophages by inhibiting STAT3-mediated suppression of the NF-kappaB pathway. Journal Ethnopharmacol 135: 678-684.
- Luo, X., Luo, W., Lin, C., Zhang, L., Li, Y. 2014. Andrographolide inhibits proliferation of human lung cancer cells and the related mechanisms. Int J Clin Exp Med 7(11):4220-4225.
- Luecha, P., Umehara, K., Miyase, T., Noguchi, H. 2009. Antiestrogenic constituents of the thai medicinal plants *Capparis flavicans* and *Vitex glabrata*. Journal of Natural Product 72:1954-1959.
- Li, W. X., Cui, C. B., Cai, B., Yao, X.S. 2005a. Labdane-type diterpenes as new cell cycle inhibitors and apoptosis inducers from *Vitex trifolia* L. Journal of Asian natural Products Research 7(2):95-105.
- Li, W.X., Cui, C.B., Cai, B., Wang, H.Y., Yao, X.S. 2005b. Flavonoids from *Vitex trifolia* L inhibit cell cycle progression at G2/M phase and induce apoptosis in mammalian cancer cells. Journal of Asian Natural Products Research 7(4):615-626.
- Li, M., Su, X., Sun, J., Gu, Y., Huang, Z., Zeng, K., Zhang, Q., Zhao, Y., Ferreira, D., Zjawiony, J.K., Li, J and Tu, P. 2014. Anti-inflammatory ursane- and oleanane-type triterpenoids from *Vitex negundo* var. *Cannabifolia*. Journal of Natural Products 77(10):2248-54.
- Manikandan, R. Sundaram, P. Srinivasan, S. Beulaja and C. Arulvasu. 2009. Isolation of 1,2 disubstituted idopyranose from *Vitex negundo* and its effects on diabetic rats. Internasional Journal of Pharmaceuticals Analysis 1(2):4-10.
- Markham, K. R. 1988. Cara Mengidentifikasi Flavonoid. Terjemahan Kosasih Padmawinata. Bandung: ITB Press.

- Meena, A. K., Niranjana, U.S., Rao, M.M., Padhi, M.M. dan Babu, R.. 2011. A review of the important chemical constituents and medicinal uses of *Vitex* genus. *Asian Journal of Traditional Medicines* 6(2).
- Meyer, B. N., Ferrigni, N.R., Putnam, J. E., Jacobsen, L. B., Nichols, D. E., Mclaughlin, J. L. 1982. Brine Shrimp: A convenient general bioassay for active plant constituents. *Planta Med* 45:31-34.
- Mosman, T. 1993 Rapid colorimetric assay for cellular growth and survival application to proliferation and cytotoxicity assay. *Journal of Immunological Methods* 65:55-56
- Mohamed, A.M., M. Abdou, A., M. Hamed, M dan M.Saad, M. 2012. Characterization of bioactive phytochemical from the leaves of *Vitex trifolia*. *International Journal of Pharmaceutical Applications* 3 (4):419-428
- Mulukuri, N.V.L.S., Mondal, N.B., Prasad, M.R., Renuka, S., Ramakrishna, K. 2011. Isolation of diterpenoid lactones from the Leaves of *Andrographis paniculata* and its anticancer activity. *International Journal of Pharmacognosy and Phytochemical Research* 3(3):39-42.
- Nakanishi, K. 1990. One-dimensional and two-dimensional NMR spectra by modern pulse techniques. Kodansha Tokyo.
- Ono, M., Ito, Y., Nohara, T. 2001. Four new halimane-type diterpenes, vitetrifolins D-G, from the fruit of *Vitex trifolia*. *Chemical and Pharmaceutical Bulletin* 49:1220-1222
- Ono, M., Nishida, Y., Masuoka, C., Li, J., Okawa, M., Ikeda, T., Nohara, T. 2004. Lignan derivatives and a norditerpene from the seeds of *Vitex negundo*. *Journal of Natural Products* 67:2073-2075.
- Ono, M., Yamasaki, T., Konoshita, M., Ikeda, T., Okawa, M., Kinjo, J., Yoshimitsu, H. dan Nohara, T. 2008. Five new diterpenoids, viteagnusins A-E, from the fruit of *Vitex agnus-castus*. *Chem. Pharm. Bull* 56 (11):1621-1624.
- Ono, M., Nagasawa, Y., Ikeda, T., Tsuchihashi, R., Okawa, M., Kinjo, J., Yoshimitsu, H. dan Nohara, T. 2009. Three new diterpenoids from the fruit of *Vitex agnus-castus*. *Chem. Pharm. Bull* 57 (10):1132-1135.
- Padmalatha, K., Jayaram, K., Raju, N.L., Prasad, M.N.V., Arora, R. 2009. Ethnopharmacological and biotechnological significance of *Vitex*. *Bioremediation, Biodiversity and Bioavailability* 3(1):6-14.
- Patel, D., Shukla, S and Gupta, S. 2007. Apigenin and cancer chemoprevention: progress, potential and promise (Review). *International Journal of Oncology* 30:233-245.

- Putri, H. 2013. Protokol uji sitotoksik metode MTT, Cancer Chemoprevention Research Center (CCRC). Yogyakarta:Fakultas Farmasi, UGM.
- Pianaro, A; Pinto, JP; Ferreira, DT; Ishikawa, NK; Braz-Filho, R. 2007. Iridoid glucoside and antifungal phenolic compounds from *Spathodea campanulata* roots. *Semina:Ciencias Agrarias* 28 (2):251-256.
- Rani, A. dan Sharma, A. 2013. The Genus *Vitex*: A review. *Pharmacognosy Review* 7 (14):188-198.
- Rudrapaul, P., Sarma, I.S., Das, N., De, U.C., Bhattacharjee, S., Dinda, B. 2014. New Flavonol methyl ether from the leaves of *Vitex peduncularis* exhibits potential inhibitory activity against *Leishmania donovani* through activation of iNOS expression. *European Journal of Medicinal Chemistry* 87: 328-335.
- Romagnoli, R., Baraldi, P. G., Tabrizi, M. A., Bermejo, J., Estévez, F., Borgatti, M., Gambari, R. 2005. Design, synthesis, and biological evaluation of hybrid molecules containing α -methylene- γ -butyrolactones and α -bromoacryloyl moieties. *J Med Chem* 48:7906–7910.
- Rastogi, T., Kubde, M., Farooqui, I.A dan Khadabadi, S.S. 2010. A review on ethnomedicinal uses and phyto-pharmacology of anti-inflammatory herb *Vitex negundo*. *International Journal of Pharmaceutical Sciences and Research (IJPSR)* 1(9):23-28.
- Roy, D.N., Mandal, S., Sen, G., Mukhopadhyay, S., and Biswas, T. 2010. 14-deoxyandrographolide desensitizes hepatocytes to tumour necrosis factor α -induced apoptosis through calcium-dependent tumour necrosis factor receptor superfamily member 1A release via the NO/cGMP pathway. *British Journal of Pharmacology* 160: 1823–1843.
- Rajagopal S., Kumar RA., Devi DS., Satyanarayana C., Rajagopalan R. 2003. Andrographolide, a potential cancer therapeutic agent isolated from *Andrographis paniculata*. *J Exp Ther Oncol* 3: 147–158.
- Sari D. P., Ninomiya M., Efdi M., Santoni A., Ibrahim S., Tanaka K., Koketsu M. 2013. Clerodane diterpenes isolated from *Polyalthia longifolia* induce apoptosis in human leukemia HL-60 cells. *J Oleo Sci* 62:843–848.
- Sastrohamidjojo, H. 1992. Spektroskopi Inframerah. Yogyakarta: Liberty.
- Sehgal, C.K., Taneja, S.C., Dhar, K.L., and Atal, C.K. 1982. 2'-p-hidroksibenzoilmussaenosidic acid, a new iridoid glukoside from *Vitex negundo*. *Phytochemistry* 21(2):363-366.

- Sehgal, C.K., Taneja, S.C., Dhar, K.L., and Atal, C.K. 1983. 6'-p-hidroksibenzoilmussaenosidic acid an iridoid glukoside from *Vitex negundo*. *Phytochemistry* 22(4):1036-1038.
- Shahzad, A. M., Syarhabil, A. M and Soh, M. A. 2015. Pharmacological potential of vitexin. *Indian Research Journal of Pharmacy and Science* 2(2):114-122.
- Shi MD., Lin HH., Lee YC., Chao JK., Lin RA., Chen JH. 2008. Inhibition of cell-cycle progression in human colorectal carcinoma Lovo cells by andrographolide. *Chemico-Biol Interact* 174:201-210.
- Smith III, A.B., Toder, B.H., Carroll, P.J., and Donohue, J. 1982. Andrographolide: an X-ray crystallographic analysis. *J. Crystallographic and Spectroscopic Research* 12(4): 309-319.
- Suganda, A. G. 1999. Tumbuhan untuk pengobatan tumor, Simposium Tumor/Kanker-Perkembangannya, Terapi Medis Serta Pengobatan Alternatif. Bandung:ISFI Bandung Raya.
- Suksamrarn, A. and Sommecchai, C. 1993. Ecdysteroids from *Vitex pinnata*. *Phytochemistry* 32(2):303-306.
- Shou-liang C dan Gilbert, M. G. 1994. Verbenaceae. *Flora of Cina* 17:1-49.
- Suryaguna, I. M. S., Anantha, G. N. H. dan Putra M.D.A. 2009. Produksi obat nyamuk dengan bahan dasar liligundi. *IPTEKMA* 1:11-16.
- Sukardirman, Harjotaruno, Widyawaruyanti, A., Sismindari, Zaini, N.C. 2007. Apoptosis inducing effect of andrographolide on TD-47 human breast cancer cell line. *Afr J Traditional CAM* 4(3):345-351.
- Seelinger, G., Merfort I., Wolfle, U., Schempp, C.M.. 2008. Anti-carcinogenic effects of the flavonoid luteolin. *Molekules* 13:2628-2651.
- Shen, Jia-Kun, Du, Hua-ping, Yang, M., Wang, Yun-Gui, Jin, J. 2009. Castisin induces leukemic cell death through apoptosis and mitotic catastrophe. *Ann Hematol* 88:743-752.
- Syah, Y. M. 2016. Dasar-dasar penentuan struktur molekul berdasarkan data spektrum ^1H dan ^{13}C NMR. Bandung: Laboratorium Spektroskopi Massa dan NMR, FMIPA, ITB.
- Sutrisno. 2000. Aktifitas pakirizin dan turunannya terhadap pertumbuhan sel leukemia L1210 [Disertasi]. Bandung. Pascasarjana ITB.
- Supratman, U. 2005. Elusidasi Struktur Senyawa Organik. Bandung: Jurusan Kimia FMIPA, Unpad.

- Tan, Y., Chiow, K.H., Huang, D., Wong, S.H. 2010. Andrographolide regulates epidermal growth factor receptor and transferrin receptor trafficking in epidermoid carcinoma (A-431) cells. *British J Pharmacol* 159(7): 1497-1510.
- Tiwari, N., Luqman, S., Masood, N., M.Gupta, M. 2012. Validated high performance thin layer chromatographic method for simultaneous quantification of mayor iridoids in *Vitex trifolia* and their antioksidant studies. *Journal of Pharmaceutical and Biomedical Analysis* 61:207-214.
- Tiwari, N., Thakur, j., Saikia, D., Gupta, M.M. 2013. Antitubercular diterpenoids from *Vitex trifolia*. *Phytomedicine* 20:6005-610.
- Udin, G., Waliullah, Shaheen, S.B. 2011. Chemical constituents and phytotoxicity of solvent extracted fractions of stem bark of *Grewia optiva* Drummond ex Burret. *Middle-East Journal of Scientific Research* 8(1):85-91.
- Unelius, CR; Nordiander, G; Hordenhem, H; Hellqvist, C; Legrand, S and Borg-Karlson, A.K. 2006. Structure activity relationships of benzoic acid derivatives as antifeedants for the Pine Weevil *Hylobius abietis*. *J Chem Ecol* 32:2191-2203.
- Vimal, A., Vikram, L., Singhal, S., Anil, B. 2011. *Vitex negundo*: A chinese chaste tree, *Internasional Journal of Pharmaceutical Innovations* 1 (5):9-20.
- Wanjaswa, F., 2010. *Klasifikasi Ilmiah Laban Tileng*. <http://faridwanjaswa.blogspot.com/2010/11/klasifikasi-ilmiah-laban-tileng-vitex.html>
- Waerdenaar, E., Jayuska, A. dan Yanti, H. 2011. Karakterisasi senyawa cicerfurandari fraksi etilasetat ekstrak akar kayu laban (*Vitex pubescens* Vahl). *Jurnal Tengawang* 1(1):37-42.
- Wang, H.Y., Cai, B., Cui, C.B., Zhang, D.Y., Yang, B.F. 2005. Vitexicarpin, a flavonoid from *V. Trifolia*, induces apoptosis in K562 cells via mitochondria-controlled apoptotic pathway. *Yao Xue Xue Bao* 40(1):27-31.
- Wang, W., Wang, J., Dong, S.F., Liu, C.H., Italiani, P., Sun, S.H., Xu, J., Boraschi, D., Ma, S.P., Qu, D. 2010. Immunomodulatory activity of andrographolide on macrophage activation and specific antibody response. *Acta Pharmacol Sinica* 31(2), 191-201.
- Xu, Y., Marshall, R.L., and Mukkur, T.K.S. 2006. An Investigation on the antimicrobial activity of *Andrographis paniculata* extracts and andrographolide *in vitro*. *Asian J Plant Sciences* 5(3):527-530.

- Zheng, C., Huang, B., Han, T., Zhang, Q., Zhang, H., Rahman, K., Qin, L. 2009. Nitric oxide scavenging lignans from *Vitex negundo* seeds. *Journal of Natural Products* 72:1627-1630.
- Zheng, C., Huang, B., Wu, Y., Han, T., Zhang, Q., Zhang, H., Qin, L. 2010. Terpenoids from *Vitex negundo* seeds. *Biochemical Systematics and Ecology* 38:247-249.
- Zheng, C., Zhu, J., Yu, W., Ma, X., Rahman, K dan Qin, L. 2013. Labdane-type diterpenoids from the fruits of *Vitex trifolia*. *Journal of Natural Products* 76 (2):287-291.
- Zheng, C., Pu, J., Zhang, H., Han, T., Rahman, K., Qin, L. 2012. Sesquiterpenoids and norterpenoids from *Vitex negundo*. *Fitoterapia* 83:49-54.
- Zheng, C., Zhang, X., Han, T., Jiang, Y., Tang, J., Bromme, D., Qin, L. 2014. Anti-inflammatory and Anti-osteoporotic Lignans from *Vitex negundo* Seeds. *Fitoterapia* 93:31-38.
- Zhang, Z., Jiang, J., Yu, P., Zeng, X., Larrick, J.W., and Wang, Y. 2009. Hypoglycemic and beta cell protective effects of andrographolide analogue for diabetes treatment. *J Translational Medicine* 7:62.
- Zhou, J., Ong, C.N., Hur, G.M., Shen, H.M. 2010. Inhibition of the JAK-STAT3 Pathway by Andrographolide Enhances Chemosensitivity of Cancer Cells to Doxorubicin. *Biochem Pharmacol* 79(9):1242-1250.
- Zhao, F., He, E., Wang, L., Liu, K. 2008. Anti-tumor activities of andrographolide, a diterpene from *Andrographis paniculata*, by Inducing apoptosis and inhibiting VEGF level. *Journal of Asian Natural Products Research* 10(5):473-479.

