

DAFTAR PUSTAKA

- Adam, D.C., M.L. Galyean, H.E. Kiesling, J.D. Wallace and M.D. Finker. 1981. Influence of viable yeast culture, sodium bicarbonate and monensin on liquid dilution rae, rumen fermentation and feedlot perfomance of growing lambs and digestibility in lamb. *J. Anim. Sci.* 53: 780-789.
- Alimon, A.R. and M. Hair Bejo. 1995. Feeding systems based on oil palm by-products in Malaysia. 1st Int. Symp. On the integration of livestock to oil palm production. MASP/FAO and UPM, 25 – 27th June 1995, Kuala Lumpur, Malaysia.
- Amzi dan Gunawan, 2005. Pemanfaatan Pelepah Kelapa Sawit Dan Solid Untuk Pakan Sapi Potong Balai. Pengkajian Teknologi Pertanian Bengkulu, Bengkulu.
- Anggorodi, R., 1994. Ilmu Makanan Ternak Umum. PT Gramedia, Jakarta
- Apriyadi, L. 1999. Pengaruh Penambahan Probiotik Bioplus Serat pada Konsumsi dan Kecernaan Ransum Rumput Gajah (*Pennisetum purpureum*) yang Diberikan pada Domba Ekor Tipis. Skripsi. Jurusan Peternakan Fakultas Pertanian Universitas Djuanda, Bogor. 33 hlm.
- Aritonang, D. 1986. Perkebunan kelapa sawit sumber pakan ternak di Indonesia. *Jurnal Badan Litbang Pertanian.* 5(a) : 93-95.
- Baumgart, B.R. 1969. Voluntary Feed Intake. Dalam : E.S.E. Hafez and I.A. Dyer. (Ed), *Animal Growth and Nutrition*. Philadelphia.
- Beecher, C., M. Daly, D.P. Berry, K. Klostermann, J. Flynn, W. Meaney, C. Hill, T. V. McCarthy, R.P Ross, and L. Giblin. 2009. Administration of a live culture of *Lactococcus lactis* DPC3147 into the bovine mammary gland stimulates the local host immune response, particularly IL-1 and IL-8 gene expression. *Journal of Dairy Research* 76:340–348.
- Bengaly, K., J.B. Liang, Z.A .Jelan, Y. W. Ho dan H.K. Ong. 2004. Optimization of steam treatment as a method to increase in situ degradability of oil palm (*Elaesis guineensis*) frond in malaysia. *Livestock Research for Rural Development* 16 (3).
- Brashears, M. M., A. Amezquita and D. Jaroni. 2005. Lactic acid bacteria and their uses in animal feeding to improve food safety. *Adv. Food Nut. Res.* 50:1-31.
- Buckle, K. A., R. A. Edwards, G. R. Fleed dan M. Wooton. 1987. *Ilmu Pangan*. Terjemahan Adiono dan Purnomo. UI Press, Jakarta

- Callaway, E.S. and S.A. Martin, 1997. Effects of *Saccharomyces cerevisiae* culture on ruminal bacteria that utilize lactate and digest cellulose. J. Dairy Sci., 80: 2035-2204.
- Chauvel, F., G. Fonty, G. Bertin, J. M. Salmon and P. Gouet. 1995. Effects of a strain of *Saccharomyces cerevisiae* (Levucell SC), a microbial additive for ruminants, on lactate metabolism *in vitro*. Can. J. Microbiol. 42:927-933.
- Church, D.C. 1988. The Ruminant Animal Digestive Physiology and Nutrition. Prentice Hall, Englewood Cliffs. New Jersey. USA.
- Crampton, E. W and L.E. Harris. 1969. Applied Animal Nutrition. 2nd Ed. W.H. Freeman and Company, San Francisco.
- Darmono. 1993. Tata Laksana Usaha Sapi Kereman. Cetakan ke1.Kanisius, Yogyakarta.
- Denev, S.A., Peeva, T.Z., Radulova, P., Stancheva, N., Staykova, Beev, G., Todorova, P., Tchbanova, S. 2006. Yeast cultures in ruminant nutrition. Bulgarian Journal of Agricultural Science. 13. P. 357-374.
- Devendra, C. 1990. Roughage Resources for Feeding in The Asean Region, The First Asean Workshop on Technology of Animal Feed Production Utility Food Waste Material.
- Devendra, C. 1978. Utilization of feedingstuffs from the oil palm. Proc. Of Symposium on Feedingstuffs for Livestock in South East Asia. Malaysian Society of Animal Production. Serdang, Malaysia. p. 116-131.
- Devendra, C. 1977. Utilization of feedingstuffs from the oil palm. Dalam: Feedingstuffs for livestock in South East Asia. pp. 116-131.
- Dinkel, C.A. 1985. Weaning wight of beef calves as affected by ages and sex of calves and ages of dam. J. Anim. Sci. 24: 1067.
- Direktorat Jenderal Perkebunan. 2012. Buku Statistik Perkebunan, Direktorat Jenderal Perkebunan. Jakarta.
- Direktorat Jenderal Peternakan dan Kesehatan Hewan. 2014. Badan Pusat Statistik Indonesia. www.bps.go.id. Diakses 5 Januari 2015. Jakarta.
- Elisabeth, J dan S.P. Ginting. 2003. Pemanfaatan hasil samping industri kelapa sawit sebagai bahan pakan ternak sapi potong. Prosiding Lokakarya Sistem Integrasi Kelapa Sawit-Sapi. Bengkulu. 9-10 September 2003. Departemen Pertanian Bekerjasama dengan Pemerintah Provinsi Bengkulu dan PT. Agricinal.

Ensminger, E.M. 1979. Animal Science. 4th Ed. The Inter State Printers of Publishers Inc. Denville, Illionis.

Fadel El-seed, A.N.M.A., J. Sekine, H.E.M. Kamel and M. Hishinuma, 2004. Changes with time after feeding in ruminal pool sizes of cellular contents, crude protein, cellulose, hemicellulose and lignin. Indian J. Anim. Sci., 74: 205-210.

Fakhri S, Akmal, Nelson, R. Murni, dan B.L. Ginting. 2006. Evaluasi Potensi Pelepah Sawit (oil palm fronds) sebagai Pakan Ternak Ruminansia. Seminar Hasil Penelitian Fakultas Peternakan Universitas Jambi.

Fallon, R.J., and F.J. Harte. 1987. The effect of yeast culture inclusion in the concentrate diet on calf performance .J. Dairy Sci. 70 (suppl 1), 119.

Fu, Y. Q., Q. Y. Diao, Y. Tu, J. H. Wang, and X. C. Xu. 2012. Effects of different combinations of probiotics on growth performance and serum biochemical parameters in dairy calves aged from 0 to 8 weeks. Chinese Journal of Animal Nutrition 24(4):753-761.

Gong CS, Tsao GT. 1979. Cellulase and Biosynthesis Regulation. In Annual Reports on Fermentation Process3:111.

Haddadin, M.S.Y., S.M. Abdulrahim, E.A.R.Hashlamoun, R.K.Robinson. 1996. The effect of Lactobacillus acidophilus on the production and chemical composition of hen eggs. Poultry Sci75: 491–494.

Hau, D.K., N.G.F. Katipana, J. Nulik, A. Pohan, O.T. Lailogo dan C. Liem. 2004. Pengaruh Probiotik terhadap retensi nitrogen dan energi serta pertumbuhan ternak sapi Bali Timor Jantan. Pros. Seminar Nasional Teknologi Peternakan dan Veteriner. Bogor, 4-5 Agust. 2004. Pustlitban Peternakan, Bogor, hlm. 91-96.

Ibrahim, N.M. N. 1984. Efficieny of urea ammonia treatment. Dalam : Rice straw related feeds In ruminant ration. Proceddings of international workshop held in Kandy (Ibrahim N.M and Schiere (Eds). Departement of Tropical Animal Production Agricultural University Wageningen. Hal 103-111.

Komar, A. 1984. Teknologi Pengolahan Jerami sebagai Makanan Ternak. Cetakan Pertama. Yayasan Dian Grahita, Bandung.

Kung, L. Jr. 2001. Direct-fed microbials for dairy cows and enzymes for lactating dairy cows: New theories and applications. Penn State Dairy Cattle Workshop Proc. Pp. 86-102.

- Leng, R.A. 1991. Application of biotechnology to nutrition of animal developing countries. FAO.Animal Production and Health Paper.
- Lynch, H.A. and S.A Martin. 2002. Effect of *Saccharomyces cerevisiae* culture and *Saccharomyces cerevisiae* live cells on in vitro mixed ruminal microorganism fermentation. J. Dairy. Sci. 85 : 2603-2608.
- Mardalena, R . 2000. *Saccharomyces cerevisiae* Lokal Sebagai Altematif Pengganti Probiotik :Impor dalam Ransum Domba . Skripsi. Jurusan Peternakan Fakultas Pertanian Universitas Djuanda, .Bogor. 36 hlm.
- Mathius, I-W., D. Sitompul, B.P. Manurung dan Azmi. 2004. Produk samping tanaman dan pengolahan kelapa sawit sebagai bahan pakan ternak sapi potong: Suatu tinjauan. Pros. Lokakarya Nasional Sistem Integrasi Kelapa Sawit-Sapi. Badan Litbang Pertanian, Pemprov Bengkulu dan PT. Agricinal. hlm. 120-128.
- Mathius, I.W., A.P. Sinurat, B.P. Manurung, D.M. Sitompul, dan Azmi. 2005. Pemanfaatan Produk Fermentasi Lumpur- Bungkil Sebagai Bahan Pakan Sapi Potong. Prosiding Seminar Nasional Tekno-logi Peternakan dan Veteriner. Pusat Penelitian dan Pengembangan Peternakan, Bogor.
- Mohamad, H., H. A. Halim dan T. M. Ahmad. 1991. Availability and potential of oil palm atrunks and fronds up the year 200. Palm oil Research Institute of Malaysia (PORIM) 20: 1 -17.
- Mustangwa, T., I.E. Edward, J.H. Topps and G.F.M. Peterson. 1992. The effect of dietary inclusion yeast culture (*Yea-Sac*) on pattern of rumen fermentation, food intake and growth of intensively fed bulls. Anim. Prod., 55: 35-40.
- Ngadiyono, N. dan E. Baliarti. 2001. Laju Pertumbuhan dan produksi karkas sapi Peternakan Ongole Jantan dengan penambahan probiotik starbio pada pakannya. Media Peternakan 24(2): 63-67
- Parakkasi A. 1999. Ilmu Nutrisi dan Makanan Ternak Ruminansia. Universitas Indonesia, Jakarta.
- Prihardono, R. 2001. Pengaruh Suplementasi Probiotik Bioplus, Lisinat Zn dan Minyak Ika Lemuru Terhadap Tingkat Penggunaan Pakan dan Produk Fermentasi Rumen Domba. Skripsi Jurusan Ilmu Nutrisi dan Makanan Ternak, Fakultas Peternakan Institut Pertanian Bogor.
- Purba, A. W. Mathius, S.P.Ginting, dan F.R. Panjaitan. 2012. Pakan Lengkap Berbasis Biomassa Sawit Penggemukan Sapi lokal dan kambing kacang. Pusat Penelitian Kelapa Sawit. Balai Penelitian Ternak, Bogor.

- Ratnaningsih, A. 2000. Pengaruh pemberian Probiotik *S.cerevisiae* dan bioplus pada ransum ternak domba terhadap konsumsi bahan kering, kecernaan dankonversi ransum (in vivo). Skripsi. Fakultas Peternakan Universitas Padjajaran. Bandung.
- Rojo, R., Mendoza, GG.D., Gonzalez, S.S. Landois, L. Barcena, R. Crosby M,M, 2005. Effects of exogenous amylase from *Bacillus licheniformis* and *Aspergillus niger* on ruminal starch digestion and lamb perfomsnce. Anim. Feed. Sci. Tech. 123-124, 655-665.
- Shin, T., S. Hyung, K . Kyun and A . Choong . 1989 . Effects of CYC on the performance of Dairy, Beef cattle and swine. Seoul, Korea.
- Siregar, S. B. 2001. Penggemukan Sapi. Penebar Swadaya, Jakarta.
- Soeparno. 1992. *Ilmu dan Teknologi Daging*. Gajah Mada University Press. Yogyakarta.
- Steel, R.G.D. dan J.H. Torrie. 1993. Prinsip dan Prosedur Statistika Suatu Pendekatan Biometrik. Terjemahan Ir. Bambang Sumantri. IPB Press. Bogor.
- Steel, R. G. D., dan J. H. Torrie. 1996. Prinsip dan Prosedur Statistika. Edisi ke-4. Penerbit Gramedia Pustaka Utama, Jakarta. (Diterjemahkan oleh B. Sumantri).
- Sutardi, T. 2006. *Landasan Ilmu Nutrisi*. Departemen Ilmu Makanan Ternak, Fakultas Peternakan Institut Pertanian Bogor, Bogor.
- Thony, F.K.P., 2007. Daun Kelapa Sawit Dalam Pakan Berbasis Limbah Perkebunan Terhadap Performans Sapi Peranakan Brahman Lepas Sapih, USU-press. Medan
- Tillman, A. D., H. Hartadi, S. Reksohadiprojo, S. Prawirokusumo dan S. Lebdosoekojo. 1998. Ilmu Makanan Ternak Dasar. Edisi ke-5. Gadjah Mada University Press, Yogyakarta.
- Wallace, R.J. and C .J . Newbold. 1992 . Probiotics for ruminants . In : Probiotics, the Scientific Basis. FULLER, R . (Ed .) . Champan and Hall . London. pp . 317 – 353.
- Wallace, R.J., 1994. Ruminal microbiology, biotechnology and ruminant nutrition: J. Anim. Sci., 72: 2992-3003.
- Wijono, D. B., A. Lukman. dan Ainur Rasyid. 2003. Integrasi Ternak dengan Perkebunan Kelapa Sawit. Prosiding Lokakarya Nasional. Badan Perkebunan dan Penelitian, Bogor.

Williams P.E.V., and C.J.Newbold. 1990. Rumen probiosis: The effects of novel microorganism on rumen fermentation and ruminal productivity. Di dalam: Haresign W, Cole DJA, editor. Recent Adv In Animal Nutrition. London: Butterworths.

Williamson. G. Dan. W.J.A. Payne. 1993. *Pengantar Peternakan di Daerah Tropis Universitas Gajah Mada*. Yogyakarta.

Wina, E. 2000. Pemanfaatan ragi (yeast) sebagai pakan imbuhan untuk meningkatkan produktivitas temak ruminansia. *Wartazoa* 9(2) : 50-56.

Wizna., H. Abbas, Y. Rizal, A. Dharma dan I. P. Kompiang. 2007. Selection and identification of cellulase-producing bacteria isolated from the litter of mountain and swampy forest. *Microbiology Indonesia Journal*, December 2007, P 135-139 Volume 1, Number 3 ISSN 1978-3477.

Yoon, I.K. and M.D. Stern. 1995. Influence of directed fed microbials on ruminal microbial fermentation and performance of ruminants. A Review. *Asian-Aust. J. Anim. Sci.* 8: 535 – 555.

Yudith Taringan A., 2010. Pemamfaatan Pelepas sawit dan Hasil Ikutan Industri Kelapa Sawit Terhadap Pertumbuhan Sapi Peranan Simental Fase Pertumbuhan. Departemen Pendidikan Fakultas Sumatra Utara. llications. Penn State Dairy Cattle Workshop Proc. Pp. 86-102.

Zain, M., T. Sutardi, Suryahadi and N. Ramli. 2008. Effect of defaunation and supplementation methionine hydroxy analogue and branched chain amino acid in growing sheep diet based on palm press fiber ammoniated. *Pakistan J. Nut.*7(6): 813 – 816.

Zain,M, N. Jamarun,A.Arnim, W.S.N. Ningrat and R.Herawati 2011. Effect of Yeast (*Saccharomyces cerevisiae*) on fermentability, microbial population and digestibility low quality roughage (in vitro). *Archiva Zootechnica* 14(4), 51-58.

Zain, M., Jurnida Rahman, Khasrad and Erpomen. 2015. In vitro Fermentation Characteristics of Palm Oil By products Which is Supplemented with Growth Factor Rumen Microbes. *Pakistan Journal of Nutrition* **14 (9)**: 625-628.