

DAFTAR PUSTAKA

- Agoes G. Teknologi Bahan Alam. Bandung: Penerbit ITB; 2007.
- Ahmadjian V. The Lichens. New York & London : Academic Press; 1993.
- Alarco J. Biotransformation of 3 ,4 -Dihydroxy-dihydro- -agarofuran by *Rhizopus nigricans*. Z. Naturforsch. 59c. 2004;215–7.
- Alexopoulos CJ & Mims CW. Introductory Micology. New York : John Wiley and Sons; 1981.
- Babu PD, Bhaktyaraj R, Vidhyalakshmi R. A Low Cost Nutritious “Tempe” – A Review. World J Dairy Food Sci. 2009; 4(1): 22-27.
- Boaventura MAD, Lopes RF, Takahashi JA. Microorganisms as tools in modern chemistry: the biotransformation of 3-indolylacetonitrile and tryptamine by fungi. Brazilian Journal of Microbiology. 2004. Online <http://www.scielo.br>.
- Branislav RR, Marijana MK, Tatjana PS. Antioxidant, Antimicrobial and anticancer activity of the lichens *Cladonia furcata*, *Lecanora atra* and *Lecanora muralis*. Complementary and Alternative Medicine. 2011; 11:97.
- Brooks GF, Butel J, Morse S. Mikrobiologi Kedokteran (Medical Microbiology). Jakarta: Salemba Medika; 2005.
- Chen, IN. Antioxidant and Antimicrobial Activity of Zingiberaceae Plants in Taiwan. Plant Food Hum. Nutr. 2008; 63. 15-20.
- Dachriyanus. Analisis Struktur Senyawa Organik Secara Spektroskopi. Padang: Andalas University Press. 2004.
- Daniely HPV, Jair M, Paula KSU, Natalia NS, Mary ASL, José NSJ, Francisco GB, Marcos CM, Maria CF, Cristiano SL and Maria NGP. Biotransformation of the Diterpene Ent-18,19-dihydroxytrachylobane by *Rhizopus stolonifer*. Sociedade Brasileira de Química. 2015; 26(5): 1043–7.
- Darwis AA, Sailah I, Irawati TT, Safriani. Kajian Kondisi Fermentasi pada Produksi Selulase dari Limbah Kelapa Sawit (Tandan Kosong dan Sabut) oleh *Neurosprora sitophila*. J. Teknologi Industri Pertanian. 1995; Vol. 5 (3) 199-207.
- Davis WW, Stout TR. Disc Plate Methods fo Microbiological Antibiotic Assay. Microbiology. 1971;22(4): 659-665.
- Dharmananda, S. Safety Issues Affecting Herbs. Usnea : An Herb Used in Western and Chinese Medicine. Institute for Traditional Medicine. (Portland, Ore). 2003.
- Engel KU, Schmidt J, Reuter S, Weckesser BH, Simmo CM, Schempp. Usnea barbata extract prevents ultraviolet-b induced prostaglandin e2 synthesis and COX-

2 expression in hacat keratinocytes. J. of Photochemistry and Photobiology. 2007; 84 : 9-14.

Eyong KO, Ambassa P, Yimdjo MC, Sidjui LS, Folefoc GN. A New Source Of Kojic Acid Isolated from Kigelia Africana : A Possible Precursor For Quinone Biosynthesis. 2012;5(4):477–80.

Frengki. Isolasi, Elusidasi Struktur Dan Uji Bioaktivitas Kandungan Kimia Fraksi Etil Asetat Kulit Batang Tanaman Calophyllum Macrophyllum Scheff : [Tesis] Program Studi Magister Ilmu Kefarmasian. Depok: Universitas Indonesia; 2010.

Gandjar, I. Mikologi Dasar dan Terapan. Jakarta: Yayasan Obor Indonesia; 2006.

Gritter RJ, Bobbit M & Schwarting AE. Pengantar kromatografi. (Edisi Kedua). Diterjemahkan oleh K. Padmawinata. Bandung: Penerbit ITB; 1991.

Grishko VV, Tarasova EV, Ivshina, IB. Biotransformation of betulin to betulone by growing and resting cells of the actinobacterium *Rhodococcus rhodochrous* IEGM 66. Process Biochem. 2013; 48, 1640–1644.

Gunasekaran, Saranyapiriya, Vinoshene PR, Surash R, Vikneswaran M, Mohd W S, Laily BD. Antibacterial and antioxidant activity of lichens: *Usnea rubrotincta*, *Ramalina dumeticola*, *Cladonia verticillata* and their chemical constituents. Malaysian Journal of Analytical Sciences. 2016; Vol: 20 : 1-13.

Gupta VK, Darokar MP, Saikia A, Pal A, Fatima A, Khanuja SPS. Antimycobacterial activity of lichens: Pharm.Biol. 2007; 45(3): 200-204.

Hadioewignyo L, Hadi E, & Wibowo N. Tablet Likuisolid Ibuprofen. Majalah Farmasi Indonesia. 2011; 22 (3), 197 – 203.

Hasanah U, Riwayati, Idramsa. Uji Antijamur Patogen Ekstrak Metabolit Sekunder Jamur Endofit Tumbuhan Raru (*Cotylelobium melanoxyton*). Jurnal Biosains. 2015; 1(1).

Hegazy MEF, Mohamed TA, ElShamy AI, Mohamed AE, Mahalel UA, Reda EH , Shaheen AM, Tawfik WA, Shahat AA, Shams KA, Abdel-Azim, Hammouda FM. Microbial biotransformation as a tool for drug development based on natural products from mevalonic acid pathway: A review. Journal of Advanced Research. 2015; 6, 17–33.

Hoobs C. Usnea: The Herbal Antibiotic and Other Medicinal Lichens. 3rd Revision. Botanica Press: Capitola, CA; 1990.

Hesse M, Meier H, Zeeh B. Spektroskopische Methoden in der Organischen Chemie 4. ü berarbeitete Auflage. New York: Georg Thieme Verlag Stuttgart; 1991.

Hickey BJ, Lumsden AJ, Cole ALJ, Walker JRJ. Antibiotic compounds from new zealand plant: methyl haematommate. an antifungal agent from *Stereocaulon Ramulosum*: New Zealand Natural Sciences 17; 1990.

Ingolfsdottir K. Usnic Acid. Phytochemistry. 2002; 61 (7): 729–736.

Kjer J, Debbab A, Aly AH, & Proksch P. Methods for isolation of marine derived endophytic fungi and their bioactive secondary products. Nature Protocols. 2010; 5(3), 479-490.

Kumala S, Utji R, Sudarmono P, Kardono LBS. Isolation of Endophyte Fungi from *Brucea javanica* L (Merr) and Cytotoxic Evaluation of their n-Butanol Extract from Fermentation Broth. Pakistan Journal of Biological Sciense. 2006; Vol. 9. 825-832.

Kutney JP, Baarschers WH, Chin O, Ebizuka Y, Hurley L, Leman JD, Salisbury PJ, Sanchez IH, Yee T, Bandoni RJ. Studies in The Usnic Acid Series VIII. The Biodegradation of (+)-Usnic Acid by *Mortierella isabellina*. Can. J. Chem; 1977. 2930-2940.

Kutney JP, Leman JD, Salisbury PJ, Yee T. The biodegradation of (+)-usnic acid by *Mucor globosus*. Can. J. Chem; 1983. 62; 320-325.

Lelamurni D, Razak A, Yuhasliza N, Rashid A, Jamaluddin A, Sharifudin SA, et al. Cosmeceutical potentials and bioactive compounds of rice bran fermented with single and mix culture of *Aspergillus oryzae* and *Rhizopus oryzae*. J SAUDI Soc Agric Sci [Internet]. King Saud University and Saudi Society of Agricultural Sciences;2015.04.001

Maulidiyah, Thamrin A, Sitti HS, Muhammad N. Isolasi dan Identifikasi Senyawa (-)-Asam Usnat dari Lichen *Usnea sp.* serta Aktivitas Sitotoksiknya terhadap Sel Murine Leukemia P388. Jurnal Ilmu Kefarmasian Indonesia. 2015; hlm. 40-44.

Mei X, Ostenfeld T, Schnürer J. Production of volatile compounds by *Rhizopus oligosporus* during soybean and barley tempeh fermentation. 2007;113:133–41.

Morita H, Tsuchiya T. Antimitotic activity of lobaric acid and a new benzofuran, sakisacaulon a from *Stereocaulon sasakii*: Bioorganic and Medicinal Chemistry Letters. 2009; 19: 3679-3681.

Muffler, Kai, Leipolda D, Scheller MC, Haas C, Steingroewer J, Bley T, Neuhaus HE, Mirata MA, Schrader J, Ulber R. Biotransformation of triterpenes. Process Biochemistry. 2011; 1-15.

Numpaque MA, Luis D, Restrepo D. Biotransformation of ferulic acid by the phytopathogenic fungi *Colletotrichum acutatum* and *Lasiodiplodia theobromae*. 2016;69(1):7835–44.

Nunes, PS, Jesus DC, Bezerra, MS, Souza, JCC, Silva, FA, Serafani, MR, Lima, BS, Shanmugan, S, Albuquerque-Junior, RLC, Araujo, AAS. Validation of a UV-Vis Spectrophotometric method for the determination of usnic acid/collagen-based membranes. *Scientia Plena*. 2015; Vol.11, Num. 09.

Nunung & Abbas. *Budidaya Jamur Kuping*. Yogyakarta: Kanisius; 2001.

Parjimo & Andoko. *Budidaya Jamur (Jamur Kuping, Jamur Tiram, dan Jamur Merang)*. Jakarta: Agromedia; 2007.

Paudel BH, Battarai K, Chim H, Lee R, Sofronov L, Ivanova L, Poryadina JH, Yim. Estimation of antioxidant, antimicrobial activity and brine shrimp toxicity of plants collected from oymyakon region of the republic of sakha (yakutia): Biological Research. 2014; 47: 10.

Postlethwait & Hopson. *Modern Biology*. Texas: Holt, Rinehart and Winston; 2006.

Pratiwi S. *Mikrobiologi Farmasi*. Jakarta: Gelora Aksara Pratama; 2008.

Purwoko T, Pawiroharsono S, Gandjar I. Biotransformasi Isoflavon oleh *Rhizopus oryzae* UICC 524. BioSMART; 2001. Vol 3(2) 7-12.

Rankovi B. *Lichen Secondary Metabolite Bioactive Properties and Pharmaceutical Potential*. Serbia : Springer; 2015.

Sathigari S, Chadha G, Lee YHP, Wright N, Parsons DL, Rangari VK, Fasina O, & Babu RJ. Physicochemical Characterization of Evavirenz-Cyclodextrin Inclusion Complex. *AAPS Pharmaceutical Science Technology*. 2009; 10(1) : 81-87.

Setiawati E. Biotransformasi sitronel menjadi sitronelol oleh *Saccharomyces cerevisiae*. [Skripsi]. MIPA UNNES; 2015.

Shepherd G. *Rhizopus sp*-hyphae and sporangia. Diakses pada 11 Maret 2018 dari www.flickr.com.

Stahl E. Apparatus and general techniques in TLC. Dalam : Stahl, E. (ed). Thin layer chromatography a laboratory handbook. Terj. dari Dunnschicht chromatographie, oleh Ashworth, M.R.F. Berlin: Springer-Verlag. 1969; 61-77.

Silverstein RM, Webster FX, Kiemle DJ. *Spectrometric Identification of Organic Compounds* 7th ed. John Eilley & Son, Inc. New York; 2015.

Stark JB, Walter ED, & Owens HS. Method of isolation of usnic acid from *Ramalina reticulata*. *Journal of the American Chemical Society*. 1950; 72(4),1819-1820.

Thadhani VM, Naaz Q, Choudhary MI, Mesaik MA, Karunaratne V. Enzyme inhibitory and immunomodulatory activities of the depsidone lobaric acid extracted

from the lichen *Heterodermia sp*: J.Natn.Sci.Foundation Sri Lanka. 2014; 42 (2): 193-196.

Tjitrosoepomo G. Taksonomi Shizohyta, Thallophyta, Briophyta, Pteridophyta. Yogyakarta: Universitas Gajah Mada; 1989.

Takai M, Uehara Y, & Beisler JA. Usnic acid derivatives as potential antineoplastic agents. Journal of medicinal chemistry. 1979; 22(11), 1380-1384.

Underwood. Analisa Kimia Kuantitatif Edisi 5. Jakarta: Erlangga;1996.

Vandermolen KM, Raja HA, El-elimat T, Oberlies NH. Evaluation of culture media for the production of secondary metabolites in a natural products screening program. AMB Express; 2013.

Yang Y, Thanh TN, Min JH, Florin C, Young HY, Hyung HH, Kyung HC, Hye GJ, Tae CJ, Kwang YL, Kyung KK, Jae-Seoun H, Hangun K. Inhibitory Activity of (+)-Usnic Acid against Non-Small Cell Lung Cancer Cell Motility. PLoS ONE. 2016; 11(1).

Yim JH, Kim C, Kim DC, Han SJ. Pharmaceutical and Food Compositions For Preventing Or Treating Diabetes Or Obesity. United States Patent Application Publication 2014. US; 2014.

