

DAFTAR PUSTAKA

- Abbasi MA, Ilyas M, Aziz-ur-Rehman, Sonia A, Shahwar D, Raza MA, Khan KM, Ashraf M, Afzal I, Ambreen N. Curcumin and its derivative: moderate inhibitors of acetylcholinesterase, butyrylcholinesterase and trypsin. *Scientia Iranica*. 2012; 19(6):1580-1583.
- Adaramoye OA, Anjos RM, Almeida MM, Veras RC, Silvia DF, Oliveira FA, Cavalcante KV, Araújo IG, Oliveira AP, Medeiros IA. Hypotensive and endothelium-independent vasorelaxant effect of methanolic extract from *Curcuma longa* L. in rats. *Journal of Ethnopharmacology*. 2009;12:457-462.
- Aggarwal BB, Sundaram C, Malani N, Ichikawa H. Curcumin : Indian Solid Gold . In B.B. Aggarwal, Y. Surh, & S. Shisodia (Eds.). The molecular target and therapeutic uses of curcumin in health and disease (pp. 1-76). New York, USA: Springer; 2007.
- Ahmed T, Gilani A. Inhibitory effect of curcuminoid on acetylcholinesterase activity and attenuation of scopolamine-induced amnesia may explain medicinal use of turmeric in Alzheimer's disease. *Pharmacology, Biochemistry and Behavior*. 2009;91:554-559
- Badan Pengawas Obat dan Makanan Republik Indonesia. *Acuan Sediaan Herbal Volume Ketiga. Edisi Pertama*. Jakarta: Badan Pengawas Obat dan Makanan; 2007.
- Barness, JH. The Physiology and Pharmacology of Emesis. *Molec Aspect Med*. 1984. 7: 397-508
- Bartnik M, Facey FC. Glycosides. Elsevier; 2007.
- Bong P. Spectral and Photophysical Behaviours of Curcumin and Curcuminoid. *Bull. Korean Chem. Soc.* 2000;21(1): 81-86
- Chatropadhyay I, Biswas K, Bandyopadhyay U, Banerjee RK. Turmeric and curcumin: biological action and medicinal applications. *Current Science*. 2004; 87(1):44-53.
- Chen W, Deng S, Zhou B, Yang L, Liu Z. Curcumin and its analogues as potent inhibitors of low density lipoprotein oxidation: H-atom abstraction from the phenolic groups and possible involvement of the 4-hydroxy-3-methoxyphenyl groups. *Free Radical Biology & Medicine*. 2006;40:526-535.
- Chignell CF, Bilski P, Reszka KJ, Motten AG, Sik RH, Dahl TH. Spectral and Photochemical Properties of Curcumin. *Photochemistry and Photobiology*. 1994;59(3):295-302

Corp N, Pendry B. The role of western herbal medicine in the treatment of gout. Journal of Herbal Medicine. 2013;3:157-170.

Dao TT, Nguyen PH, Won HK, Kim EH, Park J, Won BY, Oh WK. Curcuminoid from *Curcuma longa* and their inhibitory activities on influenza A neuraminidase. Food Chemistry. 2012;134:21-28.

Departemen Kesehatan Republik Indonesia. Farmakope Indonesia IV. Jakarta: Departemen Kesehatan Republik Indonesia; 1990.

Departemen Kesehatan Republik Indonesia. Farmakope Herbal Indonesia Edisi 1. Jakarta: Departemen Kesehatan Republik Indonesia; 2008.

Djamal, R. Prinsip prinsip bekerja dalam bidang kimia bahan alam. Padang; Universitas Andalas; 1990.

Ezuruike UF, Prieto JM. The use of plants in the traditional management of diabetes in Nigeria: pharmacological and toxicological consideration. Journal of Ethnopharmacology. 2014;155(2):857-924.

Feng J, Liu Z. Phenolic and Enolic Hydroxyl Groups in Curcumin: Which Plays the Major Role in Scavenging Radical? J. Agric. Food Chem. 2009;57: 11041-11046

Gandhi P, Khan Z, Chakraverty N. Soluble Curcumin : A Promising Oral Supplement For Health Management. Journal of Applied Pharmaceutical Science. 2011; 01(02): 01-07

Geethanjali A, Lalitha P, Jannathul FM. Analysis of Curcumin Content of Turmeric Samples from Various States of India. International Journal of Pharma And Chemical Research. 2016;2(1): 55-62

Gilda S, Kanitkar M, Bhone R, Paradkar A. Activity of water-soluble turmeric extract using hydrophilic excipients. LWT - Food Science and Technology. 2010;43:59-66.

Goto H, Sasaki Y, Fushimi H, Shibahara N, Shimada Y, Komatsu K. Effect of curcuma herbs on vasomotion and hemorheology in spontaneously hypertensive rat. The American Journal of Chinese Medicine. 2005;33(3):449-457.

Gorji A. Pharmacological treatment of headache using traditional Persian medicine. TREND in Pharmacological Sciences. 2003;24(7):331-334

Hall J & Driscoll P. 10 Nausea, Vomiting and Fever. Emerg Med J. 2005; 22: 200-204

Hariana, A. Tumbuhan obat dan khasiatnya Seri 2. Jakarta: Penebar Swadaya; 2009.

Hazra K, Kumar R, Sarkar BK, Chowdary YA, Devgan M, Ramaiah Maddi. UV Visible Spectrophotometric Estimation of Curcumin in Nanoformulation. International Journal of Pharmacognosy. 2015; 2(3): 127-130

Hlavačková L, Janegová A, Ulična O, Janega P, Černá A, Babál P. Spice up the hypertension diet – curcumin and piperine prevent remodeling of aorta on experimental L-NAME induced hypertension. Nutrition & Metabolism. 2011;8(72):1-10.

Hu S, Yin J, Nie S, Wang J, Phillips G O, Xie M, Cui SW. In vitro evaluation of the antioxidant activities of carbohydrate. Bioactive Carbohydrate and Dietary Fibre. 2016;7(2):19-27

Irshad M, & Chaudhuri PS. Oxidant-antioxidant system ; role and significance in human body. Indian Journal of Experimental Biology. 2002;40:1233-1239.

Jansirani D, Saradha R, Salomideborani N, Selvapridharsini J. 2014. Comparative evaluation of various extraction methods of curcuminoid. Journal of Chemical and Pharmaceutical Science. 2014;4:286-288.

Katherine , Nugroho D, Sugih, AK. Determination of process parameters for curcumin – dextrose cocrystallization. IOP Conf. Series: Materials Science and Engineering. 2018;299: 1-6

Lee HS. Antiplatelet property of *Curcuma longa* L. rhizome-derived ar-turmerone. Bioresource Technology. 2006;97:1372-1376.

Lee HS, Shin W, Song C, Chi K, Ahn Y. Insecticidal activities of ar-turmerone identified in *Curcuma longa* rhizome against *Nilaparvata lugens* (homoptera; delphacidae) and *Plutella xylostella* (Lepidoptera: ypnomeutidae). J. Asia-Pacific Entomol. 2001;4(2):181-185.

Leong-Škorničková J, Šida O, Wijesundara S, Marhold K. On the identity of turmeric; the typification of *Curcuma longa* L. (Zingiberaceae). Botanical Journal of the Linnean Society. 2008;157:37-46.

Lev E. Reconstructed material medica of medieval and ottoman al-sham. Journal of Ethnopharmacology. 2002;80:167-179.

Masuko T, Minami A, Iwasaki N, Majima T, Nishimura S, Lee YC. Carbohydrate analysis by a phenol-sulfuric acid method in microplate format. Analytical Biochemistry. 2005;339: 69-72.

Moghadam AR, Mohajeri D, Namvaran-Abbas-Abad A, Manafi H, Shahi D, Mazani M. Protective effect of turmeric extract on ethotrexate-induced intestinal damage and oxidative stress. Chinese Journal of Natural Medicine. 2013;11(5):477-483.

Molyneux P. The use of stable free radical dyphenylpicryl-hydrazyl (DPPH) for estimating antioxidant activity. Songklanakarin J. Sci. Technol. 2004; 26(2) : 211-219

Muniroh L, Martini S, Nindya TS, Solfaine R. Minyak atsiri kunyit sebagai anti radang pada penderita gout artritis dengan diet tinggi purin. Makara Kesehatan. 2010;14(2):57-64.

Mutmainah, Susilawati R, Rahmawati N, Nugroho AE. Gastroprotective effects of combination of hot water extract of turmeric (*Curcuma domestica* L.), cardamom pods (*Amomum compactum* S.) and sembung leaf (*Blumea balsamifera* DC,) against aspirin-induced gastric ulcer model in rats. Asian Pacific Journal of Tropical Biomedicine. 2014;4:500-504.

Nahar L & Sarker SD. Phytochemistry of the Genus Curcuma. In P.N. Ravindran, K.N., Babu, & Sivaraman, K. (Eds). Turmeric The Genus Curcuma. New York, USA: Tailor and Francis Group; 2007. 71-106

Nakmaerong S, Kukongviriyapan U, Pakdeechote P, Kukongviriyapan P, Kongyingyoes B, Pracheney P, Sompamit K. Effect of curcumin on hemodynamic status and aortic elasticity in L-NAME hypertensive rat. Srinagarin Med J. 2010;25:240-242.

Ngili, Y. *Biokimia Dasar*. Bandung: Rekayasa Sains; 2010.

Nielsen SS. Food Analysis Laboratory Manual. Springer; 2010.

Pabon HJJ. A synthesis of curcumin and related compound. RECUEIL. 1964;83:379-386.

Petnual P, Sangvanich P, Karnchanatat A. A Lectin from Rhizomes of Turmeric (*Curcuma longa* L.) and Its Antifungal, Antibacterial, and α -Glucosidase Inhibitory Activity Food Sci. Biotechnol. 2010;19(4); 907-906

Ponnusamy S, Zinjarde S, Bhargava S, Rajamohanan PR, RaviKumar A. Discovering bisdemethoxycurcumin from *Curcuma longa* rhizome as a potent small molecule inhibitor of human pancreatic α -amilase , a target for type-2 diabetes. *Food Chemistry*.2012; 135: 2638-2642

Priyadarsini KI. The Chemistry of Curcumin: From Extraction to Therapeutic Agent. Molecules. 2014; 19: 20091-20112

Prucksunand C, Indrasukhsri B, Leethochawalit M, Hungspreugs K. Phase II clinical trial on effect of long turmeric (*Curcuma longa* Linn) on healing peptic ulcer. Southeast Asian J Trop Med Public Health. 2001;32(1):208-215.

Ravindran, P.N. Turmeric – the golden spice of life. In P.N. Ravindran, K.N. Babu, & Sivaraman, K. (Eds.) *Turmeric The Genus Curcuma*. (pp. 1-14) New York, USA: Taylor and Francis Group; 2007.

Rodrigues JL, Prather KLJ, Kluskens LD, Rodrigues LR. Heterologous production of curcuminoids. *Microbiology and Molecular Biology Reviews*. 2015;79(1):39-60.

Rohman, A. Mini review analysis of curcuminoid in food and pharmaceutical products. *International Food Research Journal*. 2012;19(1):19-27.

Sarker SD, Nahar L. Kimia Untuk Mahasiswa Farmasi. Yogyakarta: Pustaka Pelajar; 2009

Seidemann J. World spices plants economic usage, botany, taxonomy. New York, USA: Springer; 2005.

Singh A, Avupati VR. Development and Validation od Spectrophotometric method for Estimation of Curcumin in standardized Polyherbal Formulation. *Journal of Young Pharmacist*. 2017;9(4): 491-495

Sharma K, Agrawal SS, Gupta M. Development and Validation of UV spectrophotometric method for the estimation of Curcumin in Bulk Drug and Pharmaceutical Dosage Forms. *International Journal of Drug Development & Research*. 2012; 4(2): 375-380

Sofyan N, Situmorang FW, Rhidova A, Yuwono AH, Udhiarto A. Visible light absorption and photosensitizing characteristic of natural yellow 3 extracted from *Curcuma longa* L. for Dye-Sensitized solar cell. *IOP Conf. Series: Earth and Environmental Science* 2018; 105: 1-6

Srinivias, L. Shalini VK, Shylaja. Turmerin: A water soluble antioksidant peptide from Turmeric (*Curcuma longa*) *Archives of Biochemistry and Biophysics*. 1992; 292(2): 617-623

Wu A, Noble EE, Tyagi E, Ying Z, Zhuang Y, Gomez-Pinilla. Curcumin boost DHA in the brain : implication for the prevention of anxiety disorders. *Biochimica et Biophysica Acta*. 2015;1852:951-961.

Zafir A, Banu N. Antioxidant potential of fluoxetine in comparison to *Curcuma longa* in restraint-stressed rats. *Eurpoean Journal of Pharmacology*. 2007;572:23-31