

## DAFTAR PUSTAKA

1. World Health Organization (2004). Maternal Morbidity Ratio (per 100.000 live births). World Health Organization Website. <http://www.who.int/healthinfo/statistics/indmaternalmortality/en/> - Diakses September 2017.
2. World Health Organization (2016). Maternal Mortality. World Health Organization Website. <http://www.who.int/mediacentre/factsheets/fs348/en/> - Diakses pada Februari 2018.
3. United Nation Fund for Population Activities (2017). UNFPA Asia Pacific Website. <http://asiapacific.unfpa.org/en/news/maternal-mortality-asia-pacific-5-key-facts> - Diakses pada Februari 2018.
4. Kementerian Kesehatan Republik Indonesia. Profil Kesehatan Indonesia 2015. Jakarta: Kementerian Kesehatan RI. 2016.
5. Kementerian Kesehatan Republik Indonesia. Pedoman Surveilans Kematian Ibu. Jakarta: Kementerian Kesehatan RI. 2016.
6. Hasnita E, Hakimi M, Wilopo SA, Emilia O. Maternal Mortality in West Sumatera Province: An Analysis of the Impact of Quality of Midwifery Care in the Hospital. *Aporia*. 2013;5(4):5-17.
7. Dinas Kesehatan Kota Padang. Profil Kesehatan Kota Padang 2016. Padang: Dinkes Kota Padang. 2017.
8. Badan Pusat Statistik. Survey Demografi Kesehatan Indonesia 2007. Jakarta: Badan Pusat Statistik. 2007.

9. Chalik TMA. Perdarahan pada Kehamilan Lanjut dan Persalinan. In: Prawirohardjo S. Ilmu Kebidanan. Jakarta: PT. Bina Pustaka Sarwono Prawirohardjo; 2008. p. 493.
10. Cunningham FG, Leveno KJ, Bloom SL, Spong CY, Dashe JS, Hoffman BL, et al. Williams Obstetrics. 24th ed. New York: McGraw-Hill Education; 2014.
11. Eskholi T, Weintraub AY, Sergienko R, Sheiner E. Placenta accreta: risk factors, perinatal outcomes, and consequences for subsequent births. *Am J Obstet Gynecol.* 2013;208(3).219.e1-7.
12. American College of Obstetricians and Gynecologists. Committee Opinion No. 529 Placenta Accreta. *Obstet Gynecol* 2012;207-11.
13. Cunningham FG, Leveno KJ, Bloom SL, Hauth JC, Rouse Dj, Spong CY. *Obstetri Williams.* 23rd ed. Jakarta: Buku Kedokteran EGC; 2014.
14. Patil SS, Puranik SS, Vishwasrao SD. Placenta accreta syndrome: A rising epidemic in obstetrics. *The New Indian Journal of OBGYN.* 2018;4(2):138-40.
15. Carusi D. Placenta Accreta: Epidemiology and Risk Factors. In: *Placenta Accreta Syndrome.* Boca Raton: CRC Press; 2017a. p. 5.
16. Belfort MA. Placenta Accreta. *Am J Obstet Gynecol.* 2010;203(5):430-7.
17. Rac MWF, Dashe JS, Wells E, Moschos E, McIntire DD, Twickler DM. Ultrasound predictors of placental invasion: the Placenta Accreta Index. *Am J Obstet Gynecol.* 2015 March; 212(3).1.e1-7.

18. Garmi G, Salim R. Epidemiology, Etiology, Diagnosis, and Management of Placenta Accreta. *Obstetrics and Gynecology International*. 2012;2012:1-7.
19. Legendre G, Zoulovits FJ, Kinn J, Senthiles L, Fernandez H. Conservative Management of Placenta Accreta: Hysteroscopic Resection of Retained Tissues. *The Journal of Minimally Invasive Gynecology*. 2014;21(5):910-3.
20. Acar H, Verit FF, Baydogan S, Cetin O, Kurdoglu M. Conservative Treatment of a Placenta Accreta Case: Partial Segmental Uterine Resection. *International Journal of Women's Health and Reproduction Sciences*. 2016;4(2):84-5.
21. Desai R, Jodha BS, Garg R. Morbidly adherent placenta and its maternal and fetal outcome. *Int J of Reprod Contracept Obstet Gynecol*. 2017;6(5):1890-3.
22. Fitzpatrick KE, Sellers S, Spark P, Kurinczuk JJ, Brocklehurst P, Knight M. Incidence and Risk Factors for Placenta Accreta/Increta/Percreta in the UK: A National Case-Control Study. *PLoS ONE*. 2012;7(12):1-5.
23. Silver RM. Placenta Accreta. In: Queenan JT, Spong CY, Lockwood CJ. *Protocols for High-Risk Pregnancies: An Evidence-Based Approach*. West Sussex: Wiley Blackwell; 2015. p. 435-44.
24. Saleh HJ (2008). Placenta Previa and Accreta. *The Global Library of Women's Medicine*.  
[https://www.glowm.com/section\\_view/heading/Placenta%20Previa%20and%20Accreta/item/121](https://www.glowm.com/section_view/heading/Placenta%20Previa%20and%20Accreta/item/121) - Diakses November 2017.
25. Daskalakis G, Simou M, Zacharakis D, Detorakis S, Akrivos N, Papantoniou N, et al. Impact of placenta previa on obstetric outcome. *International Journal of Gynecology and Obstetrics*. 2011;114(3):238-41.

26. Baba Y, Matsubara S, Ohkuchi A, Usui R, Kuwata T, Suzuki H, et al. Anterior placentation as a risk factor for massive hemorrhage during cesarean section in patients with placenta previa. *The Journal of Obstetrics and Gynecology Research*. 2014;40(5):1243-8.
27. Jang DG, We JS, Shin JU, Choi YJ, Ko HS, Park IY, et al. Maternal Outcomes According to Placental Position in Placenta Previa. *International Journal of Medical Sciences*. 2011;8(5):439-44.
28. Koo YJ, Ryu HM, Yang JH, Lim JH, Lee JE, Kim MY, et al. Pregnancy outcomes according to increasing maternal age. *Taiwanese Journal of Obstetrics & Gynecology*. 2012;51(1):60-5.
29. Wardana GA, Karkata MK. Faktor Risiko Plasenta Previa. *Cerminan Dunia Kedokteran*. 2007;34(5):229-32.
30. Carusi D. Placenta Accreta: Epidemiology and Risk Factors. In: *Placenta Accreta Syndrome*. Salt Lake City: CRC Press; 2017b. P. 6.
31. Friyandini F, Lestari Y, Utama BI. Hubungan Kejadian Perdarahan Postpartum dengan Faktor Risiko Karakteristik Ibu di RSUP dr. M. Djamil Padang pada Januari 2012-April 2013. *Jurnal Kesehatan Andalas*. 2015;4(3):850-5.
32. Jauniaux E, D. J. Placenta Accreta: Pathogenesis of a 20th centuries iatrogenic uterine disease. *Placenta Journal*. 2012;33(4):244-51.
33. Engelbrechtsen L, Langhoff-Roos J, Kjer JJ, Istre O. Placenta accreta: adherent placenta due to Asherman syndrome. *Clinical Case Report*. 2015;3(3):175-8.



34. Jauniaux E, Bhide A, Burton GJ. Pathophysiology of Accreta. In: Silver R, editor. Placenta Accreta Syndrome. Salt Lake City: CRC Press; 2017. P. 13-28.
35. Berkley EM, Abuhamad AZ. Prenatal Diagnosis of Placenta Accreta, is Sonography All We Need?. *Journal of Ultrasound in Medicine*. 2013;32(8):1345-50.
36. Berkley EM, Abuhamad A. Ultrasound Diagnosis of the Morbidly Adherent Placenta. In: *Placenta Accreta Syndrome*. Salt Lake City: CRC Press; 2017. p. 29-40.
37. Comstock CH, Love Jr. JJ, Bronsteen RA, Lee W, Vettraino IM, Huang RR, et al. Sonographic detection of placenta accreta in the second and third trimesters of pregnancy. *Am J Obstet Gynecol*. 2004;190(4):1135-40.
38. Wortman AC, Alexander JM. Placenta Accreta, Increta, and Percreta. *Obstet Gynecol Clin N Am*. 2013;40(1):137-54.
39. Pettit KE, Stephenson ML, Truong YN, Henry D, Murphy A, Kim L, et al. Maternal and neonatal outcomes among scheduled versus unscheduled deliveries in women with prenatally diagnosed, pathologically proven placenta accreta. *The Journal of Maternal-Fetal & Neonatal Medicine*. 2017; 5:1-5.
40. Morlando M, Sarno L, Napolitano R, Capone A, Tessitore G, Maroutti GM, Martinelli P. Placenta accreta: incidence and risk factors in an area with a particularly high rate of cesarean section. *Acta Obstet Gynecol Scand*. 2013;92(4):457-60.
41. Silver RM. Abnormal Placentation: Placenta Previa, Vasa Previa, and Placenta Accreta. *Obstetrics & Gynecology*. 2015;126(3):654-68.

42. Agustina TS. Hubungan antara Paritas dan Usia Ibu dengan Kejadian Plasenta Previa di Rumah Sakit Umum HKBP Balige Tahun 2013-2015. Medan: Universitas HKBP Nommesen; 2017.
43. Wartawan IW. Analisis Lama Hari Rawat Pasien yang Menjalani Pembedahan di Ruang Rawat Inap Bedah Kelas III RSUP Sanglah Denpasar tahun 2011 (thesis). Jakarta: Universitas Indonesia; 2012.
44. Sharma S, Sharma P, Tyler LN. Transfusion of Blood and Blood Products: Indications and Complications. *Am Fam Physician*. 2011;83(6):719-24.
45. Kementerian Kesehatan RI. Pedoman Penyelenggaraan Pelayanan Intensive Care Unit (ICU) di Rumah Sakit. Jakarta: Kementerian Kesehatan RI. 2010.
46. Hickey M, Lumsden MA. *Complete Women's Health*. London: Hammersmith; 2000.
47. Smith ZL, Sehgal SS, Arsdalen KNV, Goldstein IS. Placenta Percreta with Invasion into the Urinary Bladder. *Urol Case Rep*. 2014 Januari;2(1):31-2.
48. Farquhar CM, Li Z, Lensen S, McLintock C, Pollock W, Peek MJ, et al. Incidence, risk factors and perinatal outcomes for placenta accreta in Australia and New Zealand: a case-control study. *BMJ Open*. 2017;(7).
49. Tikkanen M, Paavonen J, Loukovaara M, Stefanovic V. Antenatal diagnosis of placenta accreta leads to reduce blood loss. *ACTA Obstetrica et Gynecologia*. 2011;(90): p. 1140-1146.