

## DAFTAR PUSTAKA

1. Simonne, A. H., dkk. *Assessment of Bcarotene Content In Sweet Potatoe BreedingLines In Relation To Dietary Requirements. Journal of Food Composition and Analysis.* 2007; 6 (4):336–45.
2. Almatsier, S. *Prinsip dasar Ilmu Gizi.* PT Garamedia Pustaka Utama Jakarta. 2005.
3. Gross, J. *Pigment in Vegetables.* van Nostrand Reinhold. New York. 1991.
4. Nollet, L.M.L. *Handbook of Food Analysis: Physical Characterization and Nutrient Analysis.* Marcell Dekker Inc, New York. 1996.
5. Suda, I., dkk. Review: Physiological functionality of purple-fleshed seet potatoes containing anthocyanins and their utilization in foods. *Japan Agricultural Research Quarterly* **37**: 167-173. 2003.
6. Yang, J.,Gadi, R.L. Effect of steaming and dehydration on anthocyanins, antioxidant activity, total phenols and color characteristics of purple-fleshes sweet potatoes (*Ipomea batatas*). *American Journal of Food Technology* **3**: 224-234. 2008.
7. Husna, El Nida, dkk. Kandungan Antosianin dan Ktivitas Antioksidan Ubi Jalar Ungu Segar dan Produk Olahannya. Banda Aceh. Agritech. Vol. 33. No.3. (296-302). 2013.
8. Yusuf, M., dkk ., *Pembentukan Varietas Unggul Ubi Jalar Produksi Tinggi yang Memiliki Nilai Gizi dan Komersial Tinggi.* Laporan Teknis. Balitkabi. 2003.
9. Asaoka, M.,dkk. Effect of cultivar and growth season on the gelatinisation properties of cassava (*Manihot esculenta*) starch. *J. Sci. Food Agric.* 59:53-58. 1992.
10. Arixs. Mengenal Olahan Bahan Pangan Nonberas. Bandung. [www.cybertokoh.com](http://www.cybertokoh.com) 21 Desember 2006.
11. Oki, T., dkk. Involvement of Anthocyaninsand Other Phenolic Compounds in RadicalScavenging Activity of Purple-Fleshed SweetPotato Cultivars. *Journal of Food Science.*67 (5): 1752–56. 2006.
12. Molyneux, P., The Use of Stable FreeRadical diphenylpicrylhidraxy (DPPH)for estimating antioxidant activity, *Songklanakar in J. Sci. Technol.*, 26 (2) :211-219. 2004.
13. Asaoka, M., J.M.V. Blanshard, and J.E. Rickard. Effect of cultivar and growth season on the gelatinisation properties of cassava (*Manihot esculenta*) starch. *J. Sci. Food Agric.* 59:53-58. 1992.
14. Oki, T., dkk. Involvement of Anthocyaninsand Other Phenolic Compounds in RadicalScavenging Activity of Purple-Fleshed SweetPotato Cultivars. *Journal of Food Science;* 67 (5): 1752–56. 2008.

15. Molyneux, P., The Use of Stable Free Radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity, *Songklanakar J. Sci. Technol.*, 26 (2) :211-219. 2004.
16. Chan, S.W., dkk., Optimisation of Extraction Condition for Phenolic Compounds from Limau Purut (*Citrus hystrix*) Peels. *International Food Research Journal* 16: 203-213. 2009.
17. Winarno, F. G. *Kimia Pangan dan Gizi*. Gramedia. Jakarta. 2004
18. Dewi. *Komposisi Kimia Ubi Jalar Segar*. Fakultas Pertanian Unud Bali. Bali. Inc. 2007.
19. Fennema, O.R. *Food Chemistry*, Third Edition. New York: Marcel Dekker. 1996.
20. Leach, H.W. Gelatinization of starch. In: Whistler, R.L. and E.F. Paschal (eds). *Starch: Chemistry and Technology*. Vol.1. Academic Press. New York. 2002.
21. Widya Selawa, Max Revolva John Runtuwene, Gayatri Citraningtyas. Kandungan flavonoid dan kapasitas antioksidan Total ekstrak etanol daun binahong [*Anrederacordifolia* (Ten.) Steenis.]. *FMIPA-UNSRAT*. Manado. Vol.2 no. 1. 2013.
22. Islam et al., Effects of coating on the release profile of drug combination from hydrophilic matrix pellets. Department of Pharmacy, Stamford University Bangladesh *S. J. Pharm. Sci.* 2(2): 53-58. 2009.
23. Marxen K, dkk. *Determination of DPPH Radical Oxidation Caused by Methanolic Extracts of Some Microalgal Species by Linear Regression Analysis of Spectrophotometric Measurements*. *Sensors*. 2007.
24. Trisanti, D., dkk. Pengujian aktivitas antioksidan menggunakan metode DPPH pada daun tanjung (*Mimusops elengi* L), Prosiding seminar nasional teknik kimia "kejuangan" pengembangan teknologi kimia untuk pengolahan sumber daya alam Indonesia, Yogyakarta, 2016.
25. Paul, M, *Medicinal Natural Product: A biosynthetic Approach*, Wiley, New York, 2002.
26. Tjandra, O, Ruslianti, T. R, Zulhipri, *Uji Aktivitas Antioksidan dan Profil Fitokimia Kulit Rambutan Rapih (*Nephelium lappaceum*)*, Fakultas Kedokteran, Universitas Tarmanegara. Hal 2-5.
27. Amalina, N., Uji Sitotoksitas Ekstrak Etanol 70% Buah Merica Hitam (*Piper nigrum* L.) Terhadap Sel HeLa, Skripsi, Fakultas Farmasi Universitas Muhammadiyah Surakarta, Surakarta. 2008.
28. Wu, L. C., dkk., Antioxidant and Antiproliferative Activities of Red Pitaya, *Food Chemistry Volume*, 95 : 319-327. 2006.
29. Asih, I.A.R.A., dkk. Aktivitas Antioksidan Senyawa Golongan Flavonoid Ekstrak Etanol Daging Buah Terong Belanda (*Solanum betaceum* cav.), *Jurnal Kimia*, 9, 1, 35-40. 2015.

30. Andarwulan, dkk. *Pewarna Alami Untuk Pangan*. Institut Pertanian Bogor. Bogor. Hal 23. 2012
31. Francis, F. J. *Analysis of Anathocyanins*. Academi Press, New York. 1982.
32. Arthey, D. dan Ashurst. *Fruit Processing, Nutrition Product, And Quality Management, 2nd*. An Aspen Publication. Maryland. 2001.
33. Teow, C.C. dkk., Antioxidant activities, phenolic and  $\beta$ -carotene contents of sweet potato genotypes with varying flesh colours. *Food chemistry* **103** : 829-838. 2007.

