

DAFTAR PUSTAKA

- Aengwanich, W. and S.simaraks. 2004 . Pathology of heart, lung, liver and kidney in broiler under chronic heat stress. Songklanakarin journal sience Teknologi 26: 417-424.
- Adipratama, D.N. 2009. Pengaruh Ekstrak Etanol Temulawak (*Curcuma xanthorrhiza* Roxb) terhadap Jumlah Total dan Diferensiasi Leukosit pada Ayam petelur (*Gallus gallus*) Strain Isa Brown. (Skripsi). Fakultas Kedokteran Hewan. Institut Pertanian Bogor.
- Akiba, Y. and T. Matsumoto. 1978. Effect of force feeding and dietary cellulose on liver lipid accumulation and lipid composition of liver and plasma in growing chickens. *J. Nutr.* 108:739-748.
- Ali .S. A, Saye MAM, El-eafa, Abdallah AG. 2003. Performance and immune response of broiler chicks as affected by methionine and zinx or commercial zinc-methionine supplementations (abstrak). *Egypt Poult Sci j* :523 -540.
- Amrullah, I. K. 2004. Nutrisi Ayam Petelur. Penebar Swadaya. Jakarta.
- Andre, S.M . 2012. Pengaruh pemberian temulawak (*Curcuma Xanthorrhiza* Roxb) terhadap bobot Beberapa organ dalam dan organ pencernaan ayam broiler yang mengalami stress panas. Skripsi. Fakultas Peternakan. Universitas Andalas. Padang.
- Anggrodi, R. 1985. Kemajuan Mutakhir Dalam Ilmu Makanan Ternak Unggas. Universitas Indonesia Press. Jakarta.
- Arifin, M. 2002. Rahasia Sukses Memelihara Ayam Broiler di Daerah Tropis. Penebar swadaya. Jakarta.
- Arifin. 2016. Pengaruh pemberian kunyit dan mineral zink sebagai penangkal cekaman panas terhadap bobot ginjal , hati , dan tiroid ayam broiler. Skripsi. Fakultas Peternakan. Padang.
- Badan Pusat Statistik (BPS). 2015. Statistik Indonesia 2015. Jakarta-Indonesia.
- Bappenas. 2000. *Budidaya Ayam Ras Pedaging. Proyek Pengembangan Ekonomi Masyarakat Pedesaan*: Jakarta. <http://www.ristek.go.id>. [10 juni 2018].

Batu bara, L. 2012. Pengaruh penggunaan jamur tiram (*Pleuterus Ostreatus*) dalam ransum terhadap total kolestrol, HDL, LDL plasma darah ayam broiler. Skripsi. Fakultas Peternakan Universitas Andalas, Padang.

Cahyono, B. 2001. Ayam Buras Pedaging. Penebar Swadaya , Jakarta .

Cahyono, B. 2004. Cara Meningkatkan Budidaya Ayam Ras Pedaging. Cetakan ke-1. Yayasan Pustaka Nusantara. Yogyakarta.

Charles D.R. 2002. Responses to the therminal envirointment in : Environment Problem, A Guide to solution. Charles. D. A and A. W. Walker (Eds). Notingham, United Kingdom,pp. 1-16.

Chattopaday, I ., Biswas K , dan Bandyopadhyay U. 2004. Turmeric and curcumin : biological actions and medicinal applications . Review Article . Current Science. 87 (1) : 44 -53.

Cooper, M.A. and K.W. Washburn.1998. The relationships of body temperature to weight gain, feed consumption and feed utilization in broilers under heat stress. Poult. Sci. 77: 237-242.

Dale, N.M. and H.L. Fuller. 1980. Effect of diet composition feed intake and growth of chicks under heat stress.11. Constan vs cycling temperaturs. Poultry Sci. 59 : 1434-1441.

Decuypere. E, and J. Busye. 2005. Endocrinee control of postnatal growth in poultry. J. Poult. Sci. 42 :1-13.

Delpabican, R . 2014. Pengaruh kombinasi CPO (Crude Palm Oil) dan vitamin C (Asam Askorbat) dalam ransum sebagai anti stress terhadap organ fisiologi (Hati, Ginjal , dan Tiroid) ayam broiler yang mengalami cekaman panas . Skripsi. Fakultas Peternakan Universitas Andalas. Padang.

Ewing, S.A., D.C.J.R Lay, and E.V. Borell. 1999. Farm Animal Well Being. Stress Physiology, Animal Behavior and Environmental Design. Prentice- Hall, Inc. New Jersey

Frandsen, R.D . 1992. Anatomi dan Fisiologi Ternak. Edisi ke -4. Terjemahan. Gadjah Mada University Press. Yogyakarta.

- Hadi, S. 1985. Manfaat temulawak ditinjau dari segi kedokteran. Proseding simposium nasional temulawak. Diselenggarakan Dalam Rangka Dies Natalis Universitas Padjajaran ke 28, Lembaga Penelitian Universitas Padjajaran Bandung. Pp 139-145.
- Hafes, E. S. 1968 . Reproduction Farm Animals 2nd Ed. Lea and Febiger . Philadelphia.
- Hayani, E . 2006. Analisis Kimia Rimpang Temulawak. Temu Teknis Nasional Tenaga Fungsional Pertanian. Badan Penelitian Rempah dan Obat. Bogor.
- Heckert , R. A., I. Estevez, E.R., Cohen and R.P. Riley . 2002. Effects of density and perch availability on the immune status of broilers. Poultry Sci. 81 : 451 – 457.
- Hoffman, E. dan C.S. Saffner. 1950. Tiroid weight and fingtion as influens by environment temperature. Poultri SCi. 29 : 365-367.
- Hsuing Pan, M ,T. Miao Huang, J.kun Lin. 1999. Biotransformation of curcumin through Redanduction and Glucuronidation in Mice. Drug Metabolism and Disposition. 27 (4): 486-494.
- Huang, Y.L., L.Lu. X.G, Luo and B.Liu. 2007. An optimal dietary zinc level of broiler chicks fed a corn – soy bean meal diet. Poult. Sci. 86 : 2582-2589.
- Jain, N,V. Bhandari. 2006. Bioflavonoid a review of chemistry and therapeutic profile. Hamdar Medicus, XLIX (4):25-36.
- Jayaprakasha, G.K.L. Jaganmohan Rao and K.K . Sakariah. 2006 . Antioxidant Activities of Curcumin Demethoxycurcumin and Bisdemethoxycurcumin. Food Chemistry. 98, 720- 724.
- Kusnaldi, Djulardi, dan Rahmat . 2010. Peranan Temulawak (*Curcuma xanthorriza* Roxb) dalam memperbaiki Respon Ayam Broiler (yang mengalami cekaman stres panas. Fakultas Peternakan: Universitas Padjajaran.
- Kumar, V.S.K. and Sharma. 2006 . Antioxidant Studies on Some Plants. Hamdar Medicus, XLIX (4) : 25-36.
- Koch.T. 1973. Anatomy of chicken and domestic bird. 1st .The Lowa State University Press, Lowa.

Kristina, N.N., R. Noveriza, F. F. Syahid dan M. Rizal . 2006. Peluang Peningkatan Kadar Kurkumin pada Tanaman Kunyit dan Temulawak . Balai Penelitian Tanaman Obat dan Aromatik.

Kuczynski, T., 2002. The application of poultry behaviour responses on heat stress to improve heating and ventilation system efficiency. *Electr.J.Pol. Agric. Univ.* 5:1-11.

Medion. 2010. Manajemen Brooding. <http://info.medion.co.id/2010/07/manajemen-brooding/>. (Diakses 30 juli 2018).

Lai, P.W., J.B. Liang, L.C. Hsia, T.C. Ioh, and Y.W. Ho. 2010. Effects of varying dietary zinc level and environmental temperatures on growth performance, feathering score and feather mineral concentrations of broiler chicks. *Asian-Aus.J.Anim.Sci.* 23(7) : 937-945.

Lin H, H. C. Jiao, J. Buyse, dan E. Decuyper. 2006. Strategies for preventing heat stress in poultry. *World's Poult. Sci.* 62:71-85.

Nadia. R, R.A. Hassan, E.M. Qota, H.M. Fayek. 2008 . Effect of Natural antioxidant on oxidative stability of eggs and productive and reproductive performance of laying hens. *Internasional journal Poult. Sci.* 7 (2) : 134-150.

Narayanswamy, H. D. , B. S. Kumar , V.G . Bhagwat, M. N . Dixit and M.R Nagaraja. 2004. Beneficial effects of geriforte (Vet Liquid) as an adaptogen in commercial broilers for summer stress. *Line* : 27- 30 .

Nickel, R., A. Schummer, E. Seiferle and W.G. Siller and P.A.L. Weight. 1977. *Anatom of the Domestic Bird*. Verlag Paul Parey. Berlin.

North, M. O and D. D. Bell. 1990. *Commercial chicken production manual*. 4th. Edition. The Avi Publishing Company Inc. Westport, Connecticut.

Noerjanto, E. 2007. Ayam Heat stress, peternak stress. Trobos. Edisi November, Jakarta.

Noor, R. R. dan Seminar KB. 2009. Rahasia dan hikmah pewarisan sifat (ilmu genetika dalam Al-qur'an). IPB press, Bogor.

NRC. 1994. *Nutrient Requirements of poultry* National Academy of Science, Washington DC, USA.

- Nugraha, A. A. 2010. Kajian kadar kurkuminoid, total fenol dan aktivitas antioksidan oleoresin temulawak (*Curcuma xanthorrhiza* Roxb) Dengan Variasi Teknik Pengeringan dan Warna Kain Penutup. [Skripsi]. Fakultas Pertanian. Universitas Sebelas Maret.
- Nuraini, M. E. Mahata, and Nirwansyah. 2013. Response Of Broiler Fed Cocoa Pod Fermented by *Phanerochaete chrysosporium* and *Monascus purpureus* in the diet. Pakistan Journal of Nutrition 12. (9): 886-888.
- Perry, T .W., Arthur E.C. and Robert S.L. 2004. Feeds & Feeding . 6th Ed. Prentice Hall. Upper Saddle River . New Jersey .
- Piliang, W.G. 2007. Nutrisi Mineral. Program Pascasarjana Institut pertanian Bogor.
- Priyadarsini, K.I.,D.K. Maity, G.H. Naik, M.S. Kumar, M.K. Unnikrishanan,J.K. Satav and H. Mohan. 2003. Role of phenolic O-H and methylene hydrogen on the free radical reactions and antioxidant activity of curcumin. FreeRadical Biol. Med, 35 (5) : 475 – 484.
- Putnam , P. A. 1991. Handboox of Animal Science. Academic Press. San Diego.
- Puvadolpirod, S. dan J.P. Thaxton. 2000. Model of physiological stress in chickens : response parameters.
- Raessang,A.A.1998. Patologi khusus veteriner.Gadjah Mada Press.Yogyakarta.
- Rahmat, A. Kusnaidi, E dan Y. 2009. Laporan Penelitian Hibah Bersaing. Universitas Andalas Padang.
- Rasyaf. 2008. Panduan Beternak Ayam Pedaging. Edisi ke-1. Penebar Swadaya, Jakarta.
- Ringer, R.K. 1976. Tiroid p 354. In : Sturkie P.D. (Ed). Avian Phisiology. Springer Sperlag. New York. Heidelbrgh Berlin. P 399.
- Rizal, Y.2006. Ilmu Nutrisi Unggas. Andalas University Press. Padang.
- Sahin, N.,K . Sahin and O. Kucuk. 2001 . Effect of vitamin E and vitamin A supplementation on performance , tiroid status and serum cosentration of some.

- Soeharsono. 1976. Respon broiler terhadap berbagai kondisi lingkungan. Disertasi Fakultas Pasca Sarjana. Universitas Padjajaran. Bandung.
- Srijanto, B.2004. Pengaruh Waktu, Suhu dan Perbandingan Bahan Baku Pelarut Pada Ekstraksi Kurkumin dari Temulawak (*Curcuma xanthorrhiza Roxb*) Dengan Pelarut Aseton. Prosiding Seminar Nasional Rekayasa Kimia dan Proses. UNDIP. Semarang.
- Standar Nasional Indonesia. 2005. [SNI 01-4868.1-2005] Bibit niaga (final stock) ayam ras tipe pedaging umur sehari (kuri/doc). Badan Standardisasi Nasional. Jakarta.
- Standar Nasional Indonesia (SNI).2006. Pakan Ayam Ras Pedaging (Broiler starter dan Finisher) <http://ditjenak.go.id.pdf>. Tanggal akses : 16 maret 2018 pukul 14.00 WIB.
- Steel, R.G.D and J.H. Torrie. 1995. Prinsip dan Prosedur Statistika. Penerjemah bambangSumantri. Gramedia Pustaka. Jakarta.
- Sturkie, P.D. 1976. Avian Physiology. 2nd Edition Spinger Verlag, New York.
- Sturkie, P.D. 2000. Avian Phisiology. 3rd Ed. Springler Verlag, New York.
- Tamzil MH, Noor RR, Hardjosworo PS, Manalu W,Sumantri C. 2013. Acute heat stress exposure onthree lines of chickens with different heat shock protein (HSP)-70 genotypes. Int J Poult Sci. 12:264272.
- Tamzil, M.H., 2014. Stres Panas pada Unggas : Metabolisme , Akibat dan Upaya Penanggulangannya. 24(2). Pp 57–66.
- Tanudimadja, K. 1974. Anatomi veteriner VII. Anatomi dan Fisiologi Ayam. Fakultas Kedokteran Hewan Institut Pertanian Bogor, Bogor.
- Tonghyani, M., Zarkesh , S., Shivazad, M., and Gheisari , A., 2007 . Immune responses of broiler chicks fed chromium picolinate in heat stress condition . J. Poult. Sci. 44 : 330 – 334 .
- Wahju, J. 1997. Ilmu Nutrisi Unggas, Cetakan ke 4. Gajah Mada University Press. Yogyakarta.
- Wahyudi, A . 2006. Pengaruh Penambahan Kurkumin dari Rimpang Temu Giring pada Aktivitas Antioksidan Asam Askorbat dengan Metode FTC*. Akta Kimindo. ITS. Surabaya. Vol.2 No.1 Oktober 2006 : 37 - 40 .

Widodo, W. 2009. Pengaruh penambahan mineral Supplement “ biolife “ dalam pakan terhadap penampilan produksi ayam pedaging. Skripsi. Universitas Brawijaya. Malang.

Widianingsih, M.N.2008. Persentase organ dalam broiler yang diberi ransum cramble berpekat onggok, bertonit, dan tapioca. Skripsi. Fakultas Peternakan. Institute Pertanian Bogor. Bogor.

Wulangi, K.S. 1989.Prinsip-Prinsip Fisiologi Hewan. Penerbit IPB. Bogor.Anggorodi, R. 1985. Ilmu Makanan Ternak Umum. Gramedia Pustaka Utama, Jakarta.

Yousef, M.K. 1985. Stress Fisiologi in Livestock . Poultry Vol 3. CRC Press Inc, Boca Raton, Florida pp. 70-75.

Yunasri, E.2007. Mineral Makro dan Mineral Mikro. <http://www.edi.go.id/mineral-makro-mineral-mikro.html>. Diakses 15 Maret 2018.

Yuniusta, S. T . dan D. Septinova . 2007 . Perbandingan Performa antara Broiler yang diberi kunyit dan Temulawak Melalui Air Minum. [Skripsi] Fakultas Pertanian. Universitas Lampung.

Zurriyati, Y. 2013. Respon fisiologi dan evaluasi karkas ayam broiler terhadap suhu pemeliharaan dingin . Seminar Nasional Teknologi Peternakan dan Veteriner, Riau: 568 -591 .

