

## DAFTAR PUSTAKA

- ACOG, (2013). Practice Bulletin No 139: Premature Rupture of Membranes. Clinical Management Guideline For Obstetrician-Gynecologists, 122(4)pp. 918-930. Available at: [http://journals.www.com/greenjournal/Fulltext/2013/10000/Practice\\_Bulletins\\_No\\_139\\_Premature\\_Rupture\\_of\\_41.aspx](http://journals.www.com/greenjournal/Fulltext/2013/10000/Practice_Bulletins_No_139_Premature_Rupture_of_41.aspx)
- Alamsyah, Muhammad Handono, Budi. (2009). Ketuban Pecah Dini (KPD) pada Kehamilan Preterm. Edisi Pertama. Bandung : PT Refika Aditama
- Al-Riyami, Nihal; Al-Ruheini, Intisar; Al-Shezawi, Fatma; Al-Khabori, Murtadha. (2013). Extreme Preterm Premature Rupture of Membranes: Risk Factors and Feto Maternal Outcome. Oman Medical Journal. Vol. 28, No.2: 108-111
- Baratawidjaja K, Rengganis I. (2009). Immunologi Dasar, Edisi Kedelapan. Jakarta: Balai Penerbit Fakultas Kedokteran Indonesia, hal 56-62.
- Casanueva, E., Ripoll, C., Tolentino, Maricruz .et al. (2005). Vitamin C supplementation to prevent premature rupture of the chorioamniotic membranes: a randomized trial. American Society for Clinical Nutrition. 81:859-63
- Caughey A, Robinson J, Norwitz E. (2008). Contemporary diagnosis and management of preterm premature rupture of membranes. Journal of Obstet Gynecol, 1(1): 11-22.
- Cunningham, F et al. (2010). Ketuban Pecah Dini, *Williams Obstetrics edisi 24*, United States : McGraw-Hill Education, pp. 804-831.
- \_\_\_\_\_. (2014). Ketuban Pecah Dini, *Williams Obstetrics edisi 24*, United States, McGraw-Hill Education.
- Dahlan, M. S. (2010). Besar Sampel dan Cara Pengambilan Sampel dalam penelitian Kedokteran dan Kesehatan. Edisi 3. Salemba Medika.
- \_\_\_\_\_. (2010). Statistik Untuk Kedokteran dan Kesehatan. Edisi 5. Salemba Medika.
- Dewoto, HR. (2007). Vitamin dan Mineral dalam Farmakologi dan Terapi. Editor Sulistia G. Ganiswarna. Edisi ke 4. Jakarta : Farmakologi Fakultas Kedokteran

Dinas Kesehatan Provinsi Sumatera Barat. (2013). Profil Kesehatan Sumatera Barat tahun 2013. Padang : Dinas Kesehatan Provinsi Sumatera Barat  
\_\_\_\_\_. (2014). Profil Kesehatan Sumatera Barat 2014. Padang. Dinas Kesehatan Provinsi Sumatera Barat

Dinas Kesehatan Kota Padang. (2013).Profil Kesehatan Kota Padang tahun 2013. Padang. Dinas Kesehatan Kota Padang.  
\_\_\_\_\_.(2015). Profil Kesehatan Kota Padang tahun 2013. Padang. Dinas Kesehatan Kota Padang.

Feriyanto, A., Fadlun. (2011). Asuhan Kebidanan Patologis. Jakarta : Salemba Medika.

Fiona, H, Elizabeth, M, Sean, D & Saskowskid, J. (2010). Low Ascorbic Acid and Increased Oxidative Stress in Gulo Mice During Development. Brain Reseach 1349:143-52 DOI: 10.1016/j.brainres.2010.06.037

Fortunato, S. J. and Menon, R. (2001). Distinct molecular events suggest different pathways for preterm labor and premature rupture of membranes. Am. J. Obstet. Gynecol, 184, 1399–1405.

Gene Nomenclature Committee. (2017). MMP2 matrix metalloproteinase 2. Diakses pada <https://www.ncbi.nlm.nih.gov/gene/4313> tanggal 7 Februari 2017

Ghomian, G., Hafizi,L., and Takhti, Z. (2013). The Role of Vitamin C in Prevention of Preterm Premature Rupture of Membranes. Iran Red Crescent Med J. 2013 Feb; 15(2): 113–116.

Goldenberg, R, L.,Hauth, J.C& Andrews, W.M., (2000). Interuterine Infection and Preterm Delivery. The New England Journal of Medicine, pp. 1500-2507.

Goldman,S., A.Weiss, V.Eyali and E.Shalev. 2003. Differential activity of the gelatinases (matrix metalloproteinases 2 and 9) in the fetal membranes and decidua, associated with labour. Molecular Human Reproduction Vol.9, No.6 pp. 367-373, 2003.

Gopalani S, Krohn M, Meyn L, Hitti J, Crombleholme W. (2004). Contemporary management of preterm premature rupture of membranes: determinants of latency and neonatal outcome. Am J Perinatol,21(4), 183-90

- Hamilton IM, Gilmore WAS, Benzie IF, Mulholland CW, Strain JJ. (2000). Interactions between vitamin C and E in human subjects. *Br J Nutr*, 84, 261-267.
- Handono, K., Normasari, R., Fauziyah, S., Galih, A., Indra, R., Suryana, P. Leptin and Adiponectin Increase MMP-9 and MMP-13 Secretion and PPAR- $\gamma$  Expression in IL-1 $\beta$ -induced Chondrocyte. *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS) Volume 13, Issue 8 Ver. II (Aug. 2014), PP 15-22*
- Hatice, ES., Sak, ME., Evliyaoglu, O., Evsen, MS., Turgut, A., Ozler, A. (2013). Prolidase, Matrix Metalloproteinases 1 and 13 Activity, Oxidative-Antioxidative Status as a Marker of Preterm Premature Rupture of Membranes and Chorioamnionitis in Maternal Vaginal Washing Fluids. *Int J Med Sci*. 2013; 10(10): 1344–1351. doi: 10.7150/ijms.4802
- Institute of Medicine (IOM). (2006). *Dietary Reference Intakes for Vitamin C, Vitamin E, Selenium, and Carotenoids*. Washington, DC: National Academy Press.
- Irianti, J. (2009). *Asuhan Patologi Kebidanan*. Jakarta: Nuha Medika
- Iqbal, MJ., Hanif, S., Mahmood, M., Anwar, F., Jamil, A. Antioxidant and antimicrobial activities of Chowlai (*Amaranthus viridis* L.) leaf and seed extracts. *Journal of Medicinal Plants Research* Vol. 6(27), pp.4450-4455, 18 July, 2004.
- Joseph, s, Freire, S & Pinto, J.L.(2008). Antioxidant Supplementation and Premature Rupture of The Membrane : A Planned Secondary Analysis. *Am J Obstetric Gynecology*. 2008 Oct; 199(4): 433.e1–433.e8. doi: 10.1016/j.ajog.2008.07.011
- Jean, G. 2013. *Managing of Preterm Labor*. United Kingdom : Cambridge university press, pp 104-114.
- Kalaiselvi, V.S. Birundha S, Devi AJ Manjula, Mythili S.V, Shanti B, 2014. Estimation of Ascorbic Acid Status in Normal Pregnancy. *World Journal of Medical Sciences*, 10(2) :150-152.

Kamiensky M, Keogh J (2006). Vitamins and Minerals. In : Pharrmacology Demystified. USA : Mc. Grawhill Companies Inc.

Lockhart A. C., Harris E., Lafleur B. J., Merchant N. B., Washington M. K., Resnick M. B., Yeatman T. J., Lee W. 2013. Organic amnion transporting polypeptide is overexpressed in premature rupture of membrane and is a predictor of clinical outcome. Clin. Exp. Gastroenterol 1, 1–7 10.2147/CEG.S3743

Manuaba, (2010). Ilmu Kebidanan Penyakit Kandungan dan Keluarga Berencana. Jakarta : EGC

Maymon E, Romero R, Pacora P, Gomez R, Mazor M, Edwin S et al. (2001). A role for 72kda gelatinase (mmp-2) and its inhibitor (timp-2) in human parturation, premature rupture of membranes and intraamniotic infection. J Perinat Med, 29, 308-316.

McParland PC, Taylor DJ. (2005). Preterm prelabour rupture of membranes. In: Boonar J, Dinlop W (Ed). Recent Advances in Obstetric and Gynecology. p. 27–38.

Mathews,F. & Patricia Yudkin, A.N, (2005). Influence of maternal nutrition on outcome of pregnancy: prospective cohort study. BMJ Aug 7;319(7206):339-43.

Medina, T.M & Hill, D.A., (2006). Preterm Premature Rupture of the Membranes : Diagnosis and Management. American Family Physician, 73(4), pp.659-664

Mercer, B.M. (2003). Preterm Premature Rupture of Membranes. The American Collage of Obstetricians and gynecologist, 101(1),pp.178-193

Nagase. Hideaki, Robert Visse , Gillian.Murphy. (2006). Structure And Function Of Matrix Metalloproteinases and TIMPs. European Society of Cardiology . Cardiovascular Research 69 (2006) 562 – 573

National Library of Medicine. 2012. Matrix metalloproteinases Diakses pada <http://www.genenames.org/cgi-bin/genefamilies/set/891> tanggal 31 Maret 2017

- Niknejad H, Peirovi H, Jorjani M, Ahmadiani A, Ghanavi J, Sefalian M. (2008). Properties Of The amniotic membrane for potential use in tissue engineering. *European Cells and Materials*, 15, 88-9.
- Osaikhuwuomwan J. (2011). Preterm Rupture of membranes: the vitamin C factor. *AJOL*, 12(1):60-8.
- Ota, A., Yonemoto, H., Someya, A. (2006). Changes in Matrix Metalloproteinase 2 Activities in Amniochorions During Premature Rupture of Membranes. *Reproductive Science* Volume: 13 issue: 8, page(s): 592-597 DOI: <https://doi.org/10.1016/j.jsrg.2006.10.001>
- Oxorn,H,dkk. (2012). *Ilmu Kebidanan : Patologi dan Fisiologi Persalinan*. Yogyakarta : Yayasan Essensial Medica.
- Prawirohardjo, S. (2002). *Ilmu kebidanan*. Jakarta: Penerbit PT. Bina Pustaka Sarwono Prawirohardjo. hal. 667-. 676
- Parry, S & Strauss, J.F. (2008). Premature Rupture Of The Fetal Membranes. *The New England Journal of Medical*, 338(10), pp. 663-667
- Pfeffer F, Casanueva E, Kamar J, Guerra A, Perichart D, Vadillo-Ortega F. (1998). Modulation of 72-kilodalton type IV collagenase (matrix metalloproteinase-2) by ascorbic acid in cultured human amnion-derived cells. *Biol Reprod*, 59, 326-329.
- Popowski T, Goffinet F, Maillard F, Schmitz T, Leroy S, Kayem G. (2011). Maternal markers for detecting early onset neonatal infection and chorioamnionitis in cases of premature rupture of membranes at or after 34 weeks of gestation: a two center prospective study. *Biomedcentral Journal*. 2011; 11(26):1-9
- Rangaswamy et al, 2014. Weakening and Rupture of Human Fetal Membran- *Biochemistry and Biomechanics*. Intechopen Journal. 2014; 10 (117); 160-171.
- Richa S, Sumita M. (2014). Ascorbic acid concentration and preterm premature rupture of membranes. *The Journal of Obstetrics and Gynecology of India*, 64(6):417-420.

Roberts JM, Myatt L., Spong CY., Thom EA., Hauth JC., Leveno KJ., Pearson GD. (2010). Vitamins C and E to prevent complications of pregnancy-associated hypertension. *N Engl J Med.* 2010 Apr 8;362(14):1282-91. doi: 10.1056/NEJMoa0908056

Reuben, PM., Cheung, HS. 2006. Regulation of matrix metalloproteinase (MMP) gene expression by protein kinases. *Front Biosci.* 2006 May 1;11:1199-215.

RSUD dr. Rasidin Padang. (2015). *Medical Record* RSUD dr. Rasidin Padang. Padang : RSUD dr. Rasidin Padang

\_\_\_\_\_. (2016). *Medical Record* RSUP. Dr. M. Djamil Padang. Padang : RSUP Dr. M Djamil Padang

Sadler, T.W. 1997. *Embriologi Kedokteran Langman Edisi 7.* Editor Bahasa Indonesiadr. Joko Suyono. Jakarta : EGC

Shan TT, Defranco EA, Stamillo DM, et al. (2008). A population based study of race specific risk of PPROM. *Am J Obstet Gynecol*, 198(4), 373.

Selman, Colin, Jane S. Mc.Laren, Claus M, Jackie S. D, Paula, Andrew R. Collins, Garry G. D, John R. S. (2006). Life-long vitamin C supplementation in combination with cold exposure does not affect oxidative damage or lifespan in mice, but decreases expression of antioxidant protection genes. *Mechanisms of Ageing and Development* 127 :897–904

Shils, Maurice E., M.D., Sc.D.(2006). *Modern Nutrition in Health and Disease* , 10<sup>th</sup> edition. Philadelphia (PA): Lippincott Williams and Wilkins

Saifuddin, AB.,(2014). *Ilmu Kebidanan.* Jakarta : Bina Pustaka Sarwono Prawihardjo

Soydinc, Hatice E,M. Erdal S, Osman E, Mehmet Siddik E, Abdulkadir, Ali Ö,İsmail Y, Talip G.(2013). Prolidase, Matrix Metalloproteinases 1 and 13 Activity, Oxidative-Antioxidative Status as a Marker of Preterm Premature Rupture of Membranes and Chorioamnionitis in Maternal Vaginal Washing Fluids. *International Journal of Medical Sciences* ; 10(10):1344-1351

Sluijter , Joost P.G., PhD; Wilco P.C. Pulskens, MSc; Arjan H. Schoneveld, BSc,et al. (2005). Matrix Metalloproteinase 2 Is Associated With Stable andnMatrix Metalloproteinases 8 and 9 With Vulnerable Carotid Atherosclerotic Lesions. *American Heart Association*

Spinnato, JA., II, Freire, S., E Silva, JLP., Rudge, MVC., Costa, SM., Koch, M. (2008). Antioxidant Supplementation and Premature Rupture of the Membranes: A Planned Secondary Analysis. *Am J Obstet Gynecol.* 2008 Oct; 199(4): 433.e1–433.e8 doi: 10.1016/j.ajog.2008.07.011

Steyn, P., Odendaal, H., Schoeman, J, Stander C, Fanie N. (2003). A randomized double-blind placebo controlled trial of ascorbic acid supplementation for the prevention of preterm labour. *J Obstet Gynaecol*, 23(2), 150-155.

Strauss, J.F.,(2012). Extracelullar Matrix Dynamics and Fetal Membrane Rupture. *Reproductive Sciences*, 20(2), pp. 140-153

Stuart, EL, Gareth S. E, Yu Shan.L, & Hilary J. P., (2004). Reduced Collagen and Ascorbic Acid Concentrations and Increased Proteolytic Susceptibility with Prelabor Fetal Membrane Rupture in Women. *Biology Of Reproduction* 72, 230–235

Suhartono,A. (2002). Perbandingan Kadar CRP Serum Pada Kehamilan Aterm KPDDan Normal. Departement Obstetri dan Ginekologi. Fakultas Kedokteran Universitas Diponegoro.

Sujiyatini, M., Hidayat, A. (2009). *Asuhan Patologi Kebidanan*. Yogyakarta : Nuha Medika.

Sundrani,D., Preeti C.G., Hemlata, P., Savita, M., Sadhana, J. 2013. Matrix metalloproteinases-2, -3 and tissue inhibitors of metalloproteinases-1, -2 in placentas from preterm pregnancies and their association with one-carbon metabolites. *Society for Reproduction and Fertility Research R* (2013) 145 401–410.

Survei Dasar Kesehatan Indonesia. 2012. Laporan Survei Dasar Kesehatan Indonesia. Jakarta : Kementerian Kesehatan.

Tejero E, Perichart O, Pfeffer F, Casanueva E, Vadillo-Ortega F. (2003). Collagen synthesis during pregnancy, vitamin C availability, and risk of premature rupture of fetal membranes. *Int J Gynaecol Obstet*, 81(1):29-34.

Thomas, EC., Kevin, GO. 2002. The Matrix Metalloproteinase System: Changes, Regulation, and Impact throughout the Ovarian and Uterine Reproductive Cycle. *Endocr Rev* (2002) 24 (4): 428-465.

- Vermillion ST, Kooba Am, Soper DE. Amniotic fluid index values after preterm premature rupture of the membranes and subsequent perinatal infection. *Am J Obstet Gynecol*, 183(2), 271-276.
- Ulug U., Goldman S., Ben-Shlomo I., Shalev E. (2001). Matrix metalloproteinase (MMP)-2 and MMP-9 and their inhibitor, TIMP-1, in human term decidua and fetal membranes: the effect of prostaglandin F(2alpha) and indomethacin. *Mol Hum Reprod*. 2001 Dec;7(12):1187-93.
- Vincent ZL, Mitchell MD, Ponnampalam AP. 2015. Regulation of MT1-MMP/MMP-2/TIMP-2 axis in human placenta. *Journal of Inflammation Research* Volume 2015:8 Pages 193—200.
- Wang HL, Zhou C, Zhang YZ. (2005). Role of matrix metalloproteinase-2,9 and their inhibitors in premature rupture of membranes. *Zhonghua Fu Chan Ke Za Zhi*, 40(1), 29-33.
- Weiss A, Goldman S, Shalev E. (2007). The matrix metalloproteinases (MMPs) in the decidua and fetal membranes. *Front Biosci*. 1(12), 649-59.
- Wei, LA., Yang, M., Tsang BK., Gruslin, A. (2009). Tumor Necrosis Factor Stimulates Matrix Metalloproteinase 9 Secretion From Cultured Human Chronic Trophoblast Cells Through TNF Receptor 1 Signaling to IKK $\beta$ -NF $\kappa$ B and MAPK 1/3 Pathway, CIHR Group in fetal development and health. *Reproduction*. 2009 Sep;128(3):355-63.
- Woods, JR. (2001). Pathobiology: oxidant stress, angiogenesis and neoplasia. *Placenta*, 15, S38-S44.
- World Health Organization and Food and Agriculture Organization of the United Nations. (2004). Vitamin and mineral requirements in human nutrition Second edition. Geneva : WHO
- \_\_\_\_\_. (2012). Vitamin and mineral requirements in human nutrition Third edition. Geneva : WHO
- Wibowo, A. 2015. Difference of Serum MMP-9 and TNF- $\alpha$  Level in Preterm and Term Premature Rupture of Membranes, Department of obstetrics and gynecology Faculty of Medicine University of Sebelas Maret Press, Indonesia. Diakses pada <https://library.uns.ac.id/> pada tanggal 31 Maret 2017.



Xu, P., Alfaidy, N. and Challis, J. R. (2002). Expression of matrix metalloproteinase (MMP)-2 and MMP-9 in human placenta and fetal membranes in relation to preterm and term labor. *J. Clin. Endocrinol. Metab.* 87, 1353–61.

Yonemoto et al. 2006. Changes in Matrix Metalloproteinase (MMP)-2 and MMP-9 in fetal Amnion and Chorion During Gestation at term and preterm labor. *Placenta.* 2006; 27 (6-7); 669-677 doi:10.1016/j.placenta.2005.05.01

Zitka, O. Et al., 2010. Matrix Metalloproteinases. *Current Medicinal Chemistry*, 17(31), pp. 3751-3768.

