

DAFTAR PUSTAKA

- Alaey, M., Nadri, R., Vezvaei, A., Khalighi, A., Salami, A., 2005. Comparing Study Between Four Different Methods of Genomic DNA Extraction from *Cyclamen persicum* Mill. *Int. J. Agric. Biotechnol.* 7, 882–884.
- Amin, I., Hussain, K., Akbergenov, R., Yadav, J.S., Qazi, J., Mansoor, S., Hohn, T., Fauquet, C.M., Briddon, R.W., 2011. Suppressors of RNA Silencing Encoded by the Components of the Cotton Leaf Curl Begomovirus-BetaSatellite Complex. *Mol. Plant-Microbe Interact.* 24, 973–983. <https://doi.org/10.1094/MPMI-01-11-0001>
- An, C., Mou, Z., 2013. The function of the Mediator complex in plant immunity. *Plant Signal. Behav.* 8, e23182. <https://doi.org/10.4161/psb.23182>
- Angeles, J.G.C., Laurena, A.C., Tecson-Mendoza, E.M., 2005. Extraction of genomic DNA from the lipid-, polysaccharide-, and polyphenol-rich coconut (*Cocos nucifera* L.). *Plant Mol. Biol. Report.* 23, 297–298. <https://doi.org/10.1007/BF02772760>
- Arnold, K., Bordoli, L., Kopp, J., Schwede, T., 2006. The SWISS-MODEL workspace: A web-based environment for protein structure homology modelling. *Bioinformatics* 22, 195–201. <https://doi.org/10.1093/bioinformatics/bti770>
- Beckers, G.J.M., Spoel, S.H., 2006. Fine-tuning plant defence signalling: Salicylate versus jasmonate. *Plant Biol.* 8, 1–10. <https://doi.org/10.1055/s-2005-872705>
- Boatwright, J.L., Pajerowska-Mukhtar, K., 2013. Salicylic acid: An old hormone up to new tricks. *Mol. Plant Pathol.* 14, 623–634. <https://doi.org/10.1111/mpp.12035>
- Bol, J.F., Linthorst, H.J.M., Cornelissen, B.J.C., 1990. Plant Pathogenesis-Related Proteins Induced by Virus-Infection. *Annu. Rev. Phytopathol.* 28, 113–138. [https://doi.org/Doi 10.1146/Annurev.Py.28.090190.000553](https://doi.org/Doi%2010.1146/Annurev.Py.28.090190.000553)
- Boyle, P., Le Su, E., Rochon, A., Shearer, H.L., Murmu, J., Chu, J.Y., Fobert, P.R., Després, C., 2009. The BTB/POZ domain of the Arabidopsis disease resistance protein NPR1 interacts with the repression domain of TGA2 to negate its function. *Plant Cell* 21, 3700–13. <https://doi.org/10.1105/tpc.109.069971>
- Briddon, R.W., Pinner, M.S., Stanley, J., Markham, P.G., 1990. Geminivirus coat protein gene replacement alters insect specificity. *Virology* 177, 85–94. [https://doi.org/10.1016/0042-6822\(90\)90462-Z](https://doi.org/10.1016/0042-6822(90)90462-Z)
- Cai, W., Hong, H., 2012a. Protein-Protein Interactions – Computational and Experimental Tools. InTech.
- Cai, W., Hong, H., 2012b. Protein-protein interactions - Computational and experimental tools. InTech 484. <https://doi.org/10.5772/2679>

- Cao, H., Glazebrook, J., Clarke, J.D., Volko, S., Dong, X., 1997. The Arabidopsis NPR1 Gene That Controls Systemic Acquired Resistance Encodes a Novel Protein Containing Ankyrin Repeats. *Cell* 88, 57–63. [https://doi.org/10.1016/S0092-8674\(00\)81858-9](https://doi.org/10.1016/S0092-8674(00)81858-9)
- Cao, H., Li, X., Dong, X., 1998. Generation of broad-spectrum disease resistance by overexpression of an essential regulatory gene in systemic acquired resistance. *Proc. Natl. Acad. Sci. U. S. A.* 95, 6531–6536. <https://doi.org/10.1073/pnas.95.11.6531>
- Catinot, J., Buchala, A., Abou-Mansour, E., Métraux, J.-P., 2008. Salicylic acid production in response to biotic and abiotic stress depends on isochlorogenic acid in *Nicotiana benthamiana*. *FEBS Lett.* 582, 473–478. <https://doi.org/10.1016/j.febslet.2007.12.039>
- Chakrabarty, B., Parekh, N., 2014. Identifying tandem Ankyrin repeats in protein structures. *BMC Bioinformatics* 15, 6599. <https://doi.org/10.1186/s12859-014-0440-9>
- Chan, K.-L., Ho, C.-L., Namasivayam, P., Napis, S., 2007. A simple and rapid method for RNA isolation from plant tissues with high phenolic compounds and polysaccharides. *Protoc. Exch.* 0–6. <https://doi.org/10.1038/nprot.2007.184>
- Chen, Z., Zheng, Z., Huang, J., Lai, Z., Fan, B., 2009. Biosynthesis of salicylic acid in plants. *Plant Signal. Behav.* 4, 493–496. <https://doi.org/10.4161/psb.4.6.8392>
- Choi, Y., Kang, M.-Y., Lee, J., Kang, W., Hwang, J., Kwon, J.-K., Kang, B.-C., 2016. Isolation and Characterization of Pepper Genes Interacting with the CMV-P1 Helicase Domain. *PLoS One* 11, e0146320. <https://doi.org/10.1371/journal.pone.0146320>
- Czosnek, H., Eybishtz, A., Sade, D., Gorovits, R., Sobol, I., Bejarano, E.R., Rosas-Díaz, T., Lozano-Durán, R., 2013. Discovering host genes involved in the infection by the Tomato yellow leaf curl virus complex and in the establishment of resistance to the virus using Tobacco rattle virus-based post transcriptional gene silencing. *Viruses*. <https://doi.org/10.3390/v5030998>
- Das, S., Dash, H.R., 2015. Cloning and Transformation, in: *Microbial Biotechnology- A Laboratory Manual for Bacterial Systems*. pp. 35–41. <https://doi.org/10.1007/978-81-322-2095-4>
- Daskalov, S., Poulos, 1994. Updated capsicum gene list. *Capsicum Eggplant Nswl* 16–26.
- de Ronde, D., Butterbach, P., Kormelink, R., 2014. Dominant resistance against plant viruses. *Front. Plant Sci.* 5, 307. <https://doi.org/10.3389/fpls.2014.00307>

- Dombrovsky, A., Glanz, E., Pearlsman, M., Lachman, O., Antignus, Y., 2010. Characterization of Pepper yellow leaf curl virus, a tentative new Polerovirus species causing a yellowing disease of pepper. *Phytoparasitica* 38, 477–486. <https://doi.org/10.1007/s12600-010-0120-x>
- Dong, X.N., Li, X., Zhang, Y.L., Fan, W.H., Kinkema, M., Clarke, J., 2001. Regulation of systemic acquired resistance by NPR1 and its partners. *Rice Biotechnol. Improv. Yield, Stress Toler. Grain Qual.* 236, 165–175.
- Doyle, J.J.D.J.L.J.J., Doyle, J.J.D.J.L.J.J., 1990. Isolation of Plant DNA from fresh tissue. *Focus (Madison)*. 12, 13–15.
- Durrant, W.E., Dong, X., 2004. Systemic Acquired Resistance. *Phytopathology* 185–209. <https://doi.org/10.1146/annurev.phyto.42.040803.140421>
- Fan, W., Dong, X., 2002. In vivo interaction between NPR1 and transcription factor TGA2 leads to salicylic acid-mediated gene activation in Arabidopsis. *Plant Cell* 14, 1377–89. <https://doi.org/10.1105/tpc.001628>
- Fondong, V.N., 2013. Geminivirus protein structure and function. *Mol. Plant Pathol.* 14, 635–649. <https://doi.org/10.1111/mpp.12032>
- Fragnaire, C., Serrano, M., Abou-Mansour, E., Métraux, J.P., L'Haridon, F., 2011. Salicylic acid and its location in response to biotic and abiotic stress. *FEBS Lett.* 585, 1847–1852. <https://doi.org/10.1016/j.febslet.2011.04.039>
- Friedrich, L., Lawton, K., Dietrich, R., Willits, M., Cade, R., Ryals, J., 2001. NIM1 overexpression in Arabidopsis potentiates plant disease resistance and results in enhanced effectiveness of fungicides. *Mol. Plant. Microbe. Interact.* 14, 1114–1124. <https://doi.org/10.1094/MPMI.2001.14.9.1114>
- Fu, Z.Q., Dong, X., 2013. Systemic acquired resistance: turning local infection into global defense. *Annu. Rev. Plant Biol.* 64, 839–63. <https://doi.org/10.1146/annurev-arplant-042811-105606>
- Fu, Z.Q., Yan, S., Saleh, A., Wang, W., Ruble, J., Oka, N., Mohan, R., Spoel, S.H., Tada, Y., Zheng, N., Dong, X., 2012. NPR3 and NPR4 are receptors for the immune signal salicylic acid in plants. *Nature* 486, 228–232. <https://doi.org/10.1038/nature11162>
- Gaur, R.K., Hohn, T., Sharma, P., 2014. *Plant Virus – Host Interaction*. Elsevier. <https://doi.org/10.1016/B978-0-12-411584-2.01001-5>
- Glick, E., Zrachya, A., Levy, Y., Mett, A., Gidoni, D., Belausov, E., Citovsky, V., Gafni, Y., 2008. Interaction with host SGS3 is required for suppression of RNA silencing by tomato yellow leaf curl virus V2 protein. *Proc. Natl. Acad. Sci.* 105, 157–161. <https://doi.org/10.1073/pnas.0709036105>
- Góngora-Castillo, E., Ibarra-Laclette, E., Trejo-Saavedra, D.L., Rivera-Bustamante, R.F., 2012. Transcriptome analysis of symptomatic and recovered leaves of geminivirus-infected pepper (*Capsicum annuum*). *Virol. J.* 9, 295. <https://doi.org/10.1186/1743-422X-9-295>

- Gruner, K., Griebel, T., Návarová, H., Attaran, E., Zeier, J., 2013. Reprogramming of plants during systemic acquired resistance. *Front. Plant Sci.* 4, 252. <https://doi.org/10.3389/fpls.2013.00252>
- Gunaeni, N., Setiawati, W., Murtiningsih, R., Rubiati, T., 2008. Penyakit Virus Kuning dan Vektornya serta Cara Pengendaliannya Pada Tanaman Sayuran. Prima Tani Balitsa.
- Gutierrez, C., Ramirez-Parra, E., Mar Castellano, M., Sanz-Burgos, A.P., Luque, A., Missich, R., 2004. Geminivirus DNA replication and cell cycle interactions. *Vet. Microbiol.* 98, 111–119. <https://doi.org/10.1016/j.vetmic.2003.10.012>
- Hanley-Bowdoin, L., Bejarano, E.R., Robertson, D., Mansoor, S., 2013. Geminiviruses: masters at redirecting and reprogramming plant processes. *Nat. Rev. Microbiol.* 11, 777–88. <https://doi.org/10.1038/nrmicro3117>
- Hanley-bowdoin, L., Settlege, S.B., Orozco, B.M., Nagar, S., Robertson, D., 1999. Geminiviruses : Models for Plant DNA Replication , Transcription , and Cell Cycle Regulation, in: *Critical Review in Plant Sciences*. pp. 37–41.
- Hanley-Bowdoin, L., Settlege, S.B., Robertson, D., 2004. Reprogramming plant gene expression: a prerequisite to geminivirus DNA replication. *Mol. Plant Pathol.* 5, 149–156. <https://doi.org/10.1111/j.1364-3703.2004.00214.x>
- Hintz, T., Matthews, K.K., Di, R., 2015. The Use of Plant Antimicrobial Compounds for Food Preservation. *Biomed Res. Int.* 2015, 1–12. <https://doi.org/10.1155/2015/246264>
- Jamsari, 2013. *Rekayasa Genetika*. UNRI Press.
- Jamsari, 2007. *Pemula Prinsip Dasar dan Aplikasi Analisis Molekuler*. UNRI Press.
- Jamsari, J., Ferita, I., Noverta, A., Husada, E.D., Herberg, F.W., Nellen, W., Syukriani, L., 2016. A Pathogenic Isolate of Monopartite PepYLCV DNA A-like Genome Differs Significantly in C1 Gene and CR Sequence, but not in their other Genes. *Plant Pathol. J.* 15, 124–134. <https://doi.org/10.3923/ppj.2016.124.134>
- Jamsari, J., Pedri, J., 2013. Complete Nucleotide Sequence of DNA A-Like Genome and DNA-B of Monopartite Pepper Yellow Leaf Curl Virus, A Dominant Begomovirus Infecting *C.annuum* in West Sumatera Indonesia. *Asian J. Plant Pathol.* 1, 1–14. <https://doi.org/10.3923/ajppaj.2013.1.14>
- Khan, A.J., Akhtar, S., Mansoor, S., Amin, I., 2014. Engineering crops for resistance to geminiviruses, in: *Plant Virus-Host Interaction: Molecular Approaches and Viral Evolution*. Elsevier, pp. 291–323. <https://doi.org/10.1016/B978-0-12-411584-2.00016-0>

- Kim, S., Park, M., Yeom, S.-I., Kim, Y.-M., Lee, J.M., Lee, H.-A., Seo, E., Choi, J., Cheong, K., Kim, K.-T., Jung, K., Lee, G.-W., Oh, S.-K., Bae, C., Kim, S.-B., Lee, H.-Y., Kim, S.-Y., Kim, M.-S., Kang, B.-C., Jo, Y.D., Yang, H.-B., Jeong, H.-J., Kang, W.-H., Kwon, J.-K., Shin, C., Lim, J.Y., Park, J.H., Huh, J.H., Kim, J.-S., Kim, B.-D., Cohen, O., Paran, I., Suh, M.C., Lee, S.B., Kim, Y.-K., Shin, Y., Noh, S.-J., Park, J., Seo, Y.S., Kwon, S.-Y., Kim, H.A., Park, J.M., Kim, H.-J., Choi, S.-B., Bosland, P.W., Reeves, G., Jo, S.-H., Lee, B.-W., Cho, H.-T., Choi, H.-S., Lee, M.-S., Yu, Y., Do Choi, Y., Park, B.-S., van Deynze, A., Ashrafi, H., Hill, T., Kim, W.T., Pai, H.-S., Ahn, H.K., Yeam, I., Giovannoni, J.J., Rose, J.K.C., Sørensen, I., Lee, S.-J., Kim, R.W., Choi, I.-Y., Choi, B.-S., Lim, J.-S., Lee, Y.-H., Choi, D., 2014. Genome sequence of the hot pepper provides insights into the evolution of pungency in *Capsicum* species. *Nat. Genet.* 46, 270–278. <https://doi.org/10.1038/ng.2877>
- Kinkema, M., Fan, W., Dong, X., 2000. Nuclear localization of NPR1 is required for activation of PR gene expression. *Plant Cell* 12, 2339–2350. <https://doi.org/10.1105/tpc.12.12.2339>
- Korbie, D.J., Mattick, J.S., 2008. Touchdown PCR for increased specificity and sensitivity in PCR amplification. *Nat. Protoc.* 3, 13–15. <https://doi.org/10.1038/nprot.2008.133>
- Kushwaha, N., Sahu, P.P., Prasad, M., Chakraborty, S., 2015. Chilli leaf curl virus infection highlights the differential expression of genes involved in protein homeostasis and defense in resistant chilli plants. *Appl. Microbiol. Biotechnol.* <https://doi.org/10.1007/s00253-015-6415-6>
- Laskowski, R.A., 2016. Protein structure databases, in: *Methods in Molecular Biology*. pp. 31–53. https://doi.org/10.1007/978-1-4939-3572-7_2
- Lin, W.C., Lu, C.F., Wu, J.W., Cheng, M.L., Lin, Y.M., Yang, N.S., Black, L., Green, S.K., Wang, J.F., Cheng, C.P., 2004. Transgenic tomato plants expressing the Arabidopsis NPR1 gene display enhanced resistance to a spectrum of fungal and bacterial diseases. *Transgenic Res.* 13, 567–581. <https://doi.org/10.1007/s11248-004-2375-9>
- Liu, G., Ma, H., Xie, H., Xuan, N., Guo, X., Fan, Z., Rajashekar, B., Arnaud, P., Offmann, B., Picimbon, J.F., 2016. Biotype characterization, developmental profiling, insecticide response and binding property of Bemisia tabaci chemosensory proteins: Role of CSP in insect defense. *PLoS One* 11, 1–29. <https://doi.org/10.1371/journal.pone.0154706>
- Liu, L., Chung, H., Lacatus, G., Baliji, S., Ruan, J., Sunter, G., 2014. Altered expression of Arabidopsis genes in response to a multifunctional geminivirus pathogenicity protein. *BMC Plant Biol.* 14, 302. <https://doi.org/10.1186/s12870-014-0302-7>
- Loake, G., Grant, M., 2007. Salicylic acid in plant defence—the players and protagonists. *Curr. Opin. Plant Biol.* 10, 466–472. <https://doi.org/10.1016/j.pbi.2007.08.008>

- Lodish, H., Berk, A., Zipursky, S.L., Matsudaira, P., Baltimore, D., Darnell, J., 2001. *Molecular Cell Biology*, 5th ed, Biochemistry and Molecular Biology Education. WHFreeman. [https://doi.org/10.1016/S1470-8175\(01\)00023-6](https://doi.org/10.1016/S1470-8175(01)00023-6)
- Lozano-Durán, R., Rosas-Díaz, T., Luna, A.P., Bejarano, E.R., 2011. Identification of host genes involved in geminivirus infection using a reverse genetics approach. *PLoS One* 6. <https://doi.org/10.1371/journal.pone.0022383>
- Lozano, G., Trenado, H.P., Fiallo-Olivé, E., Chirinos, D., Geraud-Pouey, F., Briddon, R.W., Navas-Castillo, J., 2016. Characterization of non-coding DNA satellites associated with sweepoviruses (Genus Begomovirus, Geminiviridae) - Definition of a distinct class of begomovirus-associated satellites. *Front. Microbiol.* 7, 1–13. <https://doi.org/10.3389/fmicb.2016.00162>
- Luna-Rivero, M.S., Hernández-Zepeda, C., Villanueva-Alonzo, H., Minero-García, Y., Castell-González, S.E., Moreno-Valenzuela, O.A., 2016. Expression of genes involved in the salicylic acid pathway in type h1 thioredoxin transiently silenced pepper plants during a begomovirus compatible interaction. *Mol. Genet. Genomics* 291, 819–830. <https://doi.org/10.1007/s00438-015-1148-x>
- Malnoë, P., Jakab, G., Droz, E., Vaistij, F., 2016. Risk assessment : The evolution of a viral population in transgenic plants. *Unknown* 2–6.
- Mandadi, K.K., Scholthof, K.G., 2013. Plant immune responses against viruses: how does a virus cause disease? *Plant Cell* 25, 1489–505. <https://doi.org/10.1105/tpc.113.111658>
- Moreau, M., Tian, M., Klessig, D.F., 2012. Salicylic acid binds NPR3 and NPR4 to regulate NPR1-dependent defense responses. *Cell Res.* 22, 1631–3. <https://doi.org/10.1038/cr.2012.100>
- Mullis, K.B., 1990. Recombinant DNA technology and molecular cloning, *Scientific American*. <https://doi.org/978-1-118059814>
- Naranjo, S.E., 2011. Impacts of Bt transgenic cotton on integrated pest management. *J. Agric. Food Chem.* 59, 5842–5851. <https://doi.org/10.1021/jf102939c>
- Noferta, A., 2010. Analisis Genom Geminivirus Isolat Agresif Pss 1-4 Dari Pesisir Selatan Sumatera Barat. Univ. Andalas.
- Parkhi, V., Kumar, V., Campbell, L.M., Bell, A.A., Shah, J., Rathore, K.S., 2010. Resistance against various fungal pathogens and reniform nematode in transgenic cotton plants expressing Arabidopsis NPR1. *Transgenic Res.* 19, 959–975. <https://doi.org/10.1007/s11248-010-9374-9>
- Peitsch, M.C., Schwede, T., 2011. Protein Homology Modelling, in: eLS. John Wiley & Sons, Ltd, Chichester, UK, pp. 1–10. <https://doi.org/10.1002/9780470015902.a0005273.pub2>

- Philipp and Beachy, 1993. Plant Resistance to Virus Diseases through Genetic Engineering : Can a Similar Approach Control. *J. Nematol.* 25, 541–547.
- Rairdan, G.J., Delaney, T.P., 2002. Role of salicylic acid and NIM1/NPR1 in race-specific resistance in arabidopsis. *Genetics* 161, 803–811.
- Raja, P., Sanville, B.C., Buchmann, R.C., Bisaro, D.M., 2008. Viral Genome Methylation as an Epigenetic Defense against Geminiviruses. *J. Virol.* 82, 8997–9007. <https://doi.org/10.1128/JVI.00719-08>
- Richards, E., Reichardt, M., Rogers, S., 2001. Preparation of Genomic DNA from Plant Tissue, in: *Current Protocols in Molecular Biology*. John Wiley & Sons, Inc., Hoboken, NJ, USA, pp. 1–7. <https://doi.org/10.1002/0471142727.mb0203s27>
- Rojas, M.R., Hagen, C., Lucas, W.J., Gilbertson, R.L., 2005. Exploiting chinks in the plant's armor: evolution and emergence of geminiviruses. *Annu. Rev. Phytopathol.* 43, 361–94. <https://doi.org/10.1146/annurev.phyto.43.040204.135939>
- Sable, R., Jois, S., 2015. Surfing the protein-protein interaction surface using docking methods: Application to the design of PPI inhibitors. *Molecules.* <https://doi.org/10.3390/molecules200611569>
- Saboki, E., Usha, K., Singh, B., 2011. Pathogenesis Related (PR) Proteins in Plant Defense Mechanism Age-Related Pathogen Resistance. *Curr. Res. Technol. Adv.* 1043–1054.
- Sandhu, D., Tasma, I.M., Frasc, R., Bhattacharyya, M.K., 2009. Systemic acquired resistance in soybean is regulated by two proteins, orthologous to *Arabidopsis* NPR1. *BMC Plant Biol.* 9, 105:1-105-14. <https://doi.org/10.1186/1471-2229-9-105>
- Sanfaçon, H., 2015. Plant translation factors and virus resistance. *Viruses* 7, 3392–3419. <https://doi.org/10.3390/v7072778>
- Settlage, S.B., See, R.G., Hanley-Bowdoin, L., 2005. Geminivirus C3 Protein: Replication Enhancement and Protein Interactions. *J. Virol.* 79, 9885–9895. <https://doi.org/10.1128/JVI.79.15.9885-9895.2005>
- Shah, J., Chaturvedi, R., Chowdhury, Z., Venables, B., Petros, R.A., 2014. Signaling by small metabolites in systemic acquired resistance. *Plant J.* 79, 645–658. <https://doi.org/10.1111/tpj.12464>
- Shao, Y., Zhang, H., He, H., Cheng, B., Xiang, Y., 2013. Molecular Cloning and Characterization of Orthologues of NPR1 Gene from Poplar. *J. Phytopathol.* 161, 35–42. <https://doi.org/10.1111/jph.12002>
- Shi, Z., Maximova, S., Liu, Y., Verica, J., Gultinan, M.J., 2010. Functional analysis of the *Theobroma cacao* NPR1 gene in arabidopsis. *BMC Plant Biol.* 10, 1–17. <https://doi.org/10.1186/1471-2229-10-248>

- Silva, K.J.P., Brunings, A., Peres, N.A., Mou, Z., Folta, K.M., 2015. The Arabidopsis NPR1 gene confers broad-spectrum disease resistance in strawberry. *Transgenic Res.* 24, 693–704. <https://doi.org/10.1007/s11248-015-9869-5>
- Singh, M., Yadav, A., Ma, X., Amoah, E., 2010. Plasmid DNA Transformation in Escherichia Coli : Effect of Heat Shock Temperature , Duration , and Cold Incubation of CaCl₂ Treated Cells. *Shock* 6, 561–568.
- Solahudin, M., Pramudya, B., Liyantono, Supriyanto, Manaf, R., 2015. Gemini Virus Attack Analysis in Field of Chili (Capsicum Annuum L.) Using Aerial Photography and Bayesian Segmentation Method, in: *Procedia Environmental Sciences.* Elsevier B.V., pp. 254–257. <https://doi.org/10.1016/j.proenv.2015.03.033>
- Spoel, S.H., Mou, Z., Tada, Y., Spivey, N.W., Genschik, P., Dong, X., 2009. Proteasome-Mediated Turnover of the Transcription Coactivator NPR1 Plays Dual Roles in Regulating Plant Immunity. *Cell* 137, 860–872. <https://doi.org/10.1016/j.cell.2009.03.038>
- Stommel, J.R., Griesbach, R.J., 2008. Inheritance of Fruit , Foliar , and Plant Habit Attributes in Capsicum. *J. Amer. Soc. Hort. Sci* 133, 396–407.
- Subramaniam, R., Desveaux, D., Spickler, C., Michnick, S.W., Brisson, N., 2001. Direct visualization of protein interactions in plant cells. *Group* 19, 769–772.
- Tai, T.H., Dahlbeck, D., Clark, E.T., Gajiwala, P., Pasion, R., Whalen, M.C., Stall, R.E., Staskawicz, B.J., 1999. Expression of the Bs2 pepper gene confers resistance to bacterial spot disease in tomato. *Proc. Natl. Acad. Sci.* 96, 14153–14158. <https://doi.org/10.1073/pnas.96.24.14153>
- Thomma, B.P.H.J., Eggermont, K., Penninckx, I.A.M.A., Mauch-Mani, B., Vogelsang, R., Cammue, B.P.A., Broekaert, W.F., 1998. Separate jasmonate-dependent and salicylate-dependent defense-response pathways in Arabidopsis are essential for resistance to distinct microbial pathogens. *Proc. Natl. Acad. Sci.* 95, 15107–15111. <https://doi.org/10.1073/pnas.95.25.15107>
- Trinks, D., Rajeswaran, R., Shivaprasad, P. V, Akbergenov, R., Oakeley, E.J., Veluthambi, K., Hohn, T., Pooggin, M.M., 2005. Suppression of RNA silencing by a geminivirus nuclear protein, AC2, correlates with transactivation of host genes. *J. Virol.* 79, 2517–27. <https://doi.org/10.1128/JVI.79.4.2517-2527.2005>
- Villanueva-Alonzo, H.J., Us-Camas, R.Y., Lopez-Ochoa, L.A., Robertson, D., Guerra-Peraza, O., Minero-García, Y., Moreno-Valenzuela, O.A., 2013. A new virus-induced gene silencing vector based on Euphorbia mosaic virus-Yucatan peninsula for NPR1 silencing in Nicotiana benthamiana and Capsicum annuum var. Anaheim. *Biotechnol. Lett.* 35, 811–823. <https://doi.org/10.1007/s10529-013-1146-1>

- Wang, D., Bosland, P.W., 2006. The genes of capsicum. *HortScience* 41, 1169–1187.
- Wildermuth, M.C., Dewdney, J., Wu, G., Ausubel, F.M., 2001. Isochorismate synthase is required to synthesize salicylic acid for plant defence. *Nature* 414, 562–565. <https://doi.org/10.1038/417571a>
- Withers, J., Dong, X., 2016. Posttranslational Modifications of NPR1: A Single Protein Playing Multiple Roles in Plant Immunity and Physiology. *PLoS Pathog.* 12, 1–9. <https://doi.org/10.1371/journal.ppat.1005707>
- Wu, Q., Wang, X.Z., Tang, Y.Y., Yu, H.T., Ding, Y.F., De Yang, C., Cui, F.G., Zhang, J.C., Wang, C.T., 2014. Molecular cloning and characterization of NPR1 gene from *Arachis hypogaea*. *Mol. Biol. Rep.* 41, 5247–5256. <https://doi.org/10.1007/s11033-014-3395-z>
- Xiao, H., Liu, K., Li, D., Arisha, M.H., Chai, W., Gong, Z., 2015. Cloning and characterization of the pepper CaPAO gene for defense responses to salt-induced leaf senescence. *BMC Biotechnol.* 15, 100. <https://doi.org/10.1186/s12896-015-0213-1>
- Xie, L., Wang, X., Peng, M., Meng, F., Zhou, Y., Chen, L., Liu, L., Gao, Y., Guo, Y., 2014. Isolation and detection of differential genes in hot pepper (*Capsicum annuum* L.) after space flight using AFLP markers. *Biochem. Syst. Ecol.* 57, 27–32. <https://doi.org/10.1016/j.bse.2014.07.020>
- Yan, S., Dong, X., 2014. Perception of the plant immune signal salicylic acid. *Curr. Opin. Plant Biol.* 20, 64–68. <https://doi.org/10.1016/j.pbi.2014.04.006>
- Yu, D., Chen, C., Chen, Z., 2001. Evidence for an important role of WRKY DNA binding proteins in the regulation of NPR1 gene expression. *Plant Cell* 13, 1527–40. <https://doi.org/10.1105/TPC.010115>
- Zhang, J., Dong, J., Xu, Y., Wu, J., 2012. V2 protein encoded by Tomato yellow leaf curl China virus is an RNA silencing suppressor. *Virus Res.* 163, 51–58. <https://doi.org/10.1016/j.virusres.2011.08.009>
- Zhang, W., Olson, N.H., Baker, T.S., Faulkner, L., Agbandje-McKenna, M., Boulton, M.I., Davies, J.W., McKenna, R., 2001. Structure of the Maize Streak Virus Geminata Particle. *Virology* 279, 471–477. <https://doi.org/10.1006/viro.2000.0739>
- Zhao, J.T., Huang, X., Chen, Y.P., Chen, Y.F., Huang, X.L., 2009. Molecular cloning and characterization of an ortholog of NPR1 gene from Dongguan Dajiao (*Musa* spp. ABB). *Plant Mol. Biol. Report.* 27, 243–249. <https://doi.org/10.1007/s11105-008-0074-z>
- Zhong, X., Xi, L., Lian, Q., Luo, X., Wu, Z., Seng, S., Yuan, X., Yi, M., 2015. The NPR1 homolog GhNPR1 plays an important role in the defense response of *Gladiolus hybridus*. *Plant Cell Rep.* 34, 1063–1074. <https://doi.org/10.1007/s00299-015-1765-1>