

## DAFTAR PUSTAKA

- Air EL & Kissela BM. (2007). Diabetes, the metabolic syndrome, and ischemic stroke: epidemiology and possible mechanisms. *Diabetes Care*. 2007;30:3131–40.
- Alloubani, A dkk. (2018). *Hypertension and diabetes mellitus as a predictive risk factors for stroke*. Yordania: Elsevier
- American Association of Diabetes Educators. (2010). *AADE guidelines for the practice of diabetes self management education and Training (DSME/T)*. Diakses dari: [https://www.diabeteseducator.org/export/sites/aade/\\_resources/pdf/research/Guidelines\\_Final\\_2\\_1\\_11.pdf](https://www.diabeteseducator.org/export/sites/aade/_resources/pdf/research/Guidelines_Final_2_1_11.pdf).
- American Diabetes Association (ADA). (2017). Standars of Medical Care in Diabetes-2017. *The Journal of Clinical and Applied research and Education*. Vomume 40, Supplement 1. Diakses pada tanggal 14 Maret 2018
- Anugrah, HS & Surnianti. (2013). Hubungan obesitas, aktivitas fisik dan kebiasaan merokok dengan penyakit Diabetes Melitus tipe 2 pada pasien rawat jalan Rumah Sakit DR. Wahidin Sudirohusodo Makassar. *Jurnal Keperawatan*. STIKES Nani Hasanudin Makassar.
- Arboix A. (2005). *Cardiovascular risk factors for acute stroke: risk profiles in the different subtypes of ischemic stroke*. *World J Clin Cases*. 20153(5). Diakses dari: doi:[http:// dx.doi.org/10.12998/wjcc.v3.i5.418](http://dx.doi.org/10.12998/wjcc.v3.i5.418)
- Ariani, Y. (2011). Hubungan antara Motivasi dengan Efikasi Diri Pasien Diabetes Melitus Tipe 2 dalam Konteks Asuhan Keperawatan di RSUP H. Adam Malik Medan. *Tesis Keperawatan*. Fakultas Keperawatan Universitas Indonesia
- Ario, MD. (2014). *Effect of Nicotine in Cigarette for Type 2 Diabetes Mellitus*. Lampung: J Majority.
- Aslinda, N. (2017). *Hubungan Gangguan Kognitif Dengan Manajemen Diri Pada pasien Diabetes Melitus Tipe 2 Di Puskesmas Kuranji Padang Tahun 2017*. Padang: FKEPUA
- Asrikan, MA. (2016). *Hubungan Self-Efficacy dengan Self-Care Activity Pada Pasien dengan Diabetes Mellitus Tipe 2 di RSUD Pandan Arang Boyolali*. Surakarta: PSIKSKH
- Bai YL, Chiou CP, Chang YY. (2009). Self-care behaviour and related factors in older people with type 2 diabetes. *J Clin Nurs* 18(23):3308e15.

- Bangalore S, Kumar S, Lobach I, Messerli FH. (2011). Blood pressure targets in subjects with type 2 diabetes mellitus/impaired fasting glucose: observations from traditional and bayesian random-effects meta-analyses of randomized trials. *Circulation*. 123: 2799–810.
- Barnes, D.E., 2011. *Program Olahraga Diabetes*. Yogyakarta: Citra Aji Parama
- Basjiruddin, A & Darwin, A. (2008). *Buku Ajar Ilmu Penyakit Saraf (Neurologi) edisi 1*. Padang: Bagian Ilmu Penyakit Saraf Fakultas Kedokteran Universitas Andalas.
- Betteng, R dkk. (2014). *Analisis faktor resiko penyebab terjadinya diabetes melitus tipe 2 pada wanita usia produktif di puskesmas wawonasa*. Manado: FKUSR
- Björg O, Edvin BD, Björg K. (2011). Social support as a motivator of self-management among adults with type 2 diabetes. *J Nurs Healthc Chronic Illn*. 30(1): 12e22.
- Black, J.M. & Hawk, J. H. (2014). *Keperawatan Medikal Bedah Buku 2 Edisi 8*. Elsevier.
- Booth, M. L., B. E. Ainsworth, M. Pratt, U. L. F. Ekelund, A. Yngve, J. F. Sallis and P. Oja. (2003). International Physical Activity Questionnaire: 12-country reliability and validity. *Medicine & Science in Sports & Exercise* 195(9131/03): 1381
- Caplan. (2009). *Caplan's Stroke A Clinical Approach*. Boston: Saunders Elsevier
- Chen et al. (2016). Diabetes and Stroke: Epidemiology, Pathophysiology, Pharmaceuticals and Outcomes. USA: *The American Journal of Medical Science*
- Cushman WC, Evans GW, Byington RP, et al. (2010). Effects of intensive blood-pressure control in type 2 diabetes mellitus. *N Engl J Med*. 362: 1575–85.
- Dalami, E. (2010). *Konsep Dasar Keperawatan Kesehatan Jiwa*. Jakarta: Trans Info Media.
- Dani JA, De Biasi M. (2001). Cellular mechanisms of nicotine addiction. *Pharmacol Biochem Behav*. 0:439–446.
- Derek MI, Rottie JV, Kallo V. (2017). *Hubungan Tingkat Stres Dengan Kadar Gula Darah Pada Pasien Diabetes Melitus Tipe Ii Di Rumah Sakit Pancaran Kasih Gmim Manado*. Manado: eKP
- Didarloo AR, Shojaeizadeh D, Gharaaghaji R, Habibzadeh H, NiknamiSh Pourali R. (2012). Prediction of self-management behaviour among Iranian women with type 2 diabetes: application of the theory of reasoned action

- along with self-efficacy (ETRA). Diakses dari: *Iran Red Crescent Med J*. 14(2): 86e95.
- Dourman.(2013). *Waspada Stroke Usia Muda*. Jakarta : Cerdas Sehat
- Erick. (2012). *Hubungan antara Konsumsi Alkohol dengan Prevalensi Tuberkulosis Paru pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Cipto Mangunkusomo Tahun 2010*. Jakarta: FIKUI. Skripsi
- Fahimfar N, Khalili D, Mohebi R, Azizi F, Hadaegh F. (2012). Risk factors for ischemic stroke; results from 9 years of follow-up in a population based cohort of Iran. Diakses dari: *BMC Neurol*. 12:117.
- Filipov dkk. (2017). *The Burden of Diabetes and the Chance of a Previous Stroke: Thrombolysis for Reccurent Stroke in Diabetics*. Jerman: Elsevier
- Fowles J dan Dybing E. (2003). Application of toxicological risk assessment principles to the chemical constituents of cigarette smoke. *Tob Control*. 12:424–430.
- Ghani L, Laurentia KM, Delima. (2016). Faktor Risiko Dominan Penderita Stroke Di Indonesia. *Buletin Penelitian Kesehatan* Maret 2016. Vol. 44, No. 1,: 49-58
- Goldstein. (2011). *Guidelines for the primary prevention of stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association*. Pubmed.gov. diakses dari <https://www.ncbi.nlm.nih.gov/pubmed/21127304>
- Gordon, J. (2007). *Food for Life*. UK: Elsevier
- Guo et al. (2018). *Lifestyle Factors and Gender-Specific Risk of Stroke in Adults with Diabetes Mellitus: A Case-control Study*. China: Elsevier
- Haas L, Maryniuk M, Beck J, Cox CE, Duker P, Edwards L, et al. (2012). National standards for diabetes self-management education and support. *Diabetes Care* 35:2393–401.
- Haskell, W. L., I. Lee, R. R. Pate, K. E. Powell, S. N. Blair, B. A. Franklin, C. A. Macera, G. W. Heath, P. D. Thompson and A. Bauman (2007). Physical activity and public health: updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Medicine and science in sports and exercise* 39(8): 1423.
- Hawari, D. (2008). *Manajemen Stres Cemas dan Depresi*. Jakarta : FK Universitas Indonesia.
- Hunt, C. W., Wilder. B., Steele, M. M. (2012). Relationships among self-efficacy, social support, social problem solving, and self management in a rural sample living with type 2 diabetes mellitus. *Research and Theory for*

*Nursing Practice: An International Journal*. Diunduh tanggal 23 Maret 2018 dari <http://proquest.com>

- Ilyas, E. I. (2011). *Olahraga bagi Diabetes*. Jakarta: Fakultas Kedokteran Universitas Indonesia
- Irfan, M & Wibowo, H. (2015). *Hubungan Tingkat Stres Dengan Kadar Guladarah Pada Penderita Diabetes Mellitus (DM) Di Puskesmas Peterongan Kabupaten Jombang*. Jombang: DHO.
- Isselbacher, dkk. (2012). *Prinsip-Prinsip Ilmu Penyakit Dalam Volume 5 Edisi 13*. (Terjemahan). Jakarta: EGC.
- Junaidi. (2011). *Stroke Waspadai Ancamannya*. Yogyakarta: Ondi Offse
- Junianty S, Nursiswati dan Emaliyawati E. (2011). *Hubungan Tingkat Self-Care dengan Kejadian Komplikasi Pada Pasien DM Tipe 2 di Ruang Rawat Inap RSUD*. Bandung: FIKUP
- Kaizu dkk. (2014). Impact of dietary fiber intake on glycemic control, cardiovascular risk factors and chronic kidney disease in Japanese patients with type 2 diabetes mellitus. Jepang: *The Fukoka Diabetes Registry*
- Kalayou KB, Haftu BG, Hailemariam BK. (2013). Adherence to diabetes self management practices among type 2 diabetic patients in Ethiopia; a cross sectional study. *Greener J Med Sci* 3(6):211e21.
- Karapanayiotides T, Piechowski-Jozwiak B, van Melle G, et al. (2004). Stroke patterns, etiology, and prognosis in patients with diabetes mellitus. *Neurology* 62:1558–62.
- Kemala, Y. (2017). *Faktor Risiko Yang Berhubungan Dengan Kejadian Stroke Pada Usia Muda Di Rumah Sakit Stroke Nasional Bukittinggi*. Padang: FKEPUA
- Khoury JC, Kleindorfer D, Alwell K, et al. (2013). Diabetes mellitus: a risk factor for ischemic stroke in a large biracial population. *Stroke* ;44: 1500–4.
- La Rosa. J, Grundy S, Waters, D. (2006). Statin therapy after stroke or transient ischemic attack. *N Engl J Med* 355(22):2368–71, diakses dari: doi:<http://dx.doi.org/10.1056/NEJMc062456>.
- Lee M, Saver JL, Hong KS, et al. (2012). Effect of pre-diabetes on future risk of stroke : meta analysis. *BrMedJ* 344:e3564.
- Lemone, P, & Burke .(2008). *Medical surgical nursing : Critical thinking in client care.* (4th ed). *Pearson Prentice Hall*: New Jersey.
- Levich, B. R. (2007). *Self Management In Chronic Illness*. USA: Springer

- Lewis., Dirksen., Heithkemper., Bucher., Camera. (2011). *Medical Surgical Nursing Assessment And Management Of Clinical Problems* volume 2. United State America: *Elsevier mosby*
- Lin, K et al. (2017). Effects of Depression, Diabetes Distress, Self-efficacy, and Self management on Glycemic Control among Chinese Population with Type 2 Diabetes Mellitus. Beijing: *Diabetes Research and Clinical Practice*
- Lindholm LH, Ibsen H, Dahlof B, et al, for the LIFE study group. (2002). Cardiovascular morbidity and mortality in patients with diabetes in the Losartan Intervention For Endpoint reduction in hypertension study (LIFE): a randomised trial against atenolol. *Lancet* 359: 1004–10.
- Lingga, L. (2013). *All About Stroke Hidup Sebelum dan Pasca Stroke*. Jakarta: PT. Elex Media Komputindo.
- Liu RH, et al. (2004). The expression and functional role of nicotinic acetylcholine receptors in rat adipocytes. *J Pharmacol Exp Ther.* 2004; 310:52–8.
- Luitse MA, Biessels GJ, Rutten GEHM, Kappelle LJ. (2012). Diabetes, Hyperglycaemia, and Acute Ischaemic Stroke. Netherland: *Lancet Neuro*
- ManurungM, Diani N &Agianto. (2015). *Analisis Faktor Risiko Stroke Pada Pasien Stroke Rawat Inap Di Rsud Banjarbaru*. Diakses pada Maret 2015;Vol.3 No.1
- Marshal, J. C., & Mc Hardy, B. (1999). *Principles of Self Management: The Key To Personal and Professional Succes*. Canada: Testing Consultans International Ltd.
- Mingjun H, Rui Z, Li Sheyu, Xiaolian J. (2014). Self-management behavior in patients with type 2 diabetes: a cross-sectional Survey in Western Urban China. *PloS One* 2014;9(4):e95138.
- Misdiarly. (2006). *Diabetes Melitus*. Malang: Pustaka Populer LKIS
- Montague MC, Nichols SA, Dutta A. (2005). Self-management in African American women with diabetes. *Diabetes Educ* 2005;31(5):700–711.
- Muflihatin, K.S. (2015). *Hubungan Tingkat Stres Dengan Kadar Glukosa Darah Pasien Diabetes Melitus tipe 2 Di RSUD Abdul Wahab Syahrani Samarinda*. Diakses dari Jurnal STIKES Muhammadiyah Samarinda.
- Murwani, A. (2008). *Pengantar Konsep Dasar Keperawatan*. Yogyakarta: Fitramaya
- Nastiti, D. (2012). *Gambaran Faktor Risiko Kejadian Stroke pada pasien Stroke Rawat Inap di Rumah Sakit Krakatau Medika Tahun 2011*. Skripsi, Universitas Indonesia.

- Nola JP, Carolyn LM, Mary AP. (2011). *Health promotion in nursing practice. 6th ed.* New Jersey: Pearson Education.
- Norris S, Engelgau M, Narayan K. (2001). Effectiveness of self-management training in type 2 diabetes: a systematic review of randomized controlled trials. *Diabetes care* 2001;24:561–587.
- Notoatmodjo, S. (2010). *Metodologi penelitian kesehatan.* Jakarta: Rineka Cipta
- Notoatmodjo, S. (2012). *Metodologi penelitian kesehatan.* Jakarta: Rineka Cipta.
- Nursalam. (2002). *Manajemen keperawatan: aplikasi dalam praktik keperawatan professional.* Jakarta: Salemba Medika.
- Olofindayo, J et al. (2015). The interactive effect of diabetes and central obesity on stroke: a prospective cohort study of inner Mongolians. Mongolia: *BMC*
- Patel A, Advance Collaborative Group. (2007). Effects of a fixed combination of perindopril and indapamide on macrovascular and microvascular outcomes in patients with type 2 diabetes mellitus (the ADVANCE trial): a randomised controlled trial. *Lancet* 2007; 370: 829–40.
- Patricia H, Kembuan MAHN, Tumboimbela MJ. (2015). Karakteristik Penderita Stroke Iskemik Yang Di Rawat Inap Di Rsup Prof. Dr. R. D. Kandou Manado Tahun 2012-2013. Manado: *eCI*
- Perhimpunan Dokter Paru Indonesia. (2011). *PPOK (penyakit paru obstruktif kronik) diagnosis dan penatalaksanaan.* Perhimpunan Dokter Paru Indonesia. Jakarta. hlm. 8-10.
- PERKENI. (2011). *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia.* Jakarta: PERKENI
- Permatasari, D. (2011). Kejadian Hiperkolesterolemia Disertai Hipertensi dan Diabetes Mellitus pada Penderita Stroke Trombotik Akut. Bulletin Penelitian RSUD Dr Soetomo. *Jurnal Keperawatan.* 13(3), 112-120.
- Pinzon, R, Laksmi A. (2010). *Awas Stroke!.* Yogyakarta: ANDI.
- Pradono J & Kristanti CM. (2003). Passive Smokers Unawareness Problem. *Jurnal Keperawatan.* Jakarta: BPK.
- Purtierplacenta, (2011). *Pentingnya Pemeriksaan Gula Darah bagi Penderita Diabetes.* Diunduh 5 April, 2018, dari <http://www.purtierplacenta.com/kontrol-gula-darah-pada-penderita-diabetes/>

- Putaalaa J, Liebkind R, Gordin D, et al. (2011). Diabetes mellitus and ischemic stroke in the young: clinical features and long-term prognosis. *Neurology* 2011;76:1831–7.
- Rahayu, HT. (2014). *Living with chronic illness: factors associated with selfmanagement behavior among community diabetes patients in Indonesia*. Master Thesis. National Cheng Kung University.
- RISKESDAS. (2013). *Prevalensi Penyakit Stroke Tahun 2007 Dan 2013*. Diunduh tanggal 20 Maret 2018
- Riyadina, W & Rahajeng, E. (2013). Determinan Penyakit Stroke. *Jurnal Kesehatan Masyarakat Nasional. Kesehatan masyarakat. Jurnal Keperawatan* Vol. 7, No. 7
- Rosa, FA dkk. (2007). *Hubungan Konsumsi Alkohol Dan Obesitas Dengan Kejadian Diabetes Mellitus Usia 45-64 Tahun Di Pulau Sulawesi (Analisis Riskesdas 2007)*. Jakarta Barat: FKIKUEU
- Schmitt A, Gahr A, Hermanns N, Kulzer B, Huber J, Haak T. (2013). The Diabetes Self-Management Questionnaire (DSMQ): development and evaluation of an instrument to assess diabetes self care activities associated with glycemic control. *Health Qual Life Outcomes*. Diakses dari: 13; 11:138. doi: 10.1186/1477-7525-11-138 PMID: 23937988
- Sharoni SK, Wu SF. (2012). Self-efficacy and self-care behavior of Malaysian patients with type 2 diabetes: a cross sectional survey. *Nurse Health Sci* 2012;14:38e45.
- Singh, A et al. (2017). Pre-stroke glycemia in patients with diabetes. Georgia: *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*
- Smeltzer & Bare. (2002). *Buku Ajar Keperawatan Medikal Bedah, Edisi 8 Vol. 2*. Jakarta: EGC.
- Smeltzer, S, & Bare. (2010). *Brunner & Suddarth's Textbook of medical surgical nursing*. Philadelphia : Lippincot
- Smeltzer, S.C., Bare, B.G., Hinkle, J.L., & Cheever, K.H. (2002). *Buku Ajar Keperawatan Medikal Bedah Brunner & Suddarth Volume 2(Ed 8)*. Jakarta: EGC.
- Smeltzer, S.C., Bare, B.G., Hinkle, J.L., Cheever, K.H. (2008). *Texbook of medical surgical nursing. 12th Edition*. Philadelphia: Lippincontt Williams& Wilkins.
- Soegondo, S. (2009). *Diagnosis dan Klasifikasi Diabetes Melitus Terkini*. Jakarta: FKUI

- Sofiana LI, Ellita V, Utomo W. (2012). Hubungan Antara Stress Dengan Konsep Diri Pada Penderita Diabetes Mellitus Tipe 2. Riau: *Jurnal Ners Indonesia*
- Sousa VD, Zauszniewski JA, Musil CM, McDonald PE, Milligan SE. (2004). Testing a conceptual framework for diabetes self-care management. *Res Theory Nurs Pract* 2004;18(4):293–316.
- Sratton IM, Adler AI, Neil HA, Matthews DR, Manley SE, Cull CA, Hadden D, Turner R, Holman RR. (2000). Association of glycaemia with macrovascular and microvascular complications of type 2 diabetes (UKPDS 35): prospective observational study. *BMJ* 2000;321:405–412.
- Sutedjo, A. Y. (2010). *5 Strategi Penderita Diabetes Melitus Berusia Panjang*. Yogyakarta: Kanisius
- Tarwoto. (2013). *Keperawatan Medikal Bedah Gangguan Sistem Persyarafan edisi II*. Jakarta: Sagungseto
- Tjokroprawiro A. (2011). *Hidup Sehat Bersama Diabetes*. Jakarta: PT Gramedia Pustaka Utama.
- Tol A, Sharifirad GR, Shojaeezadeh D, Alhani F, Eslami AA, Mohajeri Tehrani MR, et al. (2012). Evaluation of self-care practices and relative components among Type 2 diabetic patients. *Journal of Education and Health Promotion*.
- Tuesta LM, et al. (2011). Recent advances in understanding nicotinic receptor signaling mechanisms that regulate drug self-administration behavior. *Biochem Pharmacol. Journal of Med.* 82:984–995.
- Tweed JO, Hsia SH, Lutfy K dan Friedman TC. (2012). The endocrine effect of nicotine and cigarette smoke. *Trends Endocrinol Metab.* 2012; 23(7)334–2.
- UK Prospective Diabetes Study Group. (1998). *Tight blood pressure control and risk of macrovascular and microvascular complications in type 2 diabetes*. Diakses dari UKPDS 38. *BMJ* 1998; 317: 703–13.
- Walker RJ, Smalls BL, Hernandez-Tejada MA, Campbell JA, Egede LE. (2014). Effect of diabetes self-efficacy on glycemic control, medication adherence, self-care behaviors, and quality of life in a predominantly low-income, minority population. *Ethn Dis* 2014;24(349–55):7.
- Waspadji, S. (2011). *Diabetes Melitus: Mekanisme dan Dasar Pengelolaannya yang Rasional*. Jakarta: Fakultas Kedokteran Universitas Indonesia
- Wattana C, Srisuphan W, Pothiban L, Upchurch SL. (2007). Effects of a diabetes self-management program on glycemic control, coronary heart disease



risk, and quality of life among Thai patients with type 2 diabetes. *Nurse Health Sci* 2007;9:135–41.

Wattanakul B. (2012). Factors influencing diabetes self management behaviors among patients with T2DM in rural Thailand. *Ph.D. Thesis*. University of Illinois at Chicago.

WHO. (2015). *The Top 10 Causes of Death* . Diakses tanggal 19 April 2018 dari <http://www.who.int/media centre/factsheets/fs310/en/>,

Wu SFV, Courtney M, Edwards H, McDowell J, Shortridge-Baggett LM, Chang PJ. (2007). Self efficacy, outcome expectations and self-care behaviour in people with type 2 diabetes in Taiwan. *J Clin Nurs* 2007;16:250–7.

Xie X, Liu Q, Wu J dan Wakui M. (2009). Impact of cigarette smoking in type 2 diabetes development. *Acta Pharmacol Sin*. 2009;30(6):784–7.

Yoga, A. (2011). *Hubungan antara Empat Pilar Pengelolaan Diabetes Mellitus dengan Keberhasilan Pengelolaan Diabetes Mellitus Tipe 2*. Skripsi. Fakultas Kedokteran, Universitas Diponegoro.

