

DAFTAR PUSTAKA

1. Kumar M, Nagpal R, Kumar R, Hemalatha R, Verma V, Kumar A, Chakraborty C, Singh B, et al. Cholesterol-lowering probiotics as potential biotherapeutics for metabolic diseases. *Exp Diabetes Res.* 2012; 2012: 902917.
2. World Health Organization Cardiovascular disease fact sheet.2013. (dikunjungi 2017 Februari 25). Available from <http://www.who.int/mediacentre/factsheets/fs317/en/index.html>.
3. Feryadi R, Sulastri D, Kardi H. Hubungan kadar profil lipid dengan kejadian hipertensi pada masyarakat etnik minangkabau di kota padang tahun 2012. *J kes Andalas.* 2014; 3(2): 206-211.
4. Kamso S, Purwastyastuti, Ratna J. Dislipidemia pada usia lanjut di kota Padang. *Makara Health Series.* 2002;6(2).
5. Pratama ES, Probosari E. Pengaruh pemberian kefir susu sapi terhadap kadar kolesterol ldl tikus jantan sprague dawley hiperkolesterolemia. *J. Nutrition Collage.*2012; 1(1): 358-364
6. Towil AS, Pramono A. Pengaruh pemberian yogurt sinbiotik tanpa lemak di tambah tepung gembili terhadap kadar kolesterol ldl tikus hiperkolesterolemia. *J.gizi Indo.* 2014; 3 (1): 135-140.
7. Vergeer M, Holleboom AG, Kastelein JJ, Kunivenhoven JA. The hdl hypothesis; does high-density lipoprotein protect from atherosclerosis?. *J Lipid Resear.* 2010; 51: 2058-2073.
8. Grundy SM. Nutrition in the management of disorder of serum lipids and lipoproteins. In : modern nutrition in health and disease. Philadelphia : Lipincott and Wilkins, 2006: 1076-1092.
9. Ubaedillah N, AA. Inovasi pangan probiotik lokal minangkabau;Potensi sinobiotik dadih (SINBAD) sebagai imunomodulator. 2015.
10. Djide MN, Wahyudin E, Sartini. Pengaruh cara penambahan bakteri probiotik dalam susu kedelai terhadap kadar koleterol darah tikus hiperkolesterolemia. *M Farmasi Farmakol.* 2011; 15(1): 1-4.
11. Surono IS. In vitro probiotic properties of indigenous dadih lactic acid bacteria. *Asian-Aus J Animal Sciences.* 2003; 16: 726-731

12. Slamet R, Muwarni H. Yoghurt keledai hitam (black soyghurt) dapat menurunkan kadar LDL tikus hiperkolesterolemia. *J gizi dietetik IND*: 2015; 3(1): 2-8.
13. Surono IS. Indonesian dadih. Fermented milk dairy product. 2016; (1): 377-399.
14. Surono IS, Nurani D. *Exploration of indigenous dadih lactic bacteria for probiotic and starter cultures*. Domestic research collaborative grant-URGE-IBRD World Bank Project 2000-2001.2001;
15. Surono IS, Hosono A. Performance of dadih lactic cultures at low temperature milk application. *Asia-Aust J Anim Sci*. 2000; 13: 495–498.
16. Afriani, Suryono, Lukman H. Characteristics of dadih from fermented cow's milk with various starter culture of lactic acid bacteria strain that isolated from dadih kerinci. 2011; 1(1): 36-42.
17. Usmiati S, Risfaheri. Pengembangan dadih sebagai pangan fungsional probiotik asli sumatera barat. *J. Litbang Pert*. 2013; 32(1): 20-29.
18. Chalid, Sri Y, Hartiningsih F. Potensi dadih susu kerbau fermentasi sebagai antioksidan dan antibakteri. *Prosiding Semirata FMIPA UNILA*. 2013; 369-375.
19. Mereddu GF, Brandimarte F, Luca LD. High-density lipoprotein level and risk of cardiovascular events; a review. *J Cardio med*. 2011; 1-12.
20. Zhou L, Li C, Gao L, Wang A. High-density synthesis and metabolism (review). *Mol med reports*. 2015; 12 (00): 4015-4021.
21. Rader DJ. Molecular regulation of HDL metabolism and function: implications for novel therapies. *J clin invest*. 2006; 116 (12) : 3090-3100.
22. Zannis VI, Fotakis P, Ehnholm CP, Kardassis D, Ehnholm C, Jauhainen M, Chroni A. HDL biogenesis, remodeling and catabolism. *Handb Exp Pharmacol*. 2015; 224 (00): 53-111.
23. Gelissen IC, Harris M, Rye KA, Quinn C, Brown AJ, Kockx M, et al. ABCA1 and ABCG1 synergize to mediate cholesterol export to apoA-I. *Arterioscler Thromb Vasc Biol*. 2006; 26 (3): 534-540.
24. Zhou L, Li C, Gao L, Wang A. High-Density Lipoprotein Synthesis and

- Metabolism.China.Mol Med Rep. 2015; 12(3): 4015-4021.
25. Pagler TA, Rhode S, Neuhofer A, Laggner H, Strobl W, Hinterndorfer C, et al. SR-BI-mediated high density lipoprotein (HDL) endocytosis leads to HDL resecretion facilitating cholesterol efflux. J Biol Chem.2006; 281 (16): 11193-11204.
 26. Cuchel M, Rader DJ. Macrophage reverse cholesterol transport: key to the regression of atherosclerosis?. Circulation. 2006; 113 (21): 2548-2555
 27. Tall AR, Costet P, Wang N. Regulation and mechanism of macrophage cholesterol efflux. J clin invest. 2002; 110: 899-904.
 28. Rai AK, Patrizia D, Sala FD. Molecular regulation of cholesterol metabolism:HDL-based intervention through drugs and diet. Indian J. Exp Bio. 2013; 51: 885-894.
 29. Khovidhunkit W, Kim M-S, Memon RA, Shigenaga JK, Moser AH, Feingold KR, Grunfeld C. Effects of infection and inflammation on lipid and lipoprotein metabolism: mechanism and consequences to the host. J. Lipid Res. 2004; 45(7): 1169-1196.
 30. Baroutkoub A, Mehdi RZ, Beglarian R, Hassan J, Zahra S, Mohammad MS. Effects of probiotic yoghurt consumption on the serum cholesterol levels in hypercholesteromic cases. scien research essays.2010; 5(16): 2206-2209.
 31. Tsai CC, Lin PP, Hsieh YM, Zhang ZY, Wu HC, Huang CC. Cholesterol lowering potentials of lactic acid bacteria based on bile-salt hydrolase activity and effect of potent strains on cholesterol metabolism *in vitro* and *in vivo*. J.Scienc World. 2014; 6(9): 752-762.
 32. Yeganeh HS, Elmadfa I, Djazayery A, Jalali M, Heshmat R, Chamary M. The effect of probiotic and conventional yoghurt on lipid profile in women. Br J. Nutr. 2010; 103 (12): 1778-1783.
 33. World Health Organization (WHO).General Guidelines for Methodologies on Search and Evaluation of Traditional Medicine. 2001. Geneva.
 34. whitley E, Ball J. Statistics review 4: sample size calculation.Crit Care. 2002;6:335-41
 35. Floch M, Walker WA, Sanders ME, Brandt LJ. Recomendations for probiotic use-2015 update. J. clinical gastro. 2015; 49: S69-S73.

36. Wahjuni S, Rustini NL, Yuliantari P. Pemberian ekstrak etanol buah buncis (*Phaseolus vulgaris* L.) untuk menurunkan kolesterol total, low density lipoprotein (LDL) dan meningkatkan high density lipoprotein (HDL) pada tikus wistar diet tinggi lemak. *J. Kimia*. 2016; 10(1): 103-109.
37. Suseno C. Pengaruh probiotik dadih terhadap kadar kolesterol darah total pada tikus model hiperkolesterolemia. Diploma thesis. 2017 [2018 september 01]. Available from <http://scholar.unand.ac.id/id/eprint/25253>.
38. Widiartini W, Siswati E, Setiyawati, Rohmah IM, Prastyo E. Pengembangan usaha produksi tikus putih (*rattus norvegicus*) tersertifikasi dalam upaya memenuhi kebutuhan hewan laboratorium [internet]. *Dikti*. 2013 [2018 september 01]. Available from <http://artikel.dikti.go.id/index.php/PKMK/article/view/149>.
39. Sayekti, Rustanti. Pengaruh pemberian yoghurt koro pedang (*Canavalia ensiformis*) terhadap kadar kolesterol LDL dan HDL serum tikus sprague dawley dislipidemia. *J Nutri Col*. 2014; 3(1): 125-33.
40. Hardiningsih, Nurhidayat. Pengaruh pemberian pakan hiperkolesterolemia terhadap bobot bada tikus putih Wistar yang diberi bakteri asam laktat. *J Bio*. 2016; 7(2): 127-30.
41. Murray RK, Bender DA, Botham KM, Kennelly PJ, Rodwell VW, Weil PA. *Harper's illustrated biochemistry*. 2012; 29: 251-256, 369-426
42. Rashid S, Genest J. Effect of obesity on high-density lipoprotein metabolism. *Oby (Silver Spring)*. 2007; 15(12): 2875-88.
43. Melissa N, Martinez, Christopher H, Emfinger, Stafford JM. Obesity and altered glucose metabolism impact hdl composition in celp transgenic mice. *J.Lipid Res*. 2012; 53(3): 379-389.
44. Nocianitri KA, Antara NS, Sugitha IM, Sukrama IDM, Ramona Y dan Sujaya IN. The effect of two lactobacillus rhamnosus strains on the blood lipid profile of rats fed with high fat containing diet. *Inter Food Resear J*. 2017; 24(2):795-802.
45. Slamet R, Hesti MR. Yoghurt kedelai hitam (black soyghurt) dapat menurunkan kadar LDL tikus hiperkolesterolemia. *J.Gizi Diet Indo*. 2015; 3(1): 1-9.

46. Zhao Y, Liu J, Hao W, Zhu H, Liang N, He Z, Ma KY, Chen ZY. Structure-specific effects of short-chain fatty acid on plasma cholesterol concentration in male syrian hamsters. *J. Agric Food Chem.* 2017; 65: 10984-10992.
47. Kimand H, Shin K. The water-soluble extract of chicory influences serum and liver lipid concentrations, cecal short-chain fatty acid concentrations and fecal lipid excretion in rats. *J. Nutri.* 128 (10): 1731–1736.
48. Ooi LG, Liong MT. Cholesterol lowering effect of probiotic and prebiotics; a review of invivo and in vitro findings. *Int J Mol Sci.* 2010; 11: 2499-2522.
49. Fabian E, Elmadfa I. Influence of daily consumption of probiotic and conventional yoghurt on the plasma lipid profile in young healthy women. *Ann Nutr Metab.* 2006; 50(4): 387-93.
50. Xiao JZ, Kondo S, Takahashi N, Miyaji K, Oshida K, Hiramatsu A, Iwatsuki K, Kokubo S, Hosono A. Effect of milk products fermented by bifidobacterium longum on blood lipid in rats and healthy adult male volunteers. *J. Dairy Sci.* 2003; 89 (7): 2452-61.
51. Pato U, Surono IS, Koesnandar, Hosono A. Hypocholesterolemic effect of indigenous dadih lactic acid bacteria by deconjugation of bile salts. *Asian-Aust J Anim Sci.* 2014; 17 (12): 1741-174.
52. Cho YA, Kim J. Effect of probiotics on blood lipid concentrations; a meta-analysis of randomized controlled trials. *J md.* 2015; 94(43): 1714.
53. Sharma S, Kurpad AV, Puri S. Potential of probiotic in hypercholesterolemia; a meta-analysis. *Indian J Public Health.* 2017; 60 (4): 280-286.

