

## DAFTAR PUSTAKA

- Agus, A. J. (2015). Hubungan Hipertensi dengan Kejadian Stroke di Sulawesi Selatan 2013: Analisis Data Riskesdas tahun 2013. *Skripsi*, Fakultas Kedokteran dan Ilmu Kesehatan Masyarakat, Universitas Islam Negeri Syarif Hidayatullah Jakarta.
- AHA. (2013). High Blood Pressure. *American Hearth Association*. Diakses pada tanggal 19 April 2018 dari <http://circ.ahajournals.org/lookup/doi/10.1161/CIR.0b013e31828123ad>.
- Aiygari., Venkatesh., Philip, B., & Gorelick. (2011). Hypertension and stroke Pathofisiologi and Management. USA : Springer, 77-82.
- Amelia, W. R (2009). Hubungan Antara Indeks Masa Tubuh Dan Faktor-Faktor Lain Dengan Status Lemak Tubuh Pada Pramusaji Di Pelayanan Gizi Unit Rawat Inap Terpadu Gedung A RSUPN Dr. Cipto Mangunkusumo Jakarta. *Skripsi*, Faklutas Kesehatan Masyarakat Program Sarjana Kesehatan Masyarakat. Universitas Indonesia.
- Amelor, S., Kweku, M., Agboli, E., Takramah, W., Tarkang, E., Newton, F. B., et al. (2016). Risk Factors Associated with Hypertension among Adults in the Hohoe Municipality, Ghana. *British Journal of Medicine & Medical Research*. 18(4), 1-12.
- Andria, K. M. (2013). Hubungan antara Perilaku Olahraga, Stres dan Pola Makan dengan Tingkat Hipertensi pada Lanjut Usia di Posyandu Lansia Kelurahan Gebang Putih Kecamatan Sukokilo Kota Surabaya. *Jurnal Promkes*, 1(2), 111-117.
- Barlow, J., Wright, C., Sheasby, J., Turner, A., & Hainsworth, J. (2002). Self-management approaches for people with chronic condition: a review. *Patient education and counseling*. 48, 177-187.
- Bell, K., Twiggs, J., & Olin, B. R. (2015). Hypertension: The Sillent Killer: Update JNC-8 Guideline Recommendations. *Alabama Pharmacy Association*. 1-8.
- Booth, J., Connelly, L., Lawrence, M., Chalmers, C., Joice, S., Becker, C., & Dougall, N. (2015). Evidence of perceived psychosocial stress as a risk factor for stroke in adults: A meta-analysis. *BMC Neurology*, 15(1). <http://doi.org/10.1186/s12883-015-0456-4>
- Bustan, M. N. (2007). *Epidemiologi penyakit menular*, Rineka Cipta, Jakarta.

- Cao, Q., Pei, P., Zhang, J., Naylor, J., Fan, X., Cai, B., & Xiong, Y. (2016). Hypertension unawareness among Chinese patients with first-ever stroke. *BMC Public Health*, 1–6. <http://doi.org/10.1186/s12889-016-2835-1>
- Campbell, N. R. (2014). High blood pressure: Why Prevention and control are urgent and important-A factsheet from the World Hypertension League and the International Society of Hypertension. *The journal of Clinical Hypertension*, 16(8), 551-553.
- Choudhury, et al. (2015). Modifiable and Non-Modifiable Risk Factors of Stroke: A Review Update. *Journal of National Institute of Neurosciences Bangladesh*, 1(1), 22-26.
- Christanto, C. N. (2014). Profil Faktor-Faktor Risiko Pada Pasien Stroke Yang Dirawat Inap Di Irina F Neurologi Rsup Prof. Dr. R. D. Kandou Manado Periode Januari – Oktober 2012. *Jurnal e-Clinic (eCl)*, 2(3), 1-4
- Daskalopoulou, S., Khan, N., Robert, R., Ruzicka, M., Donald, W., Tobe, S., et al (2012). The 2012 canadian hypertension education program recommendation for the management of hypertension: blood pressure measurement, diagnosis, assesment of risk, and therapy. *Canadian Journal of Cardiology*. 28, 270-287.
- DINKES SUMBAR. (2013) Dinas Kesehatan Sumatera Barat. Diakses pada tanggal 10 April 2017 dari <http://dinkes.sumbarprov.go.id>
- Dourman. (2013). *Waspada Stroke Usia Muda*. Jakarta: Cerdas Sehat.
- Everson-Rose, S. A., Roetker, N. S., Lutsey, P. L., Kershaw, K. N., Longstreth, W. T., Sacco, R. L., ... Alonso, A. (2014). Chronic stress, depressive symptoms, anger, hostility, and risk of stroke and transient ischemic attack in the multi-ethnic study of atherosclerosis. *Stroke*, 45(8), 2318–2323. <http://doi.org/10.1161/STROKEAHA.114.004815>
- Journal, I. (2017). Stroke subtypes , risk factors and mortality rate in northwest of Iran, 16(3), 112–117.
- Farhoudi, M., Mehvar, K., Sadhegi, H. B., Hashemilar, M., Sayedi, M., Rikhtegar, R. (2017). Stroke subtypes, risk factors and mortality rate in northwest of Iran. *Iranian Journal of Neurology* . 16(3), 112-117.
- Fazel, S.Y.M., Chaman, R., Sadeghi, E., Ali, A.E. (2016). Self-Care Behavior and Related Factors in Hypertensive Patients. *Iran Red Crecent Med J*. 18(6), 1-10.
- Findlow, J. W., Seymour, R., & Huber, L. B. (2012). The Association Between Self-Efficacy and Hypertension Self-Care Activities Among African

- American Adults. *J Community Health*. 37, 15–24. <http://doi.org/10.1007/s10900-011-9410-6>
- Findlow, J. W., Seymour, R. (2012). Prevalence rates of hypertension self care activities among African American. *Journal of the national medical association*, 103(6), 503-512.
- Flores, S., Rabinstein, A., Chair, V., Biller, J., Mithcel., Peterson, E., *et al.* (2015). Racial-Ethnic Disparities in Stroke Care: The American Experience. *AHA/ASA Scientific Statement*. 42, 2091-2116.
- Ghani, L., Mihardja, L. K., & Delima. (2016). Faktor Risiko Dominan Penderita Stroke di Indonesia Faktor Risiko Dominan Penderita Stroke di Indonesia. *Buletin Penelitian Universitas Andalas Kesehatan*, 49–58. <http://doi.org/10.22435/bpk.v44i1.4949.49-58>
- Genis, G. (2009). *Stroke Hanya Menyerang Orangtua?*. Yogyakarta: PT. Bentang Pustaka.
- Goldstein LB., Bushnell CD., Adams RJ., Appel LJ., Braun LT., Chaturvedi S., *et al.*; (2011). American Heart Association/American Stroke Association. Guidelines for the Primary Prevention of Stroke: A Guideline for Healthcare Professionals From the American Heart Association/American Stroke Association. *Stroke. AHA Journal*. 2011;42:517-584.
- Gusti, R. P. (2016). *Analisis Faktor Risiko Stroke dan Pengetahuan Keluarga Tentang Stroke*. Padang. Belum Terekspos.
- Guyton, A.C. (2008). *Buku Ajar Fisiologi Kedokteran, Edisi 11*. Jakarta: EGC.
- Han, T. S., Wang, H. H., Wei, L., Pan, Y., & Ma, Y. (2017). Impacts of undetected and inadequately treated hypertension on incident stroke in China, 1–9. <http://doi.org/10.1136/bmjopen-2017-016581>
- Hanifa & Luthfeni. (2006). *Makanan yang Sehat*. Bandung : Azka Press.
- Hasan, N. Z., Hussein, M. Q., & Haji, G. F. (2011). Hypertension as a Risk Factor: Is It Different in Ischemic Stroke and Acute Myocardial Infarction Comparative Cross-Sectional Study?. *International Journal of Hypertension*. 1 – 5.
- Hayes, M. K. (2010). Influence of Age and Health Behaviors on Stroke Risk: Lesson from Longitudinal Studies. *National Institutes of Health*. 58 (2), 325-328.
- Herke, J. O. (2006). Karakteristik dan Faktor Berhubungan dengan Hipertensi. *Jakarta*, 10(2), 78–88

- Hillbom, M., Saloheimo, P. (2011). Alcohol Consumption, Blood Pressure and the Risk of Stroke. *Curr Hypertens Rep.* 13, 208-213.
- Hörnsten, C., Weidung, B., Littbrand, H., Carlberg, B., Nordström, P., Lövheim, H., & Gustafson, Y. (2016). High blood pressure as a risk factor for incident stroke among very old people. *Journal of Hypertension*, 34(10), 2059–2065. <http://doi.org/10.1097/HJH.0000000000001048>
- Huangfu, X., Zhu, Z., Zhong, C., Bu, X., Zhou, Y., Tian, Y., ... Zhang, Y. (2017). Smoking, Hypertension, and Their Combined Effect on Ischemic Stroke Incidence: A Prospective Study among Inner Mongolians in China. *Journal of Stroke and Cerebrovascular Diseases*, 26(12), 2749–2754. <http://doi.org/10.1016/j.jstrokecerebrovasdis.2017.06.048>
- Huda, S. (2017). Hubungan antara efikasi diri dengan manajemen perawatan diri pada penderita hipertensi dewasa di kabupaten jepara. *Jurnal Keperawatan dan Kesehatan Masyarakat*. 2(5), 1-10.
- Indrawati, L. (2016). Care yourself stroke. Jakarta: Penebar Swadaya Grup.
- Jauhari, A & Nasution, N. (2013). *Nutrisi & Keperawatan* ( 1st ed). Yogyakarta.
- JNC-7. (2003). *The Seventh Report Of The Joint National Committee Prevention, Detection, Evaluation, And Treatment Of High Blood Pressure*. JAMA 289 hal:2560-2571.
- Junaidi. (2011). *Stroke Waspada! Ancamannya*. Yogyakarta: Ondi Offse.
- Kaddumukasa, M., Kayima, J., Nakibuuka, J., Blixen C., Welter , E. (Modifiable lifestyle risk factors for stroke among a high hypertensive population in Greater Kampala, Uganda; a cross-sectional study. *BMC Research notes*. 10(75), 2-6.
- Kawate, N., Kayaba, K., Hara, M., Kotani, K., Ishikawa, S. (2017). Body mass index and stroke incidence in japanese community residents: The Jichi Medical School (JMS) Cohort study. *Journal of Epidemiology*. 27 , 325-330.
- Kristiyawati, S. P., Irawaty, D., Hariyati (2009). Faktor Resiko yang Berhubungan dengan Kejadian Stroke di RS Panti Wilasa Citarum Semarang. *Jurnal Kebidanan dan Keperawatan(JIKK)*. 1(1), 1-7.
- Kumala, M. (2014). Peran Diet dalam Pencegahan dan Terapi Hipertensi. *Damianus Journal of Medicine*. 13(1), 50-1.

- Larsson, S. C., Wallin, A., & Wolk, A. (2016). Dietary approaches to stop hypertension diet and incidence of stroke: Results from 2 prospective cohorts. *Stroke*, 47(4), 986–990. <http://doi.org/10.1161/STROKEAHA.116.012675>
- Lee, H. J., Jang, S.-I., & Park, E.-C. (2017). Effect of adherence to antihypertensive medication on stroke incidence in patients with hypertension: a population-based retrospective cohort study. *BMJ Open*, 7(6), e014486. <http://doi.org/10.1136/bmjopen-2016-014486>
- Lestari, I. G & Isnaini, N. (2018). Pengaruh Self Management Terhadap Tekanan Darah Lansia Yang Mengalami Hipertensi. *Indonesian Journal for Health Sciences*. 2(1), 7 – 18.
- Long, C. H., Liu, M. T., Yin, S. J., Tay, J. L., Chun, C. L. (2012). Heavy Binge Drinking May Increase Risk of Stroke in Nonalcoholic Hypertensives Carrying Variant *ALDH2\*2* Gene Allele. *Acta Neurol Taiwan*. 21(1), 39-43.
- Mahmudi, A. (2012). Hubungan Stres dengan Kejadian Tingkat Hipertensi di Puskesmas Nusa Indah Kota Bengkulu Tahun 2012. Bengkulu: STIKES Dehasen Bengkulu.
- Malek, A. M., Cushman, M., Lackland, D. T., Howard, G., & McClure, L. A. (2015). Secondhand Smoke Exposure and Stroke: The Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study. *American Journal of Preventive Medicine*, 49(6), e89–e97. <http://doi.org/10.1016/j.amepre.2015.04.014>
- Mannan, H. (2013). Faktor Risiko Kejadian Hipertensi Di Wilayah Kerja Puskesmas Bangkala Kabupaten Jeneponto Tahun 2012. Skripsi, Universitas Hasanuddin, Makassar.
- Manurung M., Diani N., Aginto. (2015). Analisis Faktor Resiko Stroke Pada Pasien Stroke Rawat Inap Di Rsud Banjarbaru. Maret 2015, 3(1).
- Marliani. (2007). 100 Question & Answer Hipertensi. Jakarta: Elex Media Komputindo.
- Marlina (2012). Hubungan Gaya Hidup dengan Upaya Pencegahan Terjadinya Stroke pada Pasien Hipertensi Di Ruang Poliklinik Penyakit Dalam RSUD Dr. Zainal Abidin Banda Aceh. *Journal Keperawatan dan Kebidanan (JIKK)*, 1(7), 390-398.
- Muttaqin.A (2012). *Pengantar Asuhan Keperawatan Klien Dengan Gangguan Sistem Kardiovaskular jill.*, 238 hlm. Jakarta : Salemba Medika.

- Maukar, M., Ismanto, A. Y., & Kundre R. (2014). Hubungan Pola Makan dengan Kejadian Stroke di Irina F Neurologi RSUP DR. R D. Kandou Manado. *Jurnal Keperawatan Universitas Sam Ratulangi Manado*. 2(2), 1-7.
- Nafrialdi. (2009). *Antihipertensi. Farmakologi dan Terapi* Edisi 5. Jakarta: Balai Penerbit FKUI.
- Ningsih, F. (2008). Hubungan Karakteristik Individu, Asupan Zat Gizi Dan Gaya Hidup Terhadap Kejadian Hipertensi Pada Orang Dewasa Di Depok Tahun 2008. FKM UI.
- Nordahl, H., Osler, M., Ligedard, B., Andersen, I., Prescott, E. (2014). Combined effect of socioeconomic Position, smoking, and hypertension on risk ischemic and hemoragic stroke. *Aha journals*. 45. 2582-2587.
- Notoadmojo, S. (2012). *Metodologi Penelitian Kesehatan*. Jakarta : Rineka Cipta.
- Novalia, A (2012). Hubungan antara kebiasaan merokok dengan tekanan darah meningkat karyawan laki-laki di Nasmoco Semarang. *Jurnal Kesehatan Masyarakat*. 1(2), 241-250.
- Nwinee, J. P. (2011). Socio- Behavior self-care management nursing model. *West African Journal of Nursing*. 22, 91-98.
- Omisakin, F.D. & Ncama, B.P. (2011). Self, Self-Care and Self-Management Concepts: Implications for Self-Management Education. *Educational Research*, 2(12), 1733-1737.
- Owolabi, M. O., Agunloye, A.M. (2012). Risk factor for stroke among patients with hypertension: A case- control study. *Journal of the Neurological Sciences*. 325, 51-56.
- Packer, T. L., Boldy, D., Grahan, S., Melling, L. (2011). Self-management programs conducted within a practice setting, who participants, who benefits, and what can be learned?. *Patient Education and Counseling*, 87(1), 93-100.
- Patricia, H., Kembuan, M., Tumboimbela, M. J. (2015). Karakteristik Penderita Stroke Iskemik Yang Dirawat Inap Di Rsup Prof. Dr. R. D. Kandou Manado Tahun 2012 – 2013. *Jurnal e-Clinic (eCl)*. 3(1), 445 – 451.
- Perhimpunan Dokter Paru Indonesia. PPOK (penyakit paru obstruktif kronik) diagnosis dan penatalaksanaan. Perhimpunan Dokter Paru Indonesia. Jakarta : 2011. Hlm. 8-10.
- PERKI. (2015). *Pedoman Tata Laksana Hipertensi pada Penyakit Kardiovaskuler*. edisi pertama: Jakarta.

- Pinzon., Perez., et al., (2010). Preconditioning the Brain : Moving on to the Next Frontier of Neurotherapeutics, AHA : USA
- Pinzon., Rizaldy., & Laksmi, A. 2010. *Awas Stroke!*. Yogyakarta: Andi.
- Potter, P. A & Perry, A.G. (2005). *Buku Ajar Fundamental Keperawatan: Konsep, Proses dan Praktik*. Jakarta: EGC.
- Prasetyorini, T. H. (2012). Stress pada Penyakit Terhadap Kejadian Komplikasi Hipertensi pada Pasien Hipertensi. *Jurnal STIKES*. 5(1), 61-70.
- Price, S. A & Wilson, L. M. (2006). *Patofisiologi Konsep Klinis Proses-proses Penyakit, Edisi 6, Buku II*. Jakarta: EGC.
- Putri, A. I & Kodim, N. (2015). Frekuensi dan Determinan Kejadian Stroke pada Penderita Hipertensi di Wilayah Perdesaan Indonesia Tahun 2013 (Analisis Data Riskesdas 2013). Skripsi Fakultas Kesehatan Masyarakat. Universitas Indonesia.
- Rahmayanti, E. M. (2009). Anjuran Kombinasi Diet DASH (Dietary Approaches to Stop Hypertension) dan Diet Rendah Garam pada Wanita Menopause dengan Hipertensi. *Jurnal Kesehatan*. 7(2), 100-118.
- Ramadhanis, I (2012). Hubungan Hipertensi dengan Kejadian Stroke di RSUD Kraton Kabupaten Pekalongan. Skripsi Sarjana (Diterbitkan). Surakarta : Universitas Muhamadiyah.
- RISKESDAS. (2013). Prevalensi Penyakit Stroke Tahun 2007 Dan 2013.
- Rismayanthi, C. (2009). Pengaturan Gizi Seimbang Bagi Penderita Hipertensi. *MEDIKORA*. 1(1), 34-54.
- Riyadina, W & Rahajeng, E (2013). Determinan Penyakit Stroke. *Jurnal Kesehatan Masyarakat*; 7(7); 324-330.
- Rizaldy, P. 2010. *Awas Stroke*. PT. ANDI. Yogyakarta.
- Setyarini, L. (2012). Gambaran pengetahuan dan sikap dalam melakukan pemenuhan nutrisi pada mahasiswa reguler keperawatan UPN. Jakarta
- Sheila, M. H (2015). Influence of Physical Activity on Hypertension. *Curr Hypertens Rep*.17(77), 1-8.
- Sianturi. (2003). Merokok dan Kesehatan. Available from : <http://aguscov.wordpress.com> (Akses 24 April 2018).

- Simamora, J. P., (2012), Pengaruh Karakteristik dan Gaya Hidup Kelompok Dewasa Madya Terhadap Kejadian Hipertensi Di Wilayah Kerja Puskesmas Matiti Kabupaten Humbang Hasundutan, Tesis Universitas Sumatera Utara.
- Sofyan, AM., Sihombing, IY., Hamra, Yusuf. (2015). Hubungan Umur, Jenis Kelamin, dan Hipertensi dengan Kejadian Stroke. *UHO*.
- Sorganvi, V., Kulkarni, MS. (2014). Risk Factor For Stroke : A Case Control Study. *International Journal of Current Research and Review*. 3, 46-52.
- South, M., Bidjuni, H., Malara, R.T. (2014) Hubungan Gaya Hidup dengan Kejadian Hipertensi di Puskesmas Kolongan Kecamatan Kalawat Kabupaten Minahasa Utara. *ejournal keperawatan*. 2(1), 1-10.
- Stroke Association (2012). High blood pressure and stroke. The stroke Association's.
- Sulistyoningsih, H. (2011). *Gizi untuk Kesehatan Ibu dan Anak*. Yogyakarta : Graha Ilmu.
- Supardi, Sudiby, & Rustika. (2013). *Metodologi Riset Keperawatan*. Jakarta Timur: Trans Info Media.
- Suparto. (2000). *Sehat Menjelang Usia Senja*. Bandung: Remaja Rosdakarya Effset.
- Susilo, Y. (2011). *Cara Jitu Mengatasi Hipertensi*. Yogyakarta: C.V Andi offset.
- Sutrisno, A. (2007). *Stroke Sebaiknya Anda Tahu Sebelum Anda Terserang Stroke*. Jakarta: PT Gramedia Pustaka Utama.
- Tarwoto. (2013). *Keperawatan Medikal Bedah Gangguan Sistem Peryarafanedisii II*. Jakarta: Sagungseto
- Thutsaringkarnsakul, S. Y. A. (2012). Self-Management On Blood Pressure Control In Thai Hypertensive Patients At Risk For Stroke : A Randomized Controlled Trial. *J Health Res* , 26(5), 243-249.
- Triyanto, Endang. (2014). *Pelayanan Keperawatan Bagi Penderita Hipertensi Secara Terpadu*. Yogyakarta: Graha Ilmu.
- Tse, L. A., Fang, X. H., Wang, W. Z., Qiu, H., & Yu, I. T. S. (2012). Incidence of ischaemic and haemorrhagic stroke and the association with smoking and smoking cessation: A 10-year multicentre prospective study in China. *Public Health*, 126(11), 960–966. <http://doi.org/10.1016/j.puhe.2012.07.010>



- Tumeleng, P., Runtuwene, T & Kembuan, M. (2015). Sebaran Kebiasaan Merokok pada Pasien Stroke Iskemik yang di Rawat Inap di Bagian Neurologi RSUD. DR. D. Kandou Manado. *Jurnal e-Clinic (eCI)*. 3(1), 262-266.
- Virdis, A., Giannarelli C., Neves MF (2010) Cigarette smoking and hypertension. *National Center for Biotechnology Information (NCBI)*. 16(23), 2518-2525.
- Wahyuliati, T. (2009). Hubungan antara Prevalensi Stroke Akut pada Wanita Perokok Pasif dari Anggota Keluarga dan Lingkungan. *Mutiara Medika*. 9(2), 7-12.
- Wang, Z., Hao, G., Wang, X., Wang, W., Chen, W., Zhu, M. (2016). Short-term hypertension self management in community is associated with long-term risk of stroke and total death in China. *Medicine*. 95(48), 1-5.
- WHO. (2015). *What is Hypertension?* 28 April 2017 (22:37). <http://www.who.int/features/qa/82/en/>

