

DAFTAR PUSTAKA

- [1] A. Syakur, Yuningtyastuti, and W. Ari P, "Studi Pengaruh Temperatur Pada Karakteristik Partial Discharge Pada Bahan Resin Epoksi," *Media Elektrika*, 2008.
- [2] S. Suwarno and R. P. Hutahean, "Simulasi Pemohonan Listrik (*Electrical Treeing*) pada Isolasi Polimer dengan Menggunakan Metode Cellular Automata," *Journal of Mathematical and Fundamental Sciences*, pp. 115-129, 2005.
- [3] D. Pitsa, G. E. Vardakis, M. G. Danikas, and Y. Chen, "Electrical tree simulation and breakdown in nanocomposite polymers: The role of nanoparticles," in *2010 10th IEEE International Conference on Solid Dielectrics*, 2010, pp. 1-3.
- [4] Y. Uozumi, Y. Kikuchi, N. Fukumoto, M. Nagata, Y. Wakimoto, and T. Yoshimitsu, "Characteristics of partial discharge and time to breakdown of nanocomposite enameled wire," in *2007 Annual Report - Conference on Electrical Insulation and Dielectric Phenomena*, 2007, pp. 228-231.
- [5] H. B. H. Sitorus, H. H. Sinaga, and M. Jaenussolihin, "Pola Peluahan Parsial (Partial Discharge-PD) Pada Bahan Isolasi Epoxy Resin," *Electrician*, pp. 121-132, 2008.
- [6] A. S. Rempe, J. Seiler, M. S. Appavou, S. Huber, G. J. Schneider, and J. Kindersberger, "Characterization of polymer-filler interactions for a model nanocomposite based on silicone rubber," in *2016 IEEE Conference on Electrical Insulation and Dielectric Phenomena (CEIDP)*, 2016, pp. 639-642.
- [7] A. Yuniari. (2014, 2 Desember) *Electrical and Thermal Properties of Poly(Vinyl Chloride) (PVC)/Low Density Polyethylene (LDPE) Nanocomposite*. 53-60.
- [8] "Nanodielectrics: A panacea for solving all electrical insulation problems?," in *2010 10th IEEE International Conference on Solid Dielectrics*, 2010, pp. 1-29.
- [9] B. K. Deka, & Maki, T. K, "Effect of Coupling Agent and Nanoclay on Properties of HDPE, LDPE, PP, PVC Blend and Phargamites Karka Nanocomposite," *Composite Science and Technology*, vol. 12, pp. 1755-1761, 2010.

- [10] D. W. Nurhajati, Yuniari, A., & Kasmudjiastuti, E. (2011) Sifat Elektrik dan Termal Bionanokomposit HDPE/NPCC. *Majalah Kulit, Karet dan Plastik*. 1-6.
- [11] J. Heri, Y. Yuningtyastuti, and A. Syakur, "Studi Arus Bocor Permukaan Bahan Isolasi Resin Epoksi Silane Dengan Variasi Pengisi Pasir Silika (Dengan Polutan Pantai)," *TRANSMISI*, pp. 20-37, 2012.
- [12] K. Yue, J. Chen, H. Ruan, and C. Qian, "Study on partial discharge model of solid insulator," in *2016 IEEE International Conference on High Voltage Engineering and Application (ICHVE)*, 2016, pp. 1-4.
- [13] S. S. A. S. Kurniati, "Pengujian Arus Bocor Isolator 20 Kv Berbahan Polimer Epoxy Resin Dengan Mempertimbangkan Tekanan Dan Kelembapan," *Seminar Nasional Sains dan Teknik 2012*, pp. 1-4, 13 November 2012 2012.
- [14] M. P. Stevens, "Kimia Polimer," *Pradnya Paramita*, 2001.
- [15] Oktaviana, "Polimer Alam Dan Spesifikasinya," *Journal of Mathematical and Fundamental Sciences*, pp. 12-22, 2002.
- [16] A. A. S. Jumaidi S, "Pembuatan Dan Karakterisasi Plastik Biodegradable Dari Campuran Onggok Singkong-Poli Asam Laktat Menggunakan Metode Solution Casting," Skripsi, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Lampung, Lampung, 2014.
- [17] E. Waldi, *Breakdown of Air-Polymer Composite Insulation due to Partial Discharge and Influence of Thermal Insulation* vol. 132, 2012.
- [18] S. T. Ahmad Efan N, *Polimer*. Universitas Muhammadiyah Jember, 2000.
- [19] F. W. Billmeyer, *Textbook of Polymer Science*. New York: John Wiley & Sons, 1984.
- [20] A. Budiman, . "Recent Development in Natural Rubber Prices," FAO, Consultation on Agricultural Commodity Price Problem, Rome, 2002.
- [21] M. Izadi, F. Danafar, and M. Z. A. A. Kadir, "Natural rubber — Carbon nanotubes composites, recent advances and challenges for electrical applications," in *2016 IEEE International Conference on Automatic Control and Intelligent Systems (I2CACIS)*, 2016, pp. 61-65.
- [22] Ompungsunggu, *Pengetahuan Mengenai Lateks Havea*. Sungai Putih: Balai Penelitian Perkebunan, 1987.
- [23] D. Setyamidjaja, *Karet Budidaya dan Pengolahan*. Yogyakarta: Penerbit Kanisius, 1995.

- [24] M. Tampubolon, *Komposisi dan Sifat Lateks Dalam Pengolahan Lateks Pekat, RSS, dan SIR*. Medan: Project Implementations Unit Skill Development Project Sumatera Utara, 1995.
- [25] C. Y. Chee, Song, N. L., Abdullah, L. C., Choong, T. S., Ibrahim, A., and Chantara, T. R, "Characterization of Mechanical, Resistance to Fire and Burning, and Morphological Properties of Blend PVC and LDPE Nanocomposite," *Journal of Nanomaterials*, vol. 2012, Article ID 215978, p. 6, 2012.
- [26] A. Sayuti, M. Ahmad, Z. Abdul-Malek, Y. Arief, K. Y. Lau, and N. Novizon, *Partial Discharge Characteristics in LLDPE-Natural Rubber Blends: Correlating Electrical Quantities with Surface Degradation* vol. 11, 2016.
- [27] R. M. Mutiso, dan Winey, K.I., "Polymer Science: A comprehensive reverence," U.S.A: Elsevier, vol. 7, pp. 327-344, 2012.
- [28] C. Calebrese, J. K. Nelson, L. S. Schadler, and D. Schweickart, "Polyamideimide-alumina nanocomposites for high-temperatures," in *2010 10th IEEE International Conference on Solid Dielectrics*, 2010, pp. 1-4.
- [29] X. Chen, D. Murdany, D. Liu, M. Andersson, S. M. Gubanski, U. W. Gedde, et al., "AC and DC pre-stressed electrical trees in LDPE and its aluminum oxide nanocomposites," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 23, pp. 1506-1514, 2016.
- [30] C. N. D. R. Cornish., "Time-Evolution Phenomena of Electrical Tree Partial Discharges in 5 %wt MgO, Alumina and Silica Epoxy Nanocomposites," *Annual Report Conference on Electrical Insulation and Dielectric Phenomena*, 2014.
- [31] W. Yan, G. Chen, and A. Vaughan, "Space charge dynamics in silica-based polyethylene nanocomposites," in *2014 IEEE Conference on Electrical Insulation and Dielectric Phenomena (CEIDP)*, 2014, pp. 727-730.
- [32] M. G. Veena, N. M. Renukappa, K. N. Shivakumar, and S. Seetharamu, "Study of interface behavior on dielectric properties of epoxy-silica nanocomposites," in *2012 IEEE 10th International Conference on the Properties and Applications of Dielectric Materials*, 2012, pp. 1-4.
- [33] N. Nayiroh, "Teknologi Material Komposit," pp. 1-21.
- [34] Hadyawarman, "Fabrikasi Material Bionanokomposit Superkuat, Ringan dan Transparan Menggunakan Metode Simple Mixing," *Jurnal Nanosains & Nanoteknologi*, vol. Vol 1, No 1, pp. 14-21, Februari 2008.

- [35] D. A. Nattrass, "Partial discharge measurement and interpretation," *IEEE Electrical Insulation Magazine*, vol. 4, pp. 10-23, 1988.
- [36] G. Paolitti and A. Golubev, "Partial discharge theory and technologies related to traditional testing methods of large rotating apparatus," in *Conference Record of the 1999 IEEE Industry Applications Conference. Thirty-Forth IAS Annual Meeting (Cat. No.99CH36370)*, 1999, pp. 967-981 vol.2.
- [37] T. Tanmaneeprasert and P. L. Lewin, "Electrical treeing and ageing characteristics in cavities of low density polyethylene dielectrics on partial discharge measurements," in *2016 IEEE Conference on Electrical Insulation and Dielectric Phenomena (CEIDP)*, 2016, pp. 975-978.
- [38] G. Paoletti, "Partial Discharge Theory and Technologies Related to Traditional Testing Methods of Large Rotating Apparatus," *AISE Steel technology*, 2000.
- [39] Z. Nawawi, M. Abu Bakar Sidik, N. Asiah Muhammad, W.M.S. W. Mahmood, Y. Z. Arief, and Z. Adzis, "Partial Discharge Monitoring System on High Voltage Equipments Using Electroacoustic Technique," *Proceeding of the Electrical Engineering Computer Science and Informatics*, pp. 328-331, 2014.
- [40] N. Desfika, "Membandingkan Penggunaan Fitur Sampel Mode dan Fitur Peak Detect Mode Untuk Pengukuran Pulsa Arus Peluahan Sebagian," 2014.
- [41] Santoro., *Karakteristik Peluahan Sebagian Pada Model Void Berdasarkan Fungsi Waktu dalam PVC Menggunakan Metode Elektroda II CIGRE*, Tugas Akhir S-1, Universitas Diponegoro, 2006.
- [42] Munandar A., *Teori Kegagalan Isolasi, Seri Teknik tegangan Tinggi*, Universitas Trisakti, Jakarta.
- [43] Mizutani, T., and Kondo, T., PD Pattern and PD Current Shapes of a Void in LDPE. *Proceeding of the 6th International Converence on Properties and Applications of Dielectric Material june 21-26. Xian, China.*
- [44] Upriadi,. dkk., *Analisis Karakteristik Peluahan Sebagian Pada Isolasi PVC Menggunakan Elektrode Metode II CIGRE Berdasarkan Variasi Waktu dan Temperatur*, Tugas Akhir S-1, Universitas Diponegoro, Semarang, 2012.
- [45] Setyawan, Jarot,"Investigation of Partial Discharge Occurrence and Detectability in High Voltage Power Cable Accessories,"Delft University of Technology, November 2009.