

DAFTAR PUSTAKA

- [1] Rochim, T., 1993. Teori dan teknologi proses pemesinan. Edisi ke-2. HEDS-Project. ITB. Bandung. pp 9
- [2] *Tranparancy Market Research (TMR), 2015. Lubricants Market (By Product-Mineral oil, Synthetic and Bio-based) – Global Industry Analysis, Size, Share, Growth, Trends, and Forecast 2014 – 2020.* Tersedia pada <http://www.reportlinker.com/p02678618-summary/Lubricants-Market-By-Product-Mineral-oil-Synthetic-and-Bio-based-Global-Industry-Analysis-Size-Share-Growth-Trends-and-Forecast.html>. Tanggal akses : 19 August 2015
- [3] Batz, W.J., 1998. *Lubricants and the environment. Tribology International.* 31(1-3). 35-47
- [4] Xavior, M.A., dan Adithan, M., 2009. *Determining the influence of cutting fluids on tool wear and surface roughness during turning of AISI 304 austenitic stainless steel. Journal of Materials Processing Technology.* 209. 900–909
- [5] Krishna, P.V., Srikant, R.R., dan Rao, D.N., 2010. *Experimental investigation on the performance of nanoboric acid suspensions in SAE-40 and coconut oil during turning of AISI 1040 steel.* Int. J. of Machine Tools & Manufacture. 50. 911–916
- [6] Perera G.I.P., Herath, H.M.C.M., Perera, I.M.S.J., dan Medagoda, M.G.H.M.P., 2015. *Investigation on white coconut oil to use as a metal working fluid during turning.* Proc IMechE Part B: J. Eng. Manufacture. 229(1). 38–44
- [7] Dayrit, F.M, Dimzon, I.K.D., Valde1, M.F., Santos, J.E.R., Garrovillas, M.J.M., dan Villarino, B.J., 2011. *Quality characteristics of virgin coconut oil: Comparisons with refined coconut oil.* Pure Appl. Chem. 83(9). 1789,2011
- [8] ; T.S.T., Che Man, Y.B., Shuhaimi, M., Abdul Afiq, M.J., dan Ku Nurul, F.K.M., 2012. *Physicochemical properties of virgin coconut oil extracted from different processing methods.* Int. Food Research Journal. 19 (3). 837-845

- [9] Marina, A.M., Y.B. Che Man, Nazimah, S.A.H., dan I. Amin, I., 2009. *Chemical properties of virgin coconut oil*. J. Am. Oil Chem. Soc. 86.301-307
- [10] Ceratizit. 2003. *Causes of Wear. Technical Information*, Tersedia pada :www.ceratizit.com. Tanggal akses : 15 November 2015
- [11] Armarego, E.J.A.,R.H. Brown. et.al, 1997. *Tool Wear, Metal Cutting Theory*.Prentice-Hall,Inc.,1969
- [12] Pawlik, A, et al. 2002, *Tool Life Experiment* www.personal.psu.edu/users/h/hhw103/Groupreport.pdf. Tanggal akses : 12 maret 2004
- [13] Sanvik,Coromant., 2003. Technical Information :*Tool Wear*.Tersedia pada:<http://www2.coromant.sandvik.com/coromant/products/steelturning/pdf/>.Tanggalakses : 18 November 2015
- [14] Stachowiak, G.W. and Batchelor, A.W. (2005). "*Engineering Tribology Third Eddition*". Elsevier Inc. USA.
- [15] S. Dolinsek, B. Sustarsic, J. Kopac. 2001. *Wear Mechanism of Cutting Tools in High Speed Cutting Proces* pada:<http://www.intechopen.com/books/titanium-alloys-towards-achieving-enhanced-properties-for-diversified-applications/drilling-of-titanium-alloys>.Tanggal akses : 18 November 2015
- [16] Shaw, M.C. 1986. "*Metal Cutting Principles*" Oxford University Press, Oxford.
- [17] Barth, C.F. 1986. "*Cutting Fluids in Industry*", chapter 4, "*Handbook of High Speed Machining Technology*", (Ed. King, R.I.) Chapman & Hall.
- [18] Y.M. Shashidhara, S.R.Jayaram.2010. *Vegetable oils as apotential cutting fluid—An evolution*.
- [19] S. Asadaukas, J.M. Perez, J.L. Duda, *Oxidative stability and antiwear properties of high oeic vegetable oils*, J. Lubr. Eng. 52 (12) (1996) 877–882

- [20] [Hermawan, N.,2017. Evaluasi unjuk kerja HCO, RCO, dan VCO hasil ekstraksi minyak kelapa sebagai cairan pendingin terhadap laju keausan pahat pada proses bubut. Tugas Akhir Jurusan Teknik Mesin FT-UA]

