

DAFTAR KEPUSTAKAAN

- Agrawal SR, Joshi R, Jain A (2015). Corelation of severity of chonic obstructive pulmonary disease with health-related quality of life and six-minute walk test in a rural hospital of central india. Lung India, 32(3) : 233-240.
- Alfred PF, Jack AE(2008). Fishman's pulmonary disease and disorder. Ed 4, New York: McGraw-Hill.
- Alsagaff H, Mukty A(2008). Penyakit obstruktif saluran napas. Dasar-dasar ilmu penyakit paru. Surabaya: Airlangga Univerity Press, hal 231-3.
- American Lung Association(2015). Learn about copd. Diakses pada tanggal 10 Januari 2016 dari <http://www.lung.org/lung-health-and-diseases/lung-disease-lookup/copd/learn-about-copd/how-serious-is-copd.html>.
- Barber S, Adioetomo SM, Ahsan A, Setyonaluri D (2009). Tobacco economics in Indonesia. International Union Againts Tuberculosis and Lung disease
- Bellamy D, Booker R, Connellan S, Halpin D(2010). Spirometry in practice:A partical guide to using spirometry in primary care. London British Thorasic Society,8.
- Caracta CF(2003). Gender differences in pulmonary disease. Mount Sinai Journal of Med, 70(4) ; 215-24.
- Centers for Disease Control and Prevention(2012). CDC wonder on-line database, compiled from compressed mortality file 1979-2009
- Celli, MacNee BR, Agusti W(2004). Standards for the diagnosis and treatment of patients with chronic obstructive pulmonary disease. American Thoracic Society
- Cherney K(2014). COPD: What's age got to do with it?. Med Reviewed 1-5.
- Centers for disease control and prevention(2011).Health-related quality of life.Diakses pada tanggal 16 Juli 2015 dari <http://www.cdc.gov/hrqol/concept.htm>.
- COPD assessment test(2012). Healthcare proffesional user guide.Diunduh pada tanggal 24 Agustus 2015 dari <http://www.catestonline.org/image/userguide/CATHCPUser%20guideEn.pdf>.
- Dani, Nathalia C(2013). Karakteristik penderita penyakit paru obstruktif kronik di RS Immanuel Bandung. Tugas akhir Universitas Maranatha. Bandung.
- Davereux G, (2006). ABC of chronic obstruvtive pulmonary disease, definition, epidemiology, and risk factors. BMJ, 332(7550):1142-4.
- Eisner MD, Anthonisen N, Coultas D, Kuenzli N, Perez-Padilla R, Postma D, et al., (2010). An official american thoracis society public policy statement

- :Novel risk factors and the global burden of chronic obstructive pulmonary disease. *Am J Respir Crit Med*, 182(5) : 693-781.
- Ferrer M, Valencia M, Nicolas JM, et al., (2006). Early noninvasive ventilation averts extubation failure in patients at risk. A randomized trial. *Am J Respir Crit Med*, 173: 164-170.
- Firdausi, Risa F, Musawaris, Agus F(2014). Hubungan derajat obstruksi paru dengan kualitas hidup penderita ppok di RSUD Dr. Soedarso Pontianak. Skripsi. Universitas Tanjung Pura. Pontianak.
- Garrido PC, Diez JM, Gutierrez JR, Centeno AM, Vazques G, Miguel AG (2006). Negative impact of chronic obstructive pulmonary disease on the health-related quality of life of patients. Result of the epidepoc study. *Health and Quality of life Outcomes*. Diakses pada tanggal 10 Januari 2016 dari <http://www.hqlo.com/content/4/1/3/1>.
- Gauderman WJ, Voral H, McConnell R, Berhane K, Thomas D, et al., (2007). Effect of exposure to traffic on lung development 10 to 18 years of age : A cohort study. *Lancet*, 369(9561) : 571-577.
- Global initiative for obstructive lung disease(2015).Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease.Diunduh pada tanggal 5 Februari 2015 dari www.goldcopd.org.
- Gudmundsson G, Gislason T, Janson C, Lindberg E, Suppli UC, Brondum E, et al (2006). Depression anxiet and health statusafter hospitalisation for COPD.*respir Med*, 100(1);87-93.
- Halvani A, Pourfarokh N, Nasriani K(2006). Quality of life and related factors in patients with chronic obstructive pulmonary disease. *Tanaffos*, 5(3) : 51-56.
- Hastuti WS, Wiyono WH, Ratnawati, Gumiwang I. Prihartono J(2013). Peran modifikasi skor CURB-65 sebagai faktor prediktor mortalitas dalam satu tahun pada penyakit paru obstruktif kronik eksaserbasi akut. *J Respir Indo*, 33;244-57.
- Hogg JC, Chu F, Utokaparach S, et al., (2004).The nature of small-airway obstructive pulmonary disease.Dalam (Global initiative for obstructive lung disease) Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease.
- Iguchi A, Senjyu H, Hayashi Y, Kanada R, Iwani S, Honda S, et al., (2013). Relationship between depression in patients with copd and the percent of predicted FEV₁, BODE index, and health-related quality of life. *Resp Care*, 58(2);334-9.
- Ikalius, Yunus F, Suradi, Rachma N(2007). Perubahan kualitas hidup dan kapasitas fungsional penderita penyakit paru obstruktif kronis setelah rehabilitasi paru. *Majalah Kedokteran Indonesia*; 57(12):446-52.

- Ikawati Z, (2010). Farmakoterapi penyakit sistem pernapasan. *J Respir Indo*, 9;11.
- Jones PW, Brusselle G, Dal Negro RW, Ferrer M, Kardos P, Perez JJ, et al., (2011). Health-related quality of life in patients by COPD severity within primary care in Europe. *Respiratory Medicine*, 105(1) : 95-101.
- Kandowanko JW, Djajalaksan S, Al Rasyid H(2014). Depresi pada penyakit paru obstruktif kronik terhadap kadar interleukin (IL)-6 dan kualitas hidup. *J Respir Indo*, 34(1) ; 46-52.
- Khairani R(2010). Pola distribusi penyakit paru obstruktif kronik berdasarkan usia, jenis kelamin dan perilaku merokok di RSUD dr. Soedarso Pontianak periode Februari –Juni 2009. Tugas akhir Universitas Tanjungpura. Pontianak.
- Khotimah S(2013). Latihan endurance meningkatkan kualitas hidup lebih baik daripada latihan pernapasan pada pasien PPOK di BP4 Yogyakarta. *Sport and Fitness Journal*; 1(1):20-32
- Liu S, Zhou Y, Wang X, Wang D, Lu J, Zheng J, et al., (2007). Biomass fuels are propable risk factor for chronic obstructive pulmonary disease. *Thorax*,62 : 889-97.
- Mahawati E(2014). Instrumen deteksi dini paparan kronis pestisida salam pengendalian faktor resiko PPOK (Penyakit Paru Obstruktif Kronik) pada petani kecamatan Gubug, Tanggunharjo dan Tegowanu kabupaten Grobogan. Disertasi doktor Universitas Dian Nuswantoro. Semarang
- Mannino DM, Buist AS(2007). Global burden of COPD : Risk factors, prevalence, and future trends. *Lancet*, 370(9589) : 765-773.
- Molfino NA, Coyle JA(2008). Gene-enviroment interactions in chronic obstructive pulmonary disease. *Int J chron Obstruct Pulmon dis*, 3(3) : 765-773.
- Muthmainnah, Restuastuti T, Munir SM (2015). Gambaran kualitas hidup pasien ppok stabil di poli paru rsud arifin achmad provinsi riau dengan menggunakan kuesioner sgrq. *JOM FK*, 2(2):1-20.
- Orozco-Levi M, Garcia-Aymerich J, Villar J, Ramirez-Sarmiento A, Behrakis P(2006). Wood smoke exposure and risk of chronic obstructive pulmonary disease. *EurRespir J*, 27(3) : 542-546.
- Papadopoulos G, Vardavas CL, Limperi M, Linardi A, Georgaudis G, Behrakis P (2011). Smoking cessation improve quality of life among COPD patients : Validation of clinical COPD questionnaire into Greek. *BMC Pulmonary Medicine*, 11: 13.
- Antariksa B, Djajalaksana S, Pradjnaparamita, Riyadi J, Yunus F, Suradi, Sutoyo DK et al(2011). Penyakit paru obstruktif kronik.Diagnosis dan penatalaksanaan. Jakarta : PDPI.

- Po JY, Fitzgerald JM, Carlsten(2011). Respiratory disease associated with solid biomass fuel exposure in rural women and children : systemic review and meta-analysis. *Thorax*, 66 : 232-239.
- Postma DS, Camp PG, O'Donnel DE, 2013. Chronis obstructive pulmonary disease in men and women. *Proc Am Thorac Soc*, 6;535-38.
- Raherison c, Girodet PO(2009).Epidemiology of COPD. *EurRespir*, 114(18) : 213-221.
- Regional COPD working group(2003). COPD prevalence in 12 Asia-Pasific countries and regions : Projections based on COPD prevalence estimation model. *Respirology*, 8(2) : 192-198.
- Riset Kesehatan Dasar(2013). Jakarta :Badan penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Sidabutar P, Rasmaliah, Hiswani (2012). Karakteristik penderita penyakit paru obstruktif kronik(PPOK) yang dirawat inap di RSUP H. Adam Malik medan tahun. Universitas Sumatera Utara. Tugas akhir .
- St George's university of london(2008). St george's respiratory questionnaire for COPD patients (SGRQ-C). Diunduh pada tanggal 20 Februari 2015 dari http://www.healthstatus.sgul.ac.uk/SGRQ_download/SGRQ-C%20Manual%202008.pdf.
- Stage KB, Middelboe T, Stage TB, Sorensen CH(2006). Depression on COPD-management and quality of life consideration. *Int J Chron Obstruct Pulmon Dis*, 1(3) : 315-320.
- Stern DA, Morgan WJ, Wright AL, Guerra S, Martinez FD(2007). Poor airway function in early infancy and lung function by age 22 years : A non-selective longitudinal cohort study. Dalam (Global initiative for obstructive lung disease) Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease.
- Stoller KJ, MD, MS, Lachawan LF, Aboussouan SL(2006).Alpha-1 antytripsin deficiency. *Gene reviews*, 59 : 843-849.
- Suradi(2007). Pengaruh rokok pada penyakit paru obstruktif kronik (PPOK) tinjauan patogenesis, klinis dan sosial. Disampaikan dalam pidato pengukuhan guru besar dalam bidang pulmologi dan ilmu kedokteran respirasi pada Fakultas Kedokteran Universitas Sebelas Maret. Jakarta.
- Torres-Daque C, Maldonado D, Perez-Padilla R, Ezzati M, Vigi G(2008). Biomass fuels and respiratory disease. *Proccedings of The American Society*, 5(5) : 577-590.
- Tsiligianni I, Kocks J, Tzanakis N, Siafikas N, Molen TVD(2011). Factors that influence disease-spesific quality of live or health status in patients with

- COPD: a systemic review and meta-analysis of person correlations. *Prim Care Respir*, 20(3):257-68.
- Tzanaki N, Nikolaos S(2011). Factors that influence disease-specific quality of life or health status in patients with copd:A systemic review and meta-analysis of pearson correlations. *Primary Care Resp J*, 20(3);257-68.
- Yuarsa TA, Yunus F, Antariksa B(2013). Korelasi penilaian kualitas hidup dan prognosis penderita penyakit paru obstruktif kronik dengan CAT, SGRQ dan BODE di RS Persahabatan Jakarta. *J Pespri Indo*, 33 ;8-6.
- Weldam SMW, Lammers JWJ, Decates RL,Schuermans MJ(2013). Daily activities and health-related quality of life in patients with chronic obstructive pulmonary disease: psychological determinants : a cross-sectional study. *Health and quality of life outcome*. Diakses tanggal 10 januari 2016 dari <http://www.hqlo.com/content/11/1/90>.
- World health organization(2015).Chronic respiratory disease.Diakses pada tanggal 24 Agustus 2015 dari <http://www.who.int/respiratory/copd/burden/en>.
- World health organization(2009).Indonsia (ages 13-15) global youth tobacco survey fact sheet.Diunduh pada tanggal 1 April 2015 dari http://www.searo.who.int/entity/noncommunicable_disease/data/ino_gyts_fs_2009.pdf?ua=1.
- World health organization(2015).The world health organization quality of life (WHOQOL).Diakses pada tanggal 16 Juni 2015 dari http://www.who.int/mental_health/publications/whoqol/en/.
- Yohannes AM, Roomi J, Waters K, Connoly MJ(1998). Quality of life in elderly patients with COPD: measurement and predictive factors. *Respiratory Medicine*, 92;1231-6.
- Yusanti M, Chan Y, Basyar M,sabri YS(2014). Perubahan kadar c-reactive protein dengan pemberian azitromisin 250 mg selang hari pada penyakit paru obstruktif kronik. *J respir Indo*, 34(4); 191-7.
- Zahran HS, Bailey C, Garbe P(2011). Vital signs : Asthma prevalence, disease characteristics, and self-management education. *CDC : Morbidity & mortality weekly report*, 60(17) : 547-552.
- Zamzam MA, Azab NY, El Washsh RA, Ragab EM(2012). Quality of life in COPD patients. *Egyptian journal of chest disease and tuberculosis*, 61 : 281-289.