

DAFTAR PUSTAKA

Arenas, Jorge P and Crocker, Chile Malcolm J, 2010, Recent Trends in Porous Sound-Absorbing Materials, Sound and Vibration, University Austral of Chile, Valdivia, Chile.

B,Arunkumar and S, Jeyanthi.,2017, Design and Analysis of Impedance Tube for Sound Absorption Measurement, *ARPN Journal of Engineering and Applied Sciences*, vol. 12.

Elwaleed, A.K., Nikabdullah, N., Nor, M.J.M., Zulkifli, R, 2013, Experimental investigation of sound absorption properties of perforated date palm fibers panel, *Materials Science and Engineering*, Vol46.

Gupta, S. and C. Ghatak, 2011, Environmental noise assessment and its effect on human health in an urban area. *Int. J. Environ. SCI.*, 1: 1954-1964.

Harish, S. and Michael, D.P. 2009. Mechanical property evaluation of natural fiber coir composite. *Materials Characterization*, 60(1): 44-49

Jayaman, Elammaran. And Hamdan, Sinin, 2013, Sound Absorption Coefficients Natural Fibre Reinforced Composites, *Advanced Materials Research* Vol. 701 pp 53-58

Kang, J and Brocklesby, M.W, 2005, Feasibility of applying micro-perforeted absorbers in acoustic window systems, *Applied Acoustics* , 66 :669-689.

Khedari, J., S. Charoenvai and J. Hirunlabh, 2003. New insulating particleboards from durian peel and coconut coir. *Build. Environ.*, 38: 435-441. DOI: 10.1016/S0360-1323(02)00030-6

Khuriati A.,2006, Disain Peredam Suara Berbahan Dasar Sabut Kelapa Dan Pengukuran Koefisien Penyerapan Bunyinya, Vol 9, No1, Januari 2006, pp 1525

Koizumi, T., N. Tsuji uchi and A. Adachi, 2002. The development of sound absorbing materials using natural bamboo fibers. High Performance Structure and Composites.

Lai, J.C.S and Burgess, M.,1991,Aplication of Sound Intensity Technique to Measure of Field Sound Transmission Loss Apllied Acoustic,Vol 34, Pp 77-78.

Lupea, I., Considerations on the Helmholtz resonator - simulation and experiment, Proceedings of the Romanian Academy, series A, Volume 13, Number 2/2012, pp. 118– 124.

Mahzan, S., A.M.A. Zaidi, N. Arsat, M.N.M. Hatta and R. Mohideen, 2010. Study on sound absorption properties of coconut coir fibre reinforced composite with added recycled rubber. Int. J. Integrated Eng

Qian, Y.J., Zhang, J and Sun, N, 2017, A strategy for extending the effective application of micro-perforated panel absorbers to high sound intensity, Applied Acoustics, 124-127.

R. Zulkifli, Zulkarnain and MJ.M Nor, 2010, Noise Control Using Coconut Coir Fiber Sound Absorber with Porous Layer Backing and Perforated Panel. American Journal of Applied Sciences. 7(2): 260-264.

Sakagami, Kimihiro., Kobatake, Seiji., Kano, Ken'ichi., Morimoto, Masayuki and Yairi, Motoki, 2011, Sound Absorption Characteristics of a Single Microperforated Panel Absorber Backed by a Porous Absorbent Layer, Acoustics Australia, Vol. 39, 3 - 95.

Stremġan,Florina-Anca and LUPEA, Iulian.,2012, Assessing the Sound Absorption of Micro-Perforated Panels by Using the Transfer Function and the Impedance Tube, RJAV vol IX, issue 2.

Suter, A.H., 2002. Construction noise: Exposure, effectsand the potential for remediation; A review and analysis. AIHA J., 63: 768-789.

.Wu, M.Q, 1993, Micro-perforeted panels for duct silentcing, Noise Control Engineering journal, 45:69-77.

