

DAFTAR PUSTAKA

- Ajambang, W., Sudarsono, D. Asmono & N. Toruan. 2012. Microsatellite Markers Reveal Cameroon's Wild Oil Palm Population As A Possible Solution To Broaden The Genetic Base In The Indonesia-Malaysia Oil Palm Breeding Programs. *African Journal of Biotechnology*. 11 (69): 13244-13249.
- Allendorf F & Ryman N. 2000. **The role of genetics in population viability analysis.** In: **Population Viability Analysis.** Eds Beissinger SR. McCullough DR (in press).
- Arif. B.A., Wahyu D., Enrico S., Suyanti & Setyadjit. 2014. Optimalisasi Cara Pemeraman Buah Cempedak (*Artocarpus champeden*). *Informatika Pertanian*. 23 (1).
- Arifin, S.H, Mustofa A.S., Leti S., Tony D., Gustaf A. W., & Widianto. 2003. **Agroforestry di Indonesia.** World Agroforestry Centre (ICRAF). Bogor.
- Asra, R., Syamsuardi, Mansyurdin, & J. R. Witono. 2014. The Study of Genetic Diversity of *Daemonorops draco* (Palmae) Using ISSR Markers. *Biodiversitas*. 15 (2): 109-114.
- Azad, A. K., J. G. Jones & N. Haq. 2007. Assessing Morphological and Isozyme Variation of Jackfruit (*Artocarpus heterophyllus* Lam.) in Bangladesh. *Agroforest Syst.* 71: 109-125
- Bakoume, C., R. Wickneswari, N. Raijanaidu, A. Kushairi, P. Amblard, & N. Billotte. 2007. Allelic diversity of natural oil palm (*Elaeis guineensis* Jacq.) populations detected by microsatellite markers. Implication in conservation. *Rev. Palmas* 28(1): 149-158.
- Bardakci, F. 2000. Random Amplified Polymorphic DNA (RAPD) Markers. *Turk. Journal. Biot.* 25 : 185-196
- Blench, R. & M. Dendo. 2006. A History of Fruits on The SE Asian Mainland. *Paper presented at the EURASEAA*, Bougon, 26th September 2006.
- Burczyk, J., S. P DiFazio & W. T Adams. 2004. Gene Flow in Forest Trees: How Far do Genes Really Travel. *Forest Genetic*. 11(3-4): 179-192.
- Cintamulya, I. 2013. Analisis Variasi Genetik Varian Jati Arboretum dengan Penanda Mikrosatelit. *Jurnal Pendidikan Sains*. 1 (2) : 109-114.

- Costa, R., G. Pereira, I. Garrido, M. M. Tavares-de-Sousa & F. Espinosa. 2016. Comparison of RAPD, ISSR, and AFLP Molecular Markers to Reveal and Classify Orchardgrass (*Dactylis glomerata* L.) Germplasm Variations. *Plos One*. 11 (4): 1-15.
- Culley, T. M. 2015. Population Genetic Analysis of ISSR Data. *Molecular Ecology* 16: 3760-3770.
- De Beer J & Dermott M. 1996. **The economic Value of Non Timber Forest Product in Southeast Asia**. IUCN Netherlands.
- Delfi, M. 2012. Sipusilam dalam Selimut Arat Sabulungan Penganut Islam Mentawai di Siberut. *Jurnal Al-Ulum*. 12.
- Denevan, W.M., J.M Treacy, J.B Alcorn, C. Padoch, J. Denslow & S.F Paitan. 1984. Indigenous agroforestry in Peruvian Amazon; Bora Indian management of swidden fallows. *Interciencia*. 9 (6); 346-357.
- Doyle, J. J. & J. L. Doyle. 1987. A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochem. Bull.* 19: 11-15.
- Epperson, B. K. 1989. Spatial pattern of genetic variation within plant populations. In : Tradescantia hisuticalis (Commelinaceae). *American Journal of Botany*. 80 : 959-966
- Febrianto, A. & Erda M. 2012. Orang Mentawai: Peladang Tradisional dan Ekonomi Pasar. *Humanus*. 9 (2).
- Finkeldey, R. 2005. **An Introduction To Tropical Forest Genetiks: Molekuler Basic The Gene As A Function Unit**. Institute Of Forest Genetiks And Forest Tree Breeding. Germany.
- Fukuoka, S., K. Hosaka & O. Kamijima, 1992. Use of Random Amplified Polymorphic DNAs (RAPDs) for identification of rice accessions. *Japanese J. Genet.* 67: 243-252.
- Gillespie, R. G. & D. A. Clague. 2009. **Encyclopedia of Island**. University of California Press. USA.
- Hartl, D.L., & Clark, A.G. 2007. **Principles of Population Genetics**. 4th ed. Sinauer Associates Inc. Sunderland, MA. USA.
- Heyne, K. 1987. **Tumbuhan Berguna Indonesia**. Jilid II. Yayasan Sarana Wana Jaya. Jakarta.

- Hussein, E. H. A., S.. M. M. Abd-allah, N. A. Awad & M. S. Hussein. 2004. Assessment of Genetic Variability and Genotyping of Some Citrus Accessions Using Molecular Markers. *Arab. J. Biotech.* 7 (1): 23-36.
- Indra, G., Nurainas, Chairul, & Mansyurdin. 2017. Species Diversity and Community Structure of Fruit Trees in Pumonean at Siberut, Mentawai Island, Indonesia. *Int. J. Curr. Res. Biosci. Plant Biol.* 4 (11): 29-37.
- Iskandar, J. 1992. **Ekologi Perladangan di Indonesia**. Djambaran. Jakarta.
- Janick, J. 2005. The origins of fruits fruit growing and fruit breeding. *Plant Breeding Rev.* 25:255-320.
- Jansen, P.C.M. 1991. *Artocarpus integer (Thunb.) Merr.* pp. 91-94. In. **Plant Resources of South-East Asia**. 2. Edible Fruits and Nuts. Edited by E.W.M. Verheij and R.E. Coronel (eds.). PROSEA, Pudoc. Wageningen.
- Jose, J. & R. Usha. 2000. Extraction of geminiviral DNA from a highly mucilaginous plant (*Abelmoschus esculentus*). *Plant Mol. Biol. Rep.* 18: 349-355.
- Krishnan, A. G, Thushara Susan Sabu, Sible G. V & Lindamol Xavier. 2015. Genetik Diversity Analysis in Jackfruit Selections of Kuttanad Region Using RAPD Technique. *International Journal of Scientific and Research Publications*. 5 (4).
- Lemmens, R.H.M.J., I Soerianegara & W.C. Wong (eds.). 1995. *Plant Resources of South- East Asia 5(2) Timber trees: Minor commercial timbers*. Prosea. Bogor.
- Lempang, M & Suhartati. 2013. Potensi Pengembangan Cempedak (*Artocarpus integer* Merr.) pada Hutan Tanaman Rakyat Ditinjau dari Sifat Kayu dan Kegunaannya. *Info Teknis EBONI*. 10 (2).
- Leong LP & Shui G, 2002. An Investigation of Antioxidant Capacity of Fruits in Singapore Markets. *Food Chemistry*. 76: 69–75
- Nason, J. D., J. L. Hamrick, & T. H. Fleming. 2002. Historical Vicariance and Postglacial Colonization Effects on The Evolution of Genetic Structure in *Lophocereus*, A Sonoran Desert Columnar Cactus. *Evolution*. 56 (1) : 2214-2226.
- Nauw, A. J R., Sepus M. F., Susilo, B.H., & Mecky S. 2016. Pemanfaatan Tumbuhan Cempedak (*Artocarpus champeden*) oleh Masyarakat Kampung Sabun Distrik Aitinyo Tengah Kabupaten Maybrat, Papua Barat. *Jurnal Ilmu Kehutanan*. 10 (1).
- Palupi, D. 2011. Keragaman Genetik Tanaman Nangka (*Artocarpus heterophyllus* Lamk.) Di Indonesia Berdasarkan Karakter Morfologis dan Molekular. Pascasarjana Fakultas Biologi Universitas Gadjah Mada. Yogyakarta. Tesis.

- Pharmawati, M. 2009. Optimalisasi Ekstraksi DNA dan PCR-RAPD pada *Grevillea spp.* (Proteaceae). *Jurnal Biologi*. 13: 12-16.
- Porth, I. & Yousry A. E. 2014. Assesment of the Genetic Diversity in Forest Tree Populations Using Molecular Markers. *Diversity*. 6.
- Prasad M. P, Kirti Prasad, & Ceera M. 2014. Phytochemical, Antioxidant Activity and Determination of Genetik Diversity in *Artocarpus heterophyllus* Using RAPD Molecular Marcker. *International Journal of Science and Research*. 3.
- Prosea, 1993. **Basic List of Species and Commodity Grouping. Final version.** Plant Resources of South-East Asia. Bogor.
- Pushpakumara, D.K.N.G & S. A. Harris. 2007. Potential of RAPD markers for identification of fruit types of *Artocarpus heterophyllus* Lam. (Jackfruit). *J. Natn. Sci. Foundation Sri Lanka*. 35 (3).
- Rahayu, E. S., & S. Handayani. 2010. Keragaman genetik pandan asal Jawa Barat berdasarkan penanda inter simple sequence repeat. *Makara Sains*. 14: 158-162
- Singh S.R, P. Narayanaswamy, S.S Yumnam & B.C Banik. 2011. Development of RAPD marker related to fruit cracking in Jackfruit (*Artocarpus heterophyllus* Lam). *The Asian Journal of Horticulture*. 6 (1).
- Slatkin, M. & Barton, N.H. 1989. A comparison of three indirect methods for estimating average levels of gene flow. *Evolution*. 43: 1349-1368.
- Subositi, D. 2010. Variasi Intraspesifik Stevia (Stevia rebaudiana (Bertoni) Bertoni) Koleksi Balai Besar Penelitian dan Pengembangan Tanaman Obat dan Obat Tradisional (B2P2TO – OT) Berdasarkan Karakter Morfologis dan Molekular. Pascasarjana Fakultas Biologi Universitas Gadjah Mada. Yogyakarta. Tesis
- Suhandi, A.S., D. Anggraeni, E. Effendi, E.A. Perbatakusuma, K.J.M. Meyers & Wiratno. 2002. Feasibility Study of Conservation Concession Reconciliatory effort between the demand of increasing local revenue and ecosystem protection in the process of power devolution: A Case Study From Siberut Island, Sumatera. *Final Report, Conservation International Indonesia*. Jakarta.
- Tanksley, S. D. 2004. The Genetic, Developmental, and Molecular Bases of Fruit Size and Shape Variation in Tomato. *The Plant Cell*. 16: S181-S189.
- Tanksley, S. D. & S. R. McCouch. 1997. Seed Banks and Molecular Maps: Unlocking Genetic Potential from the Wild. *Science*. 277: 1063-1066.
- Verheij, E.W.M & R.E. Coronel. 1997. **Sumber Daya Nabati Asia Tenggara 2: Buah-buahan yang dapat dimakan.** PT. Gramedia Pustaka Utama. Jakarta

- Volis. S., Michael B. & Yuval S. 2009. Complex ex situ - in situ approach for conservation of endangered plant species and its application to Iris atrofusa of the Northern Negev. *BioRisk*. 3:137-160.
- Wang, R.R.C., J. Chen, & L.R Joppa. 1995. Production and Identification of Chromosome Specific RAPD Markers for Langdon Durum Wheat Disomic Substitution Lines. *Crop Science*. 35:886-888.
- Welsh J. & McClelland M. 1990. Fingerprinting genomes using PCR with arbitrary primers. *Nucleic Acids Research*. 18: 7213-7218.
- William, J. G. K., A. R. Kubelik, K.J. Livak, J.A Rafalski & S. V. Tingey. 1990. DNA Polymorphism Amplified by Arbitrary Primers are Useful as Genetik Markers. *Nucleic Acids Research*. 18: 6531-6535
- Wolf, Eric R. 1985. **Petani, Suatu Tinjauan Antropologis**. Rajawali Pers. Jakarta.
- Wright, A.F. 2005. Genetic Variation: Polymorphism and Mutations. Article. *Encyclopedia of Life Sciences*. doi: 10.1038/npg.els.0005005
- Yeh, F. C., R. C. Yang & T. Boyle. 1997. **POPGENE, the user-friendly shareware for population genetik analysis**. Molecular Biology and Biotechnology Centre University of Alberta. Canada.
- Yu, L.X. & H.T. Nguyen. 1994. Genetic variation detected with RAPD markers among upland and lowland rice cultivars (*Oryza sativa L.*) *Theor. Appl. Genet.* 87: 668–672
- Zerega , N. J. C. , M. N. Nur Supardi & T . J. Motley . 2010 . Phylogeny and recircumscription of Artocarpeae (Moraceae) with a focus on Artocarpus. *Systematic Botany*. 35 : 766 – 783 .