

DAFTAR PUSTAKA

1. Izadi N A.; Yamada, T.; Futaba, D.: High power supercapacitor electrodes from single-walled carbon nanohorn/nanotube composite. *ACS Nano*. 2011, 5(2), 811–819.
2. Kotz, R.; and M, Carlen.: Principles and applications of electrochemical capacitors. *Electrochimica Acta*. 2000, 45(15- 16): 2483-2498.
3. Alif, A.; Tetra, O N.; Emriadi.; Yantika, R.: Pengaruh elektrolit H₂SO₄ terhadap sifat listrik elektroda campuran zeolit dari *bottom ash* dan resin damar sebagai superkapasitor. *Jurnal Kimia Unand*. 2014, 4(3), 18-23.
4. Yin, Lihong.; Chen, Yong.: 3-Dimensional hierarchical porous activated carbon derived from coconut fibers with high-rate performance for symmetric supercapacitors. *Material and Design*. 2016, 111, 44-50.
5. Qiao, Zhi-jun.; Chen Ming-ming.: Humic acids-based hierarchical porous carbons as high-rate performance electrodes for symmetric supercapacitors. *Bioresource Technology*. 2014, 163, 386-289.
6. Yu Baojun, Chang.; Zhenzhen.: The key pre-pyrolysis in lignin-based activated carbon preparation for high performance supercapacitors. *Materials chemistry And Physic*. 2016, 181, 187-193.
7. Aziz, H.; Tetra, O N.; Alif, A.; Syukri. Ramadhan.: W. Electrical properties of supercapacitor electrode-based on activated carbon from waste palm kernel shells. *Der Pharma Chemic*. 2016, 8(15), 227-232.
8. Elzbieta, Frackowiak.: Supercapacitors based on carbon materials and ionic liquids. *J. Braz. Chem. Soc*. 2006, No. 6 Vol.17, 1074-1082.
9. Peng, C., Yan, X., Wang, R., Lang, J., Ou, Y., & Xue, Q. Promising activated carbons derived from waste tea-leaves and their application in high performance supercapacitors electrodes. *Electrochimica Acta*. 2013, 87, 401–408.
10. Mariana.; Marwan.; F Mulana.: Activation and characterization of waste coffee grounds as bio-sorbent. *IOP Conf. Series: Materials Science and Engineering*. 2018, 334, 1-8.
11. Towaha Juniaty, Balitri.: Ampas kopi sebagai bahan baku pembuatan biodiesel. *Pusat penelitian dan Perkembangan Perkebunan*. 2014, 3(6), 9-11.
12. Li, Yueming.: KOH modified graphene nanosheets for supercapacitor electrodes. *Journal of power sources*. 2011, 196 (14), 6003-6006.
13. Wang, C.-H.; Wen, W.-C.; Hsu, H.-C.; & Yao, B.-Y.: High-capacitance KOH-activated nitrogen-containing porous carbon material from waste coffee grounds in supercapacitor. *Advanced Powder Technology*. 2016, 27(4), 1387–1395.

14. Murata. The structure and principle of electrical double layer capacitor. 2016. <https://www.murata.com>.
15. Guo, J. and Lua, A.C.: Textural characterization of activated carbons prepared from oil-palm stones pre-treated with various impregnating agents. *J. of Porous Mater.* 2000, 7, 491-497.
16. Yagmur, E.; Ozmak, M.; Aktas, Z.: A novel method for production of activated carbon from waste tea by chemical activation with microwave energy. *Fuel.* 2008, 87(15-16), 3278–3285.
17. Laksaci, H.; Khelifi, A.; Trari, M.; Addoun, A.: Synthesis and characterization of microporous activated carbon from coffee grounds using potassium hydroxides. *Journal of Cleaner Production.* 2017, 147, 254–262.
18. Pambayun, S G.: Pembuatan karbon aktif dari arang tempurung kelapa dengan aktivator $ZnCl_2$ dan Na_2CO_3 sebagai adsorben untuk mengurangi kadar fenol dalam air limbah. *Jurnal Teknik POMITS.* 2013, 1(2), 2301-9271.
19. Tutik, M.; Faizah H.: Aktifasi arang tempurung kelapa secara kimia dengan larutan kimia $ZnCl_2$, KCl dan HNO_3 . *Jurusan Teknik Kimia UPN.* 2008, 2(8), 96-103.
20. Marsh, Harry.; Rodriguez, Francisco.; Reinoso.: *Activated Carbon.* ELSEVIER. United Kingdom. 2006.
21. Gregg, S. J.; and Sing, K.S.W.; Adsorption, surface and porosity, *New York Academic Press.* 1967.
22. Boonamnuayvitaya, V.; Sae-ung, S.; Tanthapanichakoon, W.; Preparation of activated carbon from coffee residue for the adsorption of formaldehyde. 2004, 2(42), 159-168.
23. Laowchirasuwan, K.: Preparation and characteristics of activated carbons from coffee residue by chemical activation method. 2009.
24. Azna, S. Z.: Characterization of activated carbon produced from coffee residues by chemical and physical activation. *Master Thesis, Chemical Engineering Stocklom. Sweden.* 2011
25. Rufford T E.; Hulicova J.; Z. Zhu, G.Q.; Lu, A.: Comparative study of chemical treatment by $FeCl_3$, $MgCl_2$, And $ZnCl_2$ on microstructure, surface chemistry, and double-layer capacitance of carbons from waste biomass, *J. Mater. Res.* 2010, 25, 1451–1459.
26. Jisha M R.; Y.J.; Hwang, J.S.; Shin, K.S.; Nahm, T.: Prem Kumar, K. Karthikeyan, N. Dhanikaivelu, D. Kalpana, N.G. Renganathan, A.M. Stephan. Electrochemical characterization of supercapacitors based on carbons derived from coffee shells. *Mater. Chem. Phys.* 2009, 115, 33–39.
27. Rasdiansyah.; Darmadi.; Supardan, M D.: Optimasi proses Pembuatan Karbon Aktif Dari Ampas Bubuk Kopi Menggunakan Aktivator $ZnCl_2$. *JTIP Indonesia.* 2014, 3(6), 54-58.
28. Gunawan, B.; Azhari, C.: Karakterisasi spektrofotometri IR dan Scanning Elektron Microscopy (SEM) sensor gas dari bahan polimer poly ethylen glicol (PEG). *Jurnal Sains dan Teknologi.* 2010, 3, 1-17.

29. Figueira, M. M.; Volesky, B.; Mathieu, H. J.: Instrumental analysis study of iron species biosorption by sargassum biomass. *Environmental Science & Technology*. 1999, 33(11), 1840–1846.
30. Munasir.; Triwikantoro.; Zainuri, M.; Darminto.: XRD dan XRF pada bahan mineral (batuan dan pasir) sebagai sumber material cerdas (CaCO_3 dan SiO_2). *Jurnal Penelitian Fisika dan Aplikasinya (JPFA)*. 2012, 1(2), 20-29.
31. Connolly, J. R. Introduction to X-Ray powder diffraction; *Spring*. 2007.
32. Levin, I. W.; Bhargava, R.: Fourier Transform Infrared vibrational spectroscopic imaging: integrating microscopy and molecular recognition. *Annual Review of Physical Chemistry*. 2005, 56(1), 429–474.
33. Hindrayawati.; Mujiyanti.: Jenis-Jenis dan sifat-sifat bambu, silika, ekstraksi silika, keramik silika, dan karakterisasinya. *Skripsi*, Universitas Lampung, Lampung. 2010.
34. Hendawy, A.A.: Variation In The FTIR spectra of a biomass under impregnation, carbonization and oxidation conditions. *Journal of Analytical Applied Pyrolysis*. 2006, 75, 159.
35. Grandys, P Rika.; D Istria.; P.R Ahmad.; F Amanda, P.: Analisis luas permukaan arang aktif dengan menggunakan metode BET (SAA). Universitas Negeri Semarang. Semarang. 2004.
36. Kanaka Raju P.; Purna Chandra Rao M.: Design and development of portable digital LCR meter by auto balancing bridge method. *International Journal of Innovations in Engineering and Technology (IJIET)*. 2016, 7(3), 130-137.
37. Daud, T.: Pengaruh arus listrik dan waktu proses terhadap ketebalan dan massa lapisan yang terbentuk pada proses elektroplating pelat baja. *Jurnal Ilmiah Sains*. 2011, 11(1): 97 – 101.
38. Rosdianty, A.: Pengaruh suhu pembakaran terhadap performance TiO_2/C berpendukung keramik sebagai elektroda superkapasitor, *Skripsi*, FMIPA, Universitas Andalas, Padang, 2015.
39. Kurniati, E.: Pemanfaatan cangkang kelapa sawit sebagai arang aktif, *Jurnal Penelitian Ilmu Teknik*. 2008, 2(8) : 96 – 103.
40. Tetra, O N.; Aziz H.; Emriadi.; Ibrahim, S.; Alif, A.: Superkapasitor berbahan dasar karbon aktif dan larutan ionik sebagai elektrolit. *Jurnal Zarah*. 2018, 1(6) : 39-46.
41. Kemp, K. C., Baek, S. B., Lee, W.-G., Meyyappan, M., & Kim, K. S. Activated carbon derived from waste coffee grounds for stable methane storage. *Nanotechnology*. 2015, 26(38), 1-8.
42. Javier Sánchez Aznar. *Characterization of activated carbon produced from coffee residues by chemical and physical activation*. Master Thesis in Chemical Engineering. KTH Vetenskap Och Konst. Stockholm, Sweden. 2011.
43. Alif, A.; Tetra, O N.; Aziz, H.; Defri, H.: Pengaruh perlakuan sokletasi dan aktivator koh terhadap kinerja karbon aktif cangkang kelapa sawit sebagai elektroda superkapasitor. *Jurnal Zarah*. 2017, 2(5) : 38-43.

44. Burke, A.: Ultracapacitors: why, how, and where is the technology. *Journal of Power Sources*. 2000, 91(1), 37-50.
45. Beguin, F.; Presser, V.; Balducci, A.; Frackowiak, E.: Carbons and electrolytes for advanced supercapacitors. *Advanced Materials*. 2014, 26(14), 2219–2251.
46. R A Robinson.: R H Stokes. Electrolyte solutions, Butterworth's, London. 1955, 30.
47. Endo, M.; T. Takeda.; Y.J. Kim.; K. Khoshiba, K.; Ishii.: High Power Electric Double Layer (EDLC) from operating principle to pore size control in advanced activated carbons, *Carbon Scienc*. 2001, 1, 117 – 128.
48. Piluharto, B.; Sjaifullah, A.; Rahmawati, I.; Nurharianto, E.: Membran blend kitosan/poli vinil alkohol (PVA): pengaruh komposisi material blend, pH, dan konsentrasi bahan pengikat silang. *Jurnal Kimia Riset*. 2017, 2(2), 177-85.

