

DAFTAR PUSTAKA

- Ali I and Jamil N. Enhanced Biosynthesis Of Poly(3-Hydroxybutyrate) from Potato Starch By *Bacillus cereus* Strain 64-INS in A Laboratory-Scale Fermenter. *Preparative Biochemistry and Biotechnology*. 2014;44:822-833.
- Alves MI, Karine LM, Amanda AR, Dener A, Matheus MT, Patricia D, Ligia F, Claire TV and Angelita SM. Poly(3-Hydroxybutyrate) P(3HB): Review of Production Process Technology. *Industrial Biotechnology*. 2017;13(4):192-208.
- Amelia DC. Biosintesis Bioplastik Poli(3-Hidroksibutirat) dari Bahan Dasar Ampas Tebu. Skripsi. Padang: Universitas Andalas; 2016.
- Anderson AJ and Dawes EA. Occurrence, Metabolism, Metabolic Role and Industrial Uses of Bacterial of Polyhydroxy Alkanoates. *Microbiological Reviews*. 1990;54:450-472.
- Aripin S, Saing B dan Kustiyah E. Studi Pembuatan Bahan Alternatif Plastik Biodegradable dari Pati Ubi Jalar dengan Plasticizer Gliserol dengan Metode Melt Intercalation. *Jurnal Teknik Mesin*. 2017;6:79-84.
- Asranudin dan Putra SR. Efek Penambahan PEG 400 Pada Plastik PHA yang Diproduksi dari *Ralstonia pickettii*. *Prosiding Seminar Nasional Kimia*. 2014;2:90-102.
- Atlas RM and Richard B. *Microbial Ecology: Fundamentals and Applications*. California: The Benjamin Cummings Publishing Company; 1987.
- Boas GT, Peruca APS and Arantes OMN. Biology and Taxonomy of *Bacillus cereus*, *Bacillus anthracis* and *Bacillus thuringiensis*. *Canada Journal Microbiol*. 2007;53:673-687.
- Borah B, Thakur PS and Nigam JN. The Influence of Nutritional and Enviromental Conditions on the Accumulation of Poly- β -Hydroxybutyrate in *Bacillus mycoides* RLJ B-017. *Journal of Applied Microbiology*. 2002;92:776-783.
- Brienzo M, Tyhoda L, Benjamin Y and Gorgens J. Relationship Between Physicochemical Properties and Enzymatic Hydrolysis of Sugarcane Bagasse Varieties for Bioethanol Production. *Biotechnol*. 2015;32:253-262.
- Bukhaiti WQ, Anwar N, Aseela SQ and Ammar AF. Gas Chromatography: Principles, Advantages and Applications in Food Analysis. *International Journal of Agriculture Innovations and Research*. 2017;6(1):123-128.
- Cerna CET, Alanis AY, Castro IP and Vargas AH. Batch Cultivation Model for Biopolymer Production. *Chem, Biochem*. 2017;31(1):89-99.
- Chee JY, Yoga SS, Lau NS, Ling SC, Abed RMM and Kumar S. Bacterially Produced Polyhydroxyalkanoate (PHA): Converting Renewable Resources into

Bioplastics. *Applied Microbiology and Microbial Biotechnology*. 2010:1395-1404.

Chen G and Jiang X. Engineering Bacteria for Enhanced Polyhydroxyalkanoate (PHA) Biosynthesis. *Synthetic and Systems Biotechnology*. 2017;2:192-197.

Czernieck A, Magon A, Schliesser J, Woodfield BF and Pyda M. Heat Capacity of Poly(3-Hydroxybutyrate). *Journal Chem Thermodynamics*. 2014;73:76-84.

Das R, Pal A and AK Paul. Production of Biopolyester Poly(3-hydroxybutyrate) by *Bacillus cereus* RCL 02, A Leaf Endophyte of *Ricinus communis* L. *Journal of Microbiology and Biotechnology Research*. 2017;7(4):32-41.

Destriyani L, Tamrin dan Kadir MZ. Pengaruh Umur Simpan Air Tebu Terhadap Tingkat Kemanisan Tebu (*Saccharum officinarum* L.). *Jurnal Teknik Pertanian Lampung*. 2014;3(2):119-126.

Devi AB, Nachiyar CV, Kaviyarasi T and Antony VS. Characterization of Polyhydroxybutyrate Synthesized By *Bacillus cereus*. *International Journal of Pharmacy and Pharmaceutical Science*. 2015;7(3):140-144.

Ditjenbun. Statistik Perkebunan Indonesia: Sugar Cane. Jakarta: Direktorat Jenderal Perkebunan Kementerian Perkebunan; 2014.

Ditjenbun. Laporan Kinerja Direktorat Jenderal Perkebunan Tahun 2015. Jakarta: Direktorat Jenderal Perkebunan Kementerian Perkebunan; 2016.

Djamaan A, Mohammed IAM dan Mohd A. Fermentasi *fed-batch* pada Produksi Plastik Mudah Terurai Poli(3-Hidroksibutirat) dari Asam Oleat. *Majalah Farmasi Indonesia*. 2003;14(1):256.

Djamaan A. Penghasilan dan Pencirian P(3HB) and P(3HB-ko-3HV) dari Berbagai Sumber Karbon oleh *Erwina sp.* USMI-20, Ph.D. Tesis. Penang: Universiti Sains Malaysia; 2004.

Djamaan A, Witra A dan Krisyanella. Optimasi Proses Produksi Bioplastik Poli (3-Hidroksi-butirat) dengan Bakteri *Bacillus Sp* FAAC 20801 Menggunakan Bahan Dasar Jerami Padi Setelah Fermentasi. *Jurnal Farmasi Higea*. 2011;3(2):63-73.

Djamaan A dan Dewi AP. Metode Produksi Biopolimer dari Minyak Kelapa Sawit, Asam Oleat dan Glukosa. Padang: Andalas University Press; 2014.

Djamaan A. Konsep Produksi Biopolimer P(3HB) dan P(3HB-ko-3HV) Secara Fermentasi. Padang: Andalas University Press; 2015.

Djamaan A, Fitriani L, Wangi QA, Asiska PD, Ismed F and Zaini E. Production and Characterization of Microbial Polyesters Poly(3-Hidroxybutyrat) From Oleic Acid As Sole Carbon Source. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*. 2015;6(1):814-822.

Doi Y and Abe C. Biosynthesis and Characterization of A New Bacterial Copolyester of 3-Hydroxyalkanoates and 3-Hydroxy-choloro-alkanoates. *Macromolecules*. 1990;23:3705-3707.

Ekpelikeze OS, Agre P, Aminon D, Adjatin A and Dassou. Characterization of Sugarcane (*Saccharum officinarum* L.) Cultivars of Republic of Benin Dansi. *International Journal of Current Research in Biosciences and Plant Biology*. 2016;3(5):147-156.

Foulkes D. Practical Feeding Systems For Roughges Based on Sugarcane and Its Byproducts. IDP-ADAB, Canberra. 1986;11-26.

Gandjar, Indrawati, Sjamsuridzal dan Wellyzar. Mikologi Dasar. Jakarta: Yayasan Obor Indonesia (YOI); 2006.

Gemeidiya R. Isolasi dan Identifikasi Bakteri Penghasil Bioplastik Poli(3-Hidroksibutirat) dari Tanah Puncak Gunung Marapi yang Ditumbuhkan dalam Media Minyak Kelapa Sawit-Bakto Agar. Skripsi. Padang: Fakultas Farmasi Universitas Andalas; 2016.

Gonzalez GY, Nungaray J, Cordova J, Gonzalez R, Koller M, Atlic M. and Braunegg G. Biosynthesis and Characterization of Polyhydroxyalkanoates in The Polysaccharide-degrading Marine Bacterium *Saccharophagus degradans* ATCC 43961. *Journal Indian Microbiol Biotechnol*. 2008;35(6);29-33.

Heras AM and Alejandro. Application of Synthetic Biology for Biopolymer Production using *Saccharomyces cerevisiae*. Sweden: Faculty of Engineering, Lund University; 2017.

Hidayat N dan Sri S. Mikrobiologi Industri: Pendahuluan. Malang: Jurusan Teknik Industri Pertanian FTP Universitas Brawijaya; 2006.

Indrawanto C, Purwono, Siswanto, M. Syakir dan Widi RMS. Budidaya dan Pasca Panen Tebu. Jakarta: ESKA Media; 2010.

Irawan SA, Sentosa G dan Terip KK. Pengaruh Perlakuan Fisik dan Lama Penyimpanan Terhadap Mutu Minuman Nira Tebu. *Jurnal Rekayasa Pangan dan Pertanian*. 2015;3(3):343-353.

Irwandi. Optimasi Proses Produksi Bioplastik dari Bahan Dasar Minyak Kelapa Sawit Dengan Isolat *Bacillus* spp. Tesis. Padang: Universitas Andalas; 2016.

Irwandi, Djamaan A dan Anthoni A. Pengaruh Konsentrasi Minyak Kelapa Sawit Mentah Terhadap Jumlah Biomassa Bakteri *Bacillus* spp. Penghasil Biopolimer Poli (3-Hidroksibutirat). *Scientia*. 2018;8(1):64-72.

James G. Sugarcane (2nd Edition). London: Blackwell Publishing Ltd; 2004.

Juwita R. Studi Produksi Alkohol dari Tetes Tebu (*Saccharum officinarum* L) Selama Proses Fermentasi. Skripsi. Makasar: Universitas Hasanuddin; 2012.

Khanna S and Srivastava AK. Recent Advances In Microbial Polyhydroxyalkanoates. *Process Biochemistry*. 2005;40:607-619.

Khuluq AD. Potensi Pemanfaatan Limbah Tebu sebagai Pakan Fermentasi Probiotik. *Buletin Tanaman Tembakau, Serat & Minyak Industri*. 2012;4(1):37-45.

Koller M, Atlic A, Dias M, Reiterer A and Braunegg G. Microbial PHA Production from Waste Raw Materials. *Microbiology Monographs*. 2010;14:85-119.

Kosseva MR and Rusbandi E. Review: Trends in The Biomanufacture of Polyhydroxyalkanoates with Focus on Downstream Processing. *International Journal of Biological Macromolecules*. 2017;9:762-778.

Krisyanella, Mimi S dan Djamaan A. Produksi Bioplastik Poli(3-Hidroksibutirat) (P(3HB)) Secara Proses Fermentasi Menggunakan Bakteri *Bacillus brevis* FAAC-20801 dari Minyak Kelapa Sawit Sebagai Sumber Karbon. *Jurnal Farmasi Higea*. 2010;2(1):27-31.

Krisyanella, Djamaan A dan Witra A. Optimasi Proses Produksi Bioplastik Poli (3-Hidroksibutirat) dengan Bakteri *Bacillus Sp* FAAC 20801 Menggunakan Bahan Dasar Jerami Padi Secara Fermentasi. *Jurnal Sains dan Teknologi Farmasi*. 2012;17(1):60-72.

Kumar AA, Karthick K and Arumugam KP. Properties of Biodegradable Polymers and Degradation for Sustainable Development. *International Journal of Chemical Engineering and Application*. 2011;2(3):164-168.

Kumar A, Yuvraj SN, Veena C, Nishi KB. Sugarcane Bagasse: A Promising Source for the Production of Nanocellulose. *Journal of Polymer & Composites*. 2014;2(3):23-27.

Kunioka M, Kawaguchi Y and Doi Y. Production of Biodegradable Copolyesters 3-Hydroxybutyrate and 4-Hydroxybutyrate by *Alcaligenes eutrophus*. *Application Microbiol, Biotechnol*. 1988;30:569-573.

Labuzek S and Radecka I. Biosynthesis of PHB Copolymer by *Bacillus cereus* UW85. *Journal of Applied Microbiology*. 2001;90:353-357.

Lageveen RM, Huisman GW, Preusting H, Ketelaar P, Eggink G and Witholt B. Formation of Polyesters by *Pseudomonas oleovorans* : Effect of Substrates on Formation and Composition of Poly-(R)-3-Hydroxyalkanoates and Poly-(R)-3-Hydroxyalkenoates. *Applied and Environmental Microbiology*. 1988;54:2924-2932.

Lay BW. Analisis Mikroba di Laboratorium. Jakarta: PT. Raja Grafindo Persada; 1994.

- Lee SY. Bacteriacal Polyhydroxyalkanoates. *Biotechnology, Bioengineering*. 1996;49:1-14.
- Liu Q, Zhang H, Deng B and Zhao X. Review Article: Poly(3-Hydroxybutyrate) and Poly(3-Hydroxybutyrate-co-3-hydroxyvalerate): Structure, Property and Fiber. *International Journal of Polymer Science*. 2014;4:1-11.
- Loto CA, Olofinjana A and Popoola API. Effect of *Saccharum officinarum* Juice Ektrakt Additive on The Electrodeposition of Zinc on Mild Steel in Acid Chloride Solution. *International Journal Electrochemical Science*. 2012;7:9795-9811.
- Majid MIA, Akmal DH, Few H, Agustien A, Toh MS, Samian MR, Najimudin and Azizan. Production of Poly(3-Hydroxybutyrate) and Its Copolymer Poly(3-Hydroxybutyrate-co-3-Hydroxyvalerate) By *Erwina* Sp. USMI-20. *International Journal of Biological Macromolecules*. 1999;25:95-104.
- Masood F, Hasan F, Ahmed S and Hameed A. Biosynthesis and Characterization of Poly (3-hydroxybutyrate-co-3-hydroxyvalerate) from *Bacillus cereus* FA11 Isolated from TNT-Contaminated Soil. *Ann Microbiol*. 2012;62:1377-1384.
- Mas'ud dan Fajriyati. *Media, Isolasi, Sterilisasi, Peremajaan dan Penyimpanan Mikroba*. Jakarta: PTT; 2013.
- Maughan H and Auwera GV. *Bacillus* Taxonomy in The Genomic Era Finds Phenotypes to be Essential Though Often Misleading. *Infection, Genetics and Evolution*. 2011;11:789-797.
- Mohapatra S, Maity S, Dash HR, Das S, Pattnaik S, Rath CC and Samantaray D. *Bacillus* and Biopolymer: Prospects and Challenges. *Biochemistry and Biophysics Reports*. 2017;12:206-213.
- Mozumder MSI, Heleen DW, Eveline IPV and Linsey GG. A Robust Fed-Batch Feeding Strategy Independent of The Carbon Source for Optimal Polyhydroxybutyrate Production. *Process Biochemistry*. 2014;14:365-373.
- Muhammad I. Comparing the Degradation of Poly- β -(Hydroxybutyrate), Poly- β -(Hydroxybutyrate-co-valerate) (PHBV) and PHBV/Cellulosa Triacetate Blend. *Malaysian Polymer Journal*. 2006;1(1):39-46.
- Murni R, Akmal S dan Ginting BL. *Buku Ajar Teknologi Pemanfaatan Limbah untuk Pakan*. Jambi: Universitas Jambi; 2008.
- Nuria MC. Antibacterial Activities from Jangkang (*Homalocladium platycladum*) (F. Muell) Bailey Leaves. *Mediagro*. 2010;6(2):9-15.
- Ostle GA and Holt JG. Nile Blue A as A Flourescent Stain for Poly- β -hydroxybutyrate. *Applied and Enviromental Microbiology*. 1982;44(1):238-241.
- Paju N, Paulina VYY dan Novel K. Uji Efektifitas Salep Ekstrak Daun Binahong (*Anredera cordifolia steenis*) pada Kelinci (*Oryctolagus cuniculus*) yang Terinfeksi Bakteri *Staphylococcus aureus*. *Jurnal Ilmiah Farmasi UNSRAT*. 2013;2(1):51-61.

Pena C, Castillo T, García A, Millan M and Segura D. Biotechnological Strategies to Improve Production of Microbial Poly-(3-hydroxybutyrate): A Review of Recent Research Work. *Microbial Biotechnology*. 2014;7: 278–293.

Poli A, Donato P, Abbamondi GR and Nicolaus B. Synthesis, Production, and Biotechnological Applications of Exopolysaccharides and Polyhydroxyalkanoates by Archaea. *Archaea*. 2011;6(3):253.

Pretoria. Production Guideline: Sugarcane. South Africa: Departement of Agriculture, Forestry and Fisheries; 2014.

Preusting H, Nijenhuis A and Witholt B. Physical Characteristics of Poly(3-Hydroxyalkanoates) Produced By *Pseudomonas oleovorans* Grown on Aliphatic Hydrocarbons. *Macromolecules*. 1990;23:4220-4224.

Priyadharshini MN, Priyadharshini K, Priyadharshni A, Akilandeewari A, Malarvizhi T, Kiruba DA and Snehya AV. Production and Characterisation of Biopolymer Using *Pseudomonas fluorescens* (pf 01). *Journal of Chemical and Pharmaceutical Research*. 2015;7(8):462-468.

Reddy CSK, Ghai R and Kalia VC. Polyhydroxyalkanoates: An Overview. *Bioresource Technol*. 2003;87:137-146.

Reusch RN. The Role of Short Chain Conjugated Poly-(R)-3-Hydroxybutyrate (PHB) in Protein Folding. *International Journal of Molecular Sciences, Review*. 2013;14:10727-10748.

Rezwan K, Chen QZ, Blaker JJ and Boccaccini AR. Biodegradable and Bioactive Porous Polymer/Inorganic Composite Scaffolds for Bone Tissue Engineering. *Biomaterials*. 2006;27;3413-3431.

Romanelli MG. Biopolymer Production from Agro-Industrial Wastes: Bacterial Strains Selection and Genetic Improvement. *Universita Degli Studi di Padova: Department of Agronomy, Food, Natural Resources, Animal and Environment*; 2014.

Sharma P and Bajaj BK. Production and Characterization of Poly-3-hydroxybutyrate from *Bacillus cereus* PS10. *International Journal of Biological Macromolecules*. 2015;81:241-248.

Singh A, Uma RL, Hayat MM, Prabh SS, Gagan S and Ravi KD. Phytochemical Profile of Sugarcane and Its Potential Health Aspects. *Pharmacognosy Reviews*. 2015;9(17):45-55.

Sukmadjaja D dan Ade M. Regenerasi dan Pertumbuhan Beberapa Varietas Tebu (*Saccharum officinarum* L.) secara In Vitro. *Jurnal Agrobiogen*. 2011;7(2):106-118.

Sumartono. Sintesis dan Karakterisasi Bioplastik Berbasis Alang-Alang (*Imperata cylindrica* L.) dengan Penambahan Kitosan, Gliserol dan Asam Oleat. *Pelita*. 2015;10(2):13-25.

Syani F. Pengolahan Campuran Bagas Tebu dan Minyak Biji Karet Menjadi Liquid Fuel secara Pirolisis Menggunakan Zeolit Sintetik Sebagai Katalis. Skripsi. Lampung: FMIPA Universitas Lampung; 2017.

Tsuge T. Metabolic Improvements and Use of Inexpensive Carbon Sources in Microbial Production of Polyhydroxyalkanoates. *Journal of Bioscience and Bioengineering*. 2002;94(6):579-584.

Untu P, Rumengan IFM dan Ginting EL. Identifikasi Mikroba Yang Koeksis Dengan Ascidia *Lissoclinum patella* Menggunakan Sekuens Gen 16S rRNA. *Jurnal Pesisir dan Laut Tropis*. 2015;2(1):23-33.

Verheye W. Growth and Production of Sugarcane. UNESCO: Encyclopedia of Life Support Systems (EOLSS); 2010.

Wijayanti WA. Pengelolaan Tanaman Tebu (*Saccharum officinarum* L.) dipabrik Gula Tjoekir PTPN X, Jombang, Jawa Timur terhadap Peningkatan Produktivitas Tebu. Skripsi. Bogor: Fakultas Pertanian Institut Pertanian Bogor; 2008.

Williams SF, Martin DP, Horowitz DM and Peoples OP. PHA Application: Addressing the Price Performance Issue I. *Tissue Engineering*. *International Journal Biological Macromol*. 1999;25:111-121.

Williams DSF and Martin DP. Applications of PHA in Medicine and Pharmacy. *Biopolymers Polyesters Applications*. 2002;4:91-103.

Zafar M, Shashi K, Surendra K and Amit KD. Optimization of Polyhydroxybutyrate (PHB) Production by *Azohydromonas lata* MTCC 2311 by Using Genetic Algorithm Based on Artificial Neural Network and Response Surface Methodology. *Biocatalysis and Agricultural Biotechnology*. 2012;1:70-79.

Zakaria MR, Ariffin H and Johar NAM. Biosynthesis and Characterization of Poly(3-Hydroxybutyrate-co-3-hydroxyvalerate) Copolymer from Wild Type *Comamonas* sp. EB172. *Polymer Degradation and Stability*. 2010;95(8):1382-1386.