


DAFTAR PUSTAKA

- Adeyemi, S.O., N. O. Bankole, I. A. Adikwn, and P. M. Akombu. 2009. Food and feeding habits of some commercially important fish species in Gbedikere Lake, Bassa Kogi State, Nigeria. Inter. J. of Lakes and Rivers 2(1): 31-36.
- Adam, D. C., F. J. Rohlf, and D. E. Slice. 2004. Geometric morphometrics:ten years of progress following the ‘revolution’. Ital. J. Zool. 71: 5-16
- Ackerly, K. L. 2013. Determining the relationship between vertebral morphology, burst swimming performance, and fitness in two model aquatic vertebrates. (1522997 M.S.), Adelphi University, Ann Arbor. [Dissertasion]. ProQuest Dissertations & Theses Full Text database.
- Affandi, R., Y. Ernawati dan S. Wahyudi. 2003. Studi bio-ekologi belut sawah (*Monopterus albus*) pada berbagai ketinggian tempat di Kabupaten Subang, Jawa Barat. Jurnal Iktiologi Indonesia. Vol.3(2): 49-55.
- Anderson, R. O. and R. M. Neumann. 1996. Length, weight and associated structural indices. In: Fisheries techniques. American Fisheries Society. Bethesda. Maryland.
- Aydan, O. 2007. A reconnaissance report on the 2007 Singkarak Lake (Solok) earthquake with an emphasis on the seismic activity of Sumatera fault following 2004 and 2005 great off Sumatera earthquakes. Tokay University, Departemen of Marine Civil Engineering. Shizouko.
- Ahn, D. G. G. 1999. Axial variation in the threespine stickleback: Genetic and environmental factors. Evolution & Development. 1(2): 100-112.
- Azhar. 1993. Studi ekologi ikan bilih (*Mystacoleucus padangensis* BLKR.) di Danau Singkarak. Sumatera Barat.. [Tesis]. Program Pascasarjana. Institut Pertanian Bogor.
- Babiker, M. M. and H. Ibrahim. 1979. Studies in the biology and reproduction of cichlid fish *Tilapia nilotica* L: Gonadal maturation and fecundity. J. Fish Biol. 4: 347-448
- Bagenal, T. B. 1978. Aspect of fish fecundity. Ecology of freshwater fish production. Blackwell scientific publication. Oxford.
- Bardach, J. E., J. H. Ryther, and W. O. Mc Larney. 1972. Aquaculture. The farming and husbandry of freshwater and marine organism. John Wiley & Sons Inc. New York.

- Bard, J. P. de Kimpe, J. Lazard, J. Lemson and P. Lescent. 1976. Handbook of Tropical Fish Culture Centre Technique. GIS. Avenue de la Belle Gabrielle. Perancis.
- Brewer, S. K., C. F. Rabeni, and D. M. Papoulias. 2008. Comparing histology and gonadosomatic index for determining spawning condition of small-bodied riverine fish. *Ecol. of Freshwater Fish.* 17: 54-58.
- Bister T. J., D. W. Willis, M. L. Brown, S. M. Jordan, R. M. Neumann, M. C. Quist and C. S. Guy. 2000. Proposed Standard Weight (Ws) Equations and Standard Length Categories for 18 Warmwater Nongame and Riverine Fish Species. *North American Journal of Fisheries Management* 20:570–574.
- Boyd, C. E., and E. L. Kopler. 1979. Water Quality Management in Pond Fish Culture. Research and Development Series No.22. International Centre for Aquaculture. Agriculture Experiment Station. Auburn University. Alabama.
- Boyd, C. E. 1988. Water quality in warm water fish pond. Fourth printing. Auburn University Agricultural. Experiment station. Alabama. USA
- Berner, D., D. C. Adams, A. C. Grandchamp, and A. P. Hendry. 2008. Natural selection drives patterns of lake-stream divergence in stickleback foraging morphology. *J. of Evol. Biol.* 21: 1653-1665.
- Bourke, P., P. Magnan, and M. A. Rodriguez. 1997. Individual variations in habitat use and morphology in brook charr. *J. Fish. Biol.* 51: 783-794.
- Bone, Q. And R. H. Moore. 2008. Biology of fish. Taylor & Francis group. New York.
- Brinsmead J, and M. G. Fox. 2002. Morphological variation between lake-and stream-dwelling rock bass and pumpkinseed population. *J Fish Biol.* 61:1619-1638.
- Brainerd, E. L., and S. N. Patek. 1998. Vertebral column morphology, c-start curvature, and the evolution of mechanical defenses in Tetraodontiform fishes. *Copeia.* 4: 971-984.
- Bye, V. J. 1984. The role of environmental factors in timing of reproductive cycles. In G.W. Poots and R.J. Wootton. Fish reproduction, strategies and tactics. Academic Press. London.
- Cataudella, S., L. Sola, M. Corti, R. Arcangeli, G. L. Rosa, M. Mattoccia, M.C. Sbordoni and V. Sbordoni. 1987. Cytogenetic, genetics and morphometrics characterization of group of common crap, *Cyprinus carpio*. Vol I. Proc. World symp. On selection, hybridization and genetic engineering in aquaculture, Bourdeaux. Berlin.

- Caldecutt, W. J. And D. C. Adams. 1998. Morphometrics of trophic osteology in the threespine stickleback, *Gasterosteus aculeatus*. *Copeia*. 1998: 827-838.
- Carpenter, K.E. 1996. Morphometric pattern and feeding mode in emperor fishes (Lethrinidae, Perciformes). In LF Marcus, M. Corti, A. Loy, G. Naylor, D.E. Slice, eds. Advances in morphometrics. NATO ASI Series A: Life Sciences, Vol. 284. Plenum Publ. New York. 479-487.
- Chand, M.D. 2001. Fish ecomorphology: predicting habitat preferences of stream fishes from their body shape. [Dissertation]. Virginia Polytechnic Institute and State Univ. Blacksburg.
- Clifton, K.B. and P. J. Motta. 1998. Feeding morphology, diet, and ecomorphological relationships among five Caribbean Labrids (Teleostei, Labridae). *Copeia*. 1998: 953-966.
- Claytor, R.R. 1991. Continental and ecological variance components of European and North American Atlantic salmon (*Salmos salmo*) phenotypes. *Biol J Linn Soc.* 44:203-229.
- Connolly, M. H. 2008. Stress-induced variation in zebrafish (*Danio rerio*): The influence of heat shock on the development of the phenotype. (NR39084 Ph.D.), [Dissertation]. Dalhousie University (Canada), Ann Arbor. ProQuest Dissertations & Theses Full Text database.
- Cholik, F., Artati dan R. Arifudin. 1987. Pengelolaan kualitas kolam. Dinas Perikanan. Provinsi. Riau
- Cheng, H. L. S., Huang and S. C. Lee. 2005. Morphological and molecular variation in *Rhinogobius rubromaculatus* (Pisces: Gobiidae) in Taiwan. *Zool.Stud.* 44: 119-129.
- Durand, J. D., C. S. Tsigenopoulos and P. Berrebi. 2002. Phylogeny and Biogeography of the Family Cyprinidae in the East Inferred from Cytchrome b DNA- Evolutionary Significance of This Region. *Molecular Phylogenetics and Evolution*. 22 (1): 91-100.
- Djokosetyianto D., R. K. Dongoran dan E. Supriyono. 2005. Pengaruh alkalinitas terhadap kelangsungan hidup dan pertumbuhan larva ikan patin siam (*Pangasius* sp.). *Jurnal Akuakultur Indonesia*. 4(2): 53-56.
- Dimitris G., Sfakianakis, I. Leris and M. Kentouri. 2011. Effect of developmental temperature on swimming performance of zebrafish (*Danio rerio*) juveniles. *Environ Biol Fish.* 90:421–427.
- Edmonsons, W.T. 1959. Fresh Water Biology, Second Edition. John Willey and Sons, Compman and Hall Limited, London.

- Effendie, M.I. 1979. Metode Biologi Perikanan. Yayasan Dewi Sri. Bogor.
- Effendie, M. I. 2002. Biologi Perikanan. Yayasan Pustaka Nusatama. Bogor.
- Effendi, H. 2003. Telaah Kualitas Air. Kanisius. Yogyakarta.
- Eknath, A. E. *et al.* 1991. Biochemical and morphometric approaches to characterize farmed Tilapias. ICLARM Quarterly Report Manila. 14 (2): 7-9
- Fisher R. and J. D. Hogan. 2007. Morphological predictors of swimming speed: a case study of pre-settlement juvenile coral reef fishes. Journal of Experimental Biology 210:2430-2443.
- Fischer-Rousseau, L., K. P. Chu, and R. Cloutier. 2010. Developmental plasticity in fish exposed to a water velocity gradient: A complex response. Part B: Molecular and Developmental Evolution. Journal of Experimental Zoology 314B (1): 67-85.
- Fukuhara, O. 1990. Effect temperature on yolk utilization, initial growth and behavior of unfed marine fish larva. Mar. Biol. 106: 169-174
- Froese, R. 2006. Cube law, condition factor and weight length relationship: history, meta-analysis and recommendations. Journal of Applied Ichthyology. 22: 241-253
- Georgakopoulou, E., Sfakianakis, D. G., Kouttouki, S., Divanach, P., Kentouri, M., and G. Koumoundouros, 2007. The influence of temperature during early life on phenotypic expression at later ontogenetic stages in sea bass. Journal of Fish Biology. 70(1): 278-291.
- Gall, G. A. and S. J. Gross. 1978. A genetic analysis of the performance of three rainbow trout broodstock. Aquaculture. 15: 113-127.
- Hartarto, J. I., Sulastri dan I. Rachmatika. 1985. Pola reproduksi beberapa ikan Cyprinidae di perairan Lebak Lebung. Lubuk Lampan. Sumatera Selatan. Berita Biologi. 3(3): 128-135
- Hendry, A. P., E. B. Taylor, and J. D. McPhail. 2002. Adaptive divergence and the balance between selection and gene flow: lake and stream stickleback in the misty system. Evolution. 56: 1199-1216.
- Hendry, A. P. and E. B. Taylor. 2004. How much of the variation in adaptive divergence can be explained by gene flow? An evaluation using lake-stream stickleback pair. Evolution. 58: 866-873.

- Hedianto, D. A. dan E. S. Kartamihardja. 2015. Karakteristik Biologi dan Dampak Introduksi Ikan Kaca (*Parambassis siamensis*, Fowler 1937) di Danau Toba. *Prosiding Forum Nasional Pemulihan dan Konservasi Sumberdaya Ikan – V*. Hal: 139-152
- Huang, S.Y. 1979. Notes on Fishes of the Genus *Mystacoleucus* from Southern Yunnan, China with Description of a New Species. *Acta Zootaxonom. Sin.* 4: 419-421.
- Hunter, J. R., B. J. Macewicz, N. Chyan-hui lo, and C. A. Kimbrill. 1992. Fecundity, spawning, and maturity of female Dover sole, *Microstomus pacificus*, with and evaluation of assumptions and precision. *Fishery Bulletin*. 90: 101-128.
- Imre I, R. I. McLaughlin and D. J. G. Noakes. 2002. Phenotypic plasticity in brook charr: changes in caudal fin induced by water flow. *J Fish Biol.* 61:1171-1181.
- Jakobsen, T., M. Fogarty, B. A. Megrey, and E. Moksness. 2009. Fish reproductive biology. Blackwell Publishing Ltd. United Kingdom.
- Jordan, D. 1891. Relations of temperature to vertebrae among fishes. *Science*: 18(446)104-107.
- Johnston, I. A. 2006. Environment and plasticity of myogenesis in teleost fish. *J. Exp. Biol.* 209: 2249
- Johnston, I. A., H. T. Lee, D. J. Macqueen, K. Paranthanan, C. Kawashima, A. Anwar, J. R. Kinghorn, T. Dalmay. 2009. Embryonic temperature affect muscle fibre recruitment in adult zebra-fish: Genome-wide changes in gene and microRNA expression associated with the transition from hyperplastic to hypertrophic growth phenotypes. *J. Exp. Biol.* 212:1781
- Johnston, I. A. 1993. Temperature influences muscle differentiation and the relative timing of organogenesis in herring (*Clupea harengus*) larvae. *Marine Biology*. 116 (3): 363-379.
- Johnston, I. A. 1981. Structure and function of fish muscle. *Symp. Zool. Soc. Land.* 48:71-113.
- Jennings, S., M. J. Kaiser, and J. D. Reynolds. 2001. Marine fishery ecology. Blackwell Sciences. Oxford.
- Junaidi, E., E. Patriono, dan F. Sastra. 2009. Indeks gonad somatik ikan bilik (*Mystacoleucus padangensis* Blkr.) yang masuk ke muara sungai sekitar Danau Singkarak. *Jurnal Penelitian Sains*. 09: 12-21


- Keeley, E. R., E. A. Parkinson, and E. B. Taylor. 2006. The origin of ecotypic variation of rainbow trout: a test of environmental vs. genetically based differences in morphology. *Journal Compilation. European Society for Evolutionary Biology*: 1-12.
- Kotellat, M., A. J. Whitten, S. N. Kartikasari dan S. Wirjoatmodjo. 1993. Freshwater Fishes of Western Indonesia and Sulawesi. Periplus Eds. (HK) Ltd. And EMDI. Indonesia.
- Kong, P. Q., Y. G. Yao., S. Y. Huang, J. F. Huang and Y. P. Zhang. 2003. Mitochondrial DNA Control Region and Cytochrome b Sequence Variation in the Genus *Mystacoleucus* Gunther (Pisces: Cyprinidae: Barbinae) from China. *Biochemical Genetics*. Vol. 41: 305-313.
- Kartamihardja, E. S. dan K. Purnomo. 2006. Keberhasilan introduksi ikan bilik (*Mystacoleucus padangensis*) ke habitatnya yang baru di Danau Toba, Sumatera Utara. Prosiding Seminar Nasional Ikan IV. Jatiluhur.
- Kartamihardja, E. S. dan Sarnita, A., 2010. Populasi Ikan Bilik di Danau Toba. Keberhasilan introduksi ikan Implikasi Pengelolaan dan Prospek Masa Depan. Pusat Penelitian Pengelolaan Perikanan dan Konservasi Sumberdaya Ikan. Badan Litbang Kelautan dan Perikanan. Edisi II. Jakarta. 67 pp.
- Kimura, T., M. Shinya and K. Naruse. 2012. Genetic analysis of vertebral regionalization and number in medaka (*Oryzias latipes*) inbred lines. *G3: Genes, Genomes, Genetics* 2(11): 1317-1323.
- Krishnan, N. R. and N. Tarana. 2010. Analysis of morphometric characters of *Schizothorax richardsonii* (Gray, 1832) from the Uttarkashi District of Uttrakhand State, India. *J. Biol.Sci.* 10 (6): 536-540
- Lagler, K. F., J. E. Bardach, R. H. Miller and D. R. M. Passino. 1977. *Ichthyology*. Jhon Wiley & Sons. Inc. Toronto.
- Langhans, R. B., C. A. Layman, A. K. Langherhans, and T. J. Dewitt. 2003. Habitat-associated morphological divergence in two Neotropical fish species. *Biol. J. Linn. Soc.* 80: 689-698.
- Lehmuksuoto dan Mahbub, 1997. National inventory of the major lakes and reservoirs in Indonesia. Expedition Indodanau Technical Report. Helsinki.
- Lindsey, C. C., and A. N. Arnason. 1981. A model for responses of vertebral numbers in fish to environmental influences during development. *Canadian Journal of Fisheries and Aquatic Sciences*. 38(3): 334-347
- Lowe-McConnell, K. H. 1975. Fish communities in tropical freshwater. Their distribution, ecology and evolution. Longman. London.

- McGuigan, K., C. E. Franklin, C. Moritz, and M. W. Blows. 2003. Adaptation of Rainbow Fish to Lake and Stream Habitats. *Evolution*. 57 (1): 104-118.
- Matricia, T. 1990. Body shape differences between two populations of Indonesia common crap (*Cyprinus carpio*) multivariate morphometric analysis. *Prog. Rep. The International Development Research Center Canada, AARD. RIFF. Indonesia*. 139-161
- Motta, P. J., K. B. Clifton, P. Hernandez, and B. T. Eggold. 1995. Ecomorphological correlates in ten species of subtropical seagrass fishes: diet and microhabitat utilization. *Environ. Biol. Fish.* 44: 37-60.
- McLaughlin R. I, and J. W. A Grant. 1994. Morphological and behavioral differences among recently-emerged brook charr, *Salvelinus fontinalis*, foraging in slow- vs. fastrunning water. *Environ. Biol. Fish.* 39:289-300.
- Moyle, P. B and Jr. J. J. 1982. Fish: An introduction to ichthyology . Prentice Hall Inc. Englewood Clifft. New Jersey.
- Murphy, M. D., and R. G. Taylor. 1990. Reproduction, growth and mortality of red drum, *Sciaenopsis ocellatus* in Florida waters. *Fishery Bulletin*. 88 (3): 531-542.
- Naesje, T. F., J. A. Vourinen, and O. T. Sandlund. 2004. Genetic and Morphometric Differentiation Among Sympatric Spawning Stocks of Whitefish (*Coregonus lavaretus* L.) in Lake Femund, Norway. *J. Limnol.* 63(2): 233 – 243
- Needham, J. C., and P. R. Needham. 1964. A Guide to The Study of Fresh Water Biology. Holden Day Inc, San Francisco.
- Nofrita, Afrizal, Izmiarti dan R. Putra, 2011. Keanekaragaman Ikan di Sungai Batang Anai Bagian Hilir Pasca Operasional PLTA Singkarak. *Biospectrum*. 2 (2): 131-136
- Nofrita dan M. Y. Murni. 2011. Morfologi feeding dan komposisi makanan alami ikan bilih (*Mystacoleucus padangensis* Bleeker) di Sungai Batang Anai. Laporan Penelitian Mandiri. Unand (tidak dipublikasikan).
- Nofrita, Dahelmi, H. Syandri dan D. H. Tjong. 2013. Variasi morfologi feeding Ikan Bilih (*Mystacoleucus padangensis* Bleeker) di Danau Singkarak dan Sungai Batang Anai. *Dalam: Prosiding Seminar Nasional Biodiversitas dan Ekologi Tropika Indonesia*. Universitas Andalas. Padang.
- Nikolsky, G.V. 1963. The Ecology of Fishes. Academi Press. New York.
- Norton, S. F., J. J. Luczkovich, and P. J. Motta. 1995. The role of ecomorphological studies in the comparative biology of fish. *Environmental Biol of Fishes*. 44: 287-304.

- Omoniyi, I. T. and A. O. Agbon. 2008. Morphometric variation in *Sarotherodon melanotheron* (Pisces: Cichlidae) from brackish and freshwater habitats in South-western Nigeria. West African J. of. Appl. Ecol. Vol 12: 465-469.
- O'Reilly, K. M., and M. H Horn. 2004. Phenotypic variation among populations of *Atherinops affinis* (Atherinopsidae) with insights from a geometric morphometric analysis. Journal of Fish Biology. 64 (4): 1117-1135
- Peraturan Pemerintah Nomor 82 Tahun 2001. Tentang pengelolaan kualitas air dan pengendalian pencemaran air.
- Pakkasmaa S. and J. Piironen. 2001. Morphological differentiations among local trout (*Salmo trutta*) populations. Biol. J Linn Soc. 72:231-239.
- Pakkasmaa, S. and J. Piironen. 2000. Water velocity shapes juvenile salmonids. Evolutionary Ecology, 14(8), 721-730.
- Pauly D. 1984. Fish Population Dynamics in Tropical Waters. International Center for Living Aquatic Resources Management. Manila.
- Patriono, E., E. Junaidi, dan F. Sastra. 2010. Fekunditas ikan bilih (*Mystacoleucus padangensis* Blkr.) di muara sekitar Danau Singkarak. Jurnal Penelitian Sains. Vol. 13. No. 3(D); 55-58.
- Pennak, R. W. 1997. Freshwater invertebrates in the USA. The Ronald Press. New York.
- Purnomo, K., E. S. Kartamihardja dan S. Koeshendrajana. 2006. Upaya pemanfaatan ikan bilih (*Mystacoleucus padangensis*) di Danau Singkarak. Prosiding Seminar Nasional Ikan IV. Jatiluhur. Hal: 11-18.
- Prescot, G. W. 1961. Algae Of the Western Great Lake Area. Reviced Edition. WMC. Brown Company Publisher Iowa.
- Rayes, W. D. 2015. Effects of Temperature and Water Flow on Morphology of *Astyanax mexicanus* (Teleostei: Characidae). [Theses]. Department of Biological Sciences. College of Science and Health. DePaul University Chicago, Illinois.
- Roesma, D. I. 2011. Diversitas Spesies dan Kekerabatan Genetik Ikan-Ikan Cyprinidae di Danau-Danau dan Sungai-Sungai di Sekitarnya di Kawasan Sumatera Barat. [Disertasi]. Pascasarjana Unand.
- Rachmatika, I. 1986. Studi pendahuluan reproduksi ikan bilih, *Mystacoleucus padangensis* Blkr. Berita Biologi 3 (4): 143-144.

- Richter, T. J. 2007. Development and evaluation of standard weight equations for bridgelip sucker and largescale sucker. North American Journal of Fisheries Management. 27: 936-939.
- Rutaisire J, A. J. Booth, C. Mosambe, S. Nyakaana, and V. B. Muwanika. 2005. Morphometric and genetic differentiation of two *Labeo victorianus* populations in Lake Victoria. African Zoology 40 (2): 309-317.
- Royce, W. 1984. Introduction to the practice of fisheries sciences. Academic Press Inc. New York.
- Smith, H. M., 1945. The Freshwater Fishes of Siam or Thailand. U.S. Nat.Mus. Bull. 188:126-131
- Saanin, H. 1984. Taksonomi dan Kunci Identifikasi Ikan. Jilid I dan II. Bina Cipta. Bogor.
- Slechtova, V., J. Bohlen, J. Freyhof, H. Persat and G. B. Delmastro. 2004. The Alp as barrier to dispersal in cold-adapted freshwater fishes. Phylogeographic history and taxonomic status of the adriatic freshwater drainage. Mol. Phyl. Evol. 33:225-239.
- Sfakianakis, D., I. Leris, A. Laggis, and M. Kentouri. 2011. The effect of rearing temperature on body shape and meristic characters in zebrafish (*Danio rerio*) juveniles. Environmental Biology of Fishes. 92(2): 197-205.
- Swain, D. P. 1992^a. The functional basis of natural selection for vertebral traits of larvae in the stickleback *Gasterosteus aculeatus*. Evolution. 46(4): 987-997.
- Swain, D. P. 1992^b. Selective predation for vertebral phenotype in *Gasterosteus aculeatus*: Reversal in the direction of selection at different larval sizes. Evolution. 46(4): 998-1013.
- Swain D. P., B. E. Riddell and C. B. Murray. 1992. Morphological differences between hatchery and wild populations of Cobo Salmon (*Oncorhynchus kisutch*): Environmental versus genetic origin. Cann. J Fish Aquat Sci 48:1783-1791.
- Satria, H. 1991. Aspek biologi reproduksi ikan Beunteur (*Puntius binotatus*) dan Genggehek (*Mystacoleucus marginatus*) di Waduk Cirata Jawa Barat. Buletin Penelitian Perikanan Darat. 10(2): 40-47
- Sachlan, M. 1962. Planktonologi. Fakultas Peternakan dan Perikanan UNDIP. Semarang.
- Strauss, R. E. and F. L. Bookstein. 1982. The Truss: Body Form Reconstruction in Morphometrics. Syt. Zool. 31: 113-135.

- Stiassny, M. L. J. and A. Meyer. 1999. Cichlids of the Rift Lakes: the extraordinary diversity of Cichlid fishes challenges entrenched ideas of how quickly new species can arise. Scientific American Publishers.
- Steel, R. G. D. and J. H. Torrie, 1980. Principles and Procedure of Statistics. McGraw-Hill Book Company. New York.
- Syandri, H. 1993. Studi pendahuluan potensi reproduksi ikan bilih, *Mystacoleucus padangensis* Blkr. Di Danau Singkarak. Fisheries J. Garing 3(4): 22-28
- Syandri, H. 1996. Aspek reproduksi ikan bilih, *Mystacoleucus padangensis* Bleeker dan kemungkinan pemberian pembenihannya di Danau Singkarak. [Disertasi] Program Pascasarjana. IPB.
- Syandri H. dan M. I. Effendie. 1997. Distribusi umur dan pertumbuhan ikan bilih (*Mystacoleucus padangensis*, Blkr) di Danau Singkarak. Terubuk. 67(XVIII):2-6.
- Syandri, H. Azrita dan N. Aryani. 2013. Distribusi ukuran, reproduksi dan habitat pemijahan ikan bilih (*Mystacoleucus padangensis* Blkr.) di Danau Singkarak. Bawal 5 (1): 1-8.
- Suryono, T., S. Nomosatryo, dan E. Mulyana. 2008. Tingkat kesuburan danau-danau di Sumatera Barat dan Bali. LIMNOTEK. Vol. XV (2): 99-111.
- Sulistiono., T. H. Kurniati., E. Riani., dan S. Watanabe. 2001. Kematangan Gonad Beberapa Jenis Ikan Buntal (*Tetraodon lunaris*, *T. fluviatilis*, *T. reticulatus*) di Perairan Ujung Pangkah, Jawa Timur. Jurnal Iktiologi Indonesia. 1(2): 25-30.
- Tsuboko, S., T. Kimura, M. Shinya, Y. Suehiro, T. Okuyama, A. Shimada, and H. Takeuchi. 2014. Genetic control of startle behavior in medaka fish. PLoS ONE. 9(11).
- Turan, C. 2004. Stock identification of Mediterranean horse mackerel (*Trachurus mediterraneus*) using morphometric and meristic characters. ICES. J. Mar. Sci. 61:774
- Umar, C. dan E. S. Kartamihardja. 2011. Hubungan panjang - berat, kebiasaan makan dan kematangan gonad ikan bilih (*mystacoleucus padangensis*) di Danau Toba. Sumatera Utara. Bawal. 3 (6): 351-356
- Tang, U. M. dan R. Affandi. 2004. Biologi Reproduksi Ikan. Unri Press. Riau.
- Walker, J.A. 1997. Ecological morphology of lacustrine treespine stickleback *Gasterosteus aculeatus* L. (Gasterosteidae) body shape. Biological Journal of the Linnean Society. 61: 3-50.

- Walker, J. A. And M. A. Bell. 2000. Net evolutionary trajectories of body shape evolution within a microgeographic radiation of threespine stickleback (*Gasterosteus aculeatus*). *J. of the Zoological Society of London.* 252: 292-302.
- Watanabe, M. R. and R. Usman. 1987. Ephilitic freshwater diatoms in central Sumatera. *Diatoms.* 3: 33-87.
- Welcom, R. L. 1979. *Fisheries ecology of floodplain rivers.* Longman Inc. New York.
- Weber, M. G. and L. F. de Beaufort, 1916. *Fishes of the Indo-Australian Archipelago.* Vol III. E.J. Brill, Leiden.
- Webb, P. W. 1976. The effect of size on the fast-start performance of rainbow trout *Salmo gairdneri*, and a consideration of piscivorous predator-prey interactions. *J. Exp. Biol.* 65(1): 157-177.
- The logo of Universitas Andalas features a shield-shaped emblem. The top half of the shield is yellow with the text "UNIVERSITAS ANDALAS" in black. The bottom half is green with a stylized white fish swimming towards the right. The fish has a red dorsal fin and a blue eye. The background of the logo is a light blue gradient.
- Wilkes, D., S. Q. Xie, N. C. Stickland, H. Alami-Durante, M. Kentaouri, A. Sterioti, G. Koumoundouros, B. Fauconneou and G. Goldspink. 2001. Temperature and myogenic factor transcript levels during early development determines muscle growth potential in rainbow trout (*Oncorhynchus mykiss*) and sea bass (*Dicentrarchus labrax*). *J. Exp. Biol.* 204: 2763-2771
- Whitten, A. J., S. J. Damanik, J. Anwar and N. Hisyam. 1987. *Ecology of Sumatera.* Penerbit UGM. Yogyakarta.
- Wood, B. M. and M. B. Bain. 1995. Morphology and microhabitat use in stream fish. *Can. J. Fish. Aquat. Sci.* 52: 1487-1498.
- Wootton, R. J. 1979. Energy cost of egg production and environmental of fecundity in teleost fishes. In: P.J. Miller (Ed.) *Fish phenology: anabolic adaptiveness in teleost.* The Zoological Society of London. Academic press. London
- Wikramanayake, E. D. 1990. Ecomorphology and biogeography of a tropical stream fish assemblage: evolution of assemblage structure. *Ecology* 71: 1756-1764.
- Ward, A. B., and E. L. Brainerd. 2007. Evolution of axial patterning in elongate fishes. *Biological Journal of the Linnean Society.* 90(1): 97-116.
- Wilson, D. S. and A. B. Clarke. 1996. The shy and the bold. *Natural History.* 9(96):26-28.
- Yamaji, I. 1980. *Illustration of the freshwater plankton of Japan.* Hoikusha Publishing Co. Ltd. Japan

Yustina dan Arnentis. 2002. Aspek reproduksi ikan kapiek (*Puntius schwanefeldi* Bleeker di Sungai Rangau- Riau. Sumatera. Jurnal Matematika dan Sains. 7 (1): 5-14.

Yulfiperius, R. Mozes, Toelihere, R. Affandi dan D. S. Sjafei. 2004. Pengaruh alkalinitas terhadap kelangsungan hidup dan pertumbuhan ikan lalawak (*barbodes* sp.) Jurnal Iktiologi Indonesia. 4 (1): 1-5

Zahorska, E., V. Kovac, I. Falka, K. Beyer, S. Katina, G.H. Copp, and R.E. Gozlan. 2009. Morphological variability of the Asiatic cyprinid, topmouth gudgeon *Pseudorasbora parva*, in its introduced European range. Journal of Fish Biol. 74: 167-185

