

Daftar Pustaka

1. Park MK. Congestive heart failure. Dalam: Pediatric cardiology for practitioners. Edisi ke-5, Philadelphia, Mosby inc, 2008. hal 558-74.
2. Huang YL, Hu ZD, Liu SJ, Sun Y, Qin Q, Qin BD, et al. Prognostik value of red blood cell distribution width for patients with heart failure : a systematic review and meta-analysis of cohort studies. *Plos One*. 2014;9:1-8.
3. Dai Y, Konishi H, Takagi A, Miyauchi K, Daida H. Red cell distribution width predicts short-and long-term outcomes of acute congestive heart failure more effectively than hemoglobin. *Exp Ther Med*. 2014;8:600-6.
4. Oh J, Kang SM, Hong N, Chol JW, Lee SG, Park S, et al. Relation between red cell distribution width with echocardiographic parameters in patients with acute heart failure. *Journal of cardiac failure*. 2009;15:517-22.
5. Masarone D, Valente F, Rubino M, Vastarella R, Gravino R, Rea A, et al. Pediatric Heart Failure: a practical guide to diagnosis and management. *Pediatr-neonatol*. 2017; 58: 303-12.
6. Madriago E, Silberbach M. Heart failure in infant and children. *Pediatrics in Review*. 2010;31:3-13.
7. Pepeta L. Aetiology, diagnosis and management of heart failure in infants and children. *SAHeart*. 2017;14:6-15.
8. Chinyere OI. Usefulness of echocardiography in the diagnosis of heart failure. *Glo. Adv. Res. J. Med. Med. Sci.* 2018; 7: 10-16.
9. Ciampi Q, Villari B. Role of echocardiography in diagnosis and risk stratification in heart failure with left ventricular systolic dysfunction. *Cardiovascular Ultrasound*. 2007; 5:34-45.
10. Ersbøll M, Valeur N, Mogensen UM, Andersen MJ, Møller JE, Velazquez EJ, et al. Prediction of all-cause mortality and heart failure admissions from global left ventricular longitudinal strain in patients with acute myocardial infarction and preserved left ventricular ejection fraction. *J Am Coll Cardiol*. 2013;61:2365–73.
11. Carluccio E, Dini FL, Biagioli P, Lauciello R, Simionuc A, Zuchi C, et al. The ‘echo heart failure score’: an echocardiographic risk prediction score of mortality in systolic heart failure. *Eurjhf*. 2013; 15:868–76.
12. Soares FL, Oliveira JMG, Freire GNC, Andrade LC, Noya-Rabelo MM, Correia LCL. Incremental Prognostic Value of Conventional Echocardiography in Patients with Acutely Decompensated Heart Failure. *Arq Bras Cardiol*. 2017;109:560-8.
13. Sani MU, Davison BA, Cotter G, Damasceno A, Mayosi BM, Ogah OS, et al. Echocardiographic predictors of outcome in acute heart failure patients in sub-Saharan Africa: insights from THESUS-HF. *Cardiovasc J Afr*. 2017;28:60–7.
14. Aggarwal A, Khoury AR, Mehta N, Goldstein J, Dixon SR, Berman A, et al. A simple combined clinical and echocardiographic score associated with adverse long term outcomes in patients with heart failure: a single center experience. *Austin J Cardiovasc Dis Atherosclerosis*. 2015;2:10-6.

15. Dabbah S, Hammerman H, Markiewicz W, Aronson D. Relation between red cell distribution width and clinical outcomes after acute myocardial infarction. Am J Cardiol. 2010;105:312-7.
16. Nabais S, Losa N, Gaspar A, Rocha S, Costa J, Azevedo P, et al. Association between red blood cell distribution width and outcomes at six months in patients with acute coronary syndromes. Rev Port Cardiol. 2009;28:905-24.
17. Förhész Z, Gombos T, Borgulya G. Red cell distribution width : a powerful prognostic marker in heart failure. Eur J Heart Fail. 2010;12:415-19.
18. Al-Najjar Y, Goode KM, Zhang J. Red cell distribution width : an inexpensive and powerful prognostic marker in heart failure. Eur J Heart Fail. 2009;11:1155-62.
19. Kimmenade VR, Mohammed AA, Uthamalingam S. Red blood cell distribution width and 1-year mortality in acute heart failure. Eur J Heart Fail. 2010;12:129-36.
20. Mawlana W, Donia A, Elamrousy D. Relation between red cell distribution width and left ventricular function in children with heart failure. ISRN Pediatr. 2014;1-4.
21. Polat V, Iscan S, Etli M, Kilic HE, Gürsu Ö, Eker E, et al. Red cell distribution width as a prognostic indicator in pediatric heart disease and after surgery. BioMed Research International. 2014;1-6.
22. Djer MM. Gagal jantung pada anak. Dalam: Tumbelaka I, Deborah, Waiman E, Wigati R, Widodo AR, Surya D, penyunting. *Menuju tumbuh kembang anak yang optimal*. Jakarta: Ikatan dokter anak Indonesia; 2013. h. 68-76.
23. Madiyono B, Rahayuningsih SE, Sukardi R. Penanganan penyakit jantung pada bayi dan anak. Jakarta: Balai penerbit FKUI; 2008. h. 55-64.
24. Anker SD, Haeling SV. Infammatory mediators in chronic heart failure : an overview. Heart. 2004;90:464-70.
25. Candia AM, Junior HV, Mesquita ET. Immune-inflammatory activation in heart failure. Arq Bras Cardiol. 2007;89:183-90.
26. Ross. The ross classification for heart faiure in children after 25 years: a review and an age-stratified revision. Pediatr Cardiol. 2012;33:1-7.
27. Curry CV. Red cell distribution width (RDW). 2012 [diakses 9 November 2014]. Diunduh dari : www.emedicine.medscape.com.
28. Esmaili HA, Taghipour H, Saburi E. Determining the association between RDW and traditional marker of inflammation. ISSN. 2014;4:2547-52.
29. Buttarello M, Plebani M. Automated blood cell counts: state of the art. Am J Clin Pathol. 2008; 130 (1): 104-16.
30. Briggs C. Quality counts: new parameters in blood cell counting. Int J Lab Hematol. 2009; 31 (3): 277-97.
31. Montagnana M, Cervellin G, Meschi T, Lippi G. The role of red blood cell distribution width in cardiovascular and thrombotic disorders. Clin Chem Lab Med. 2011; 50 (4): 635-41.
32. Dorgalaleh A, Mahmoodi M, Varmaghani B, Node KF, Kia OS, Alizadeh SH, et al. Effect of thyroid dysfunctions on blood cell count and red blood cell indice. Iran J Ped Hematol Oncol. 2013; 3 (2): 73-7.

33. Vayá A, Rivera L, Todoli J, Hernandez JL, Laiz B, Ricart JM. Haematological, biochemical and inflammatory parameters in inactive Behcet's disease. Its association with red blood cell distribution width. *Clin Hemorheol Microcirc.* 2014; 56 (4): 319-24
34. Vayá A, Alis R, Hernandez JL, Calvo J, Mico L, Romagnoli M, et al. RDW in patients with systemic lupus erythematosus. Influence of anaemia and inflammatory markers. *Clin Hemorheol Microcirc.* 2013; 54 (3): 333-9.
35. ZÖller B, Melander O, Svensson P, Engström G. Red cell distribution width for predicting cardiovascular disease : a literature review. *EMJ Cardiol.* 2014; 2: 61-70.
36. Yeşil A, Şenates E, Bayoğlu IV, Erdem ED, Demirtunç RK, Övünç AOK. Red cell distribution width: a novel marker of activity in inflammatory bowel disease. *Gut Liver.* 2011; 5 (4): 460-7.
37. Lippi G, Targher G, Montagnan M, Salvagno GL, Zoppini G, Guidi GC. Relation between red blood cell distribution width and inflammatory biomarkers in a large cohort of unselected outpatients. *Arch Pathol Lab Med.* 2009;133:628-32.
38. Zalawadiya SK, Veeranna V, Panalch SS, Afonso L. Red cell distribution width and risk of peripheral artery disease: analysis of national health and nutrition examination survey 1999- 2004. *Vasc Med.* 2012;17:155-63.
39. Ramírez JM, Gonzales GM, Ollero OA, Rao MA, Baquero MG, Silva AC. Relation between red blood cell distribution width and ischemic stroke: a case-control study. *Int J Stroke.* 2013;8:31-6.
40. Anderson JL, Ronnow BS, Horne BD, Carlquist JF, May HT, Bair TL, et al. Usefulness of a complete blood count-derived risk score to predict incident mortality in patients with suspected cardiovascular disease. *Am J Cardiol.* 2007;99:169-74.
41. Tonelli M, Sacks F, Arnold M, Moye L, Davis B, Pfeffer M. Relation between red blood cell distribution width and cardiovascular event rate in people with coronary disease. *Circulation.* 2008;117:163-8.
42. Zalawadiya SK, Veeranna V, Niraj A, Pradhan J, Afonso L. Red cell distribution width and risk of coronary heart disease events. *Am J Cardiol.* 2010;106:988-93.
43. Felker GM, Allen LA, Pocock SJ, Shaw LK, McMurray JJ, Pfeffer MA, et al. Red cell distribution width as a novel prognostic marker in heart failure: data from the CHARM program and the duke databank. *J Am Coll Cardiol.* 2007;50:40-7.
44. Borné Y, Smith JG, Melander O, Hedblad B, Engström G. Red cell distribution width and risk for first hospitalization due to heart failure: a population-based cohort study. *Eur J Heart Fail.* 2011;13:1355-61.
45. Eryd SA, Borné Y, Melander O, Persson M, Smith JG, Hedblad B, Engström G. Red blood cell distribution width is associated with incidence of atrial fibrillation. *J Intern Med.* 2014;275:84-92.

46. Hampole CV, Mehrotra AK, Thenappan T, Maitland MG, Shah SJ. Usefulness of red cell distribution width as a prognostic marker in pulmonary hypertension. Am J Cardiol. 2009;104:868-72.
47. Rhodes CJ, Wharton J, Howard LS, Gibbs JS, Wilkins MR. Red cell distribution width outperforms other potential circulating biomarkers in predicting survival in idiopathic pulmonary arterial hypertension. Heart. 2011;97:1054-60.
48. Zorlu A, Bektasoglu G, guven FM, Dogan OT, Gucuk E, Ege MR, et al. Usefulness of admission red cell distribution width as a predictor of early mortality in patients with acute pulmonary embolism. Am J Cardiol. 2012;109:128-34.
49. Ozsu S, Abul Y, Gunaydin S, Orem A, Ozlu T. Prognostic value of red cell distribution width in patients with pulmonary embolism. Clin Appl Thromb Hemost. 2014;20:365-70.
50. Sen HS, Abakay O, Tanrikulu AC, Taylan M, Kaya H, Senyigit A. Is a complete blood cell count useful in determining the prognosis of pulmonary embolism. Wien Klin Wochenschr. 2014;126:347-54.
51. Kimmenade RV, Januzzi JL. Red cell distribution width measurement: what role does it have in heart failure. Rev Esp Cardiol. 2012;65:593-4.
52. Allen LA, Felker GM, Mehra MR, Chiong JR, Dunlap SH, Ghali JK, et al. Validation and potential mechanisms of red cell distribution width as a prognostic marker in heart failure. J Card Fail. 2010;15:230-8.
53. Caramelo C, Just S, Gil P. Anemia in heart failure : pathophysiology, pathogenesis, treatment, and incognitae. Rev Esp Cardio. 2007;60:848-60.
54. Palazzuoli A, Ruocco G, Pellegrini M, Gori CD, Castillo GD, Giordano, et al. The role of erythropoietin stimulating agents in anemic patients with heart failure: solved and unsolved questions. Dovepress. 2014;10:641-50.
55. Putten KV, Braam B, Jie KE, Gailard C. Mechanisms of disease: erythropoietin resistance in patients with both heart and kidney failure. Nature Clinic. 2008;4:47-57.
56. Okonko DO, Marley SB, Anker SD, Wilson PA, Gordon MY. Supression of erythropoiesis in patients with chronic heart failure and anaemia of unknown origin: evidence of an imune basis. IJCard. 2013;166:664-71.
57. Mozan I. Mechanisms linking red blood cell disorder and cardiovascular disease. BioMed Research International. 2014:1-12.
58. Domenico ID, Ward DM, Kaplan J. Hepcidin regulation : ironing out the details. J Clin Invest. 2007;117:1755-8.
59. D'hooge J, Mertens LL. Ultrasound physics. Dalam : Lai WW, Mertens LL, Cohen MS, Geva T, penyunting : Echocardiography in pediatric and congenital heart disease. Oxford: John Wiley&Sons Ltd; 2016. h. 3-18.
60. Park MK. Congestive heart failure. Dalam: Pediatric cardiology for practitioners. Edisi ke-5, Philadelphia, Mosby inc, 2008. hal 461- 73.
61. Lercher AH, Geiger R, Mair J, Url C, Tulzer G, Lechner E, et al. Utility of N-terminal pro-b-type natriuretic peptide to diffrentiate cardiac disease from noncardiac disease in young pediatric patients. *Clinical Chemistry*. 2006;52:1.415-19.

62. Brunner M, Moeslinger T, Spieckerman PG. Echocardiography for teaching cardiac physiology in practical student courses. *Advan in Physiol Edu.* 1995;268:1-9.
63. Crawford MH, Grant D, O'Rouke RA, Starling MR, Groves BM. Accuracy and reproducibility of new M-mode echocardiographic recommendations for measuring left ventricular dimensions. *Circulation.* 1980;61:137-43.
64. Mertens LL, Friedberg MK. Systolic ventricular function. Dalam : Lai WW, Mertens LL, Cohen MS, Geva T, penyunting : Echocardiography in pediatric and congenital heart disease. Oxford: John Wiley&Sons Ltd; 2016. h.96-131.
65. Mertens LL, Rigby ML, Horowitz ES, Anderson RH. Cross sectional echocardiographic and doppler imaging. In: Anderson RH, Baker EJ, Penny DJ, Redington AN, Rigby ML, Wernovsky G, editors. Pediatric cardiology. 3rd ed. Philadelphia. Elsivier. 2009. h.313-40.
66. Geva T, Vander velde ME. Imaging techniques: echocardiography, magnetic resonance imaging and computerized tomography. In; Keane JF, Lock JE, Flyer DC, editors. NADAS'S pediatric cardiology, 2nd ed. Philadelphia. Elsivier. 2006. h. 145-82.
67. Sukardi R. penatalaksanaan terkini gagal jantung pada anak. Dalam: Putra ST, Djer MM, roeslani RD, Endryarni B, Yuniar I, penyunting. Management of pediatric heart disease for practitioners : from early detection to intervention. Jakarta: Departemen ilmu kesehatan anak FKUI-RSCM; 2000. h.40-63.
68. Frommelt PC. Diastolic ventricular function assessment. Dalam : Lai WW, Mertens LL, Cohen MS, Geva T, penyunting : Echocardiography in pediatric and congenital heart disease. Oxford: John Wiley&Sons Ltd; 2016. h.132-53.
69. Mondrowinduro P. Disfungsi diastolic ventrikel kiri pada pasien sirosis hati: proporsi, korelasi dan hubungan parameter fungsi diastolic dengan derajat disfungsi hati [tesis]. Jakarta: Fakultas Kedokteran Universitas Indonesia, 2014.
70. Vizzardi E, Sciatti E, Bonadei I, Pezali NL, Lombardi CM, Metra M. Red cell distribution width and chronic heart failure : prognostic role beyond echocardiographic parameters. *Monaldi archives for chest disease cardiac series.* 2015;84:1-5.
71. Sotiropoulos K, Yerly P, Monney P, Garnier A, Regemey J, Hugli O. Red cell distribution width and mortality in acute heart failure patients with preserved and reduced ejection fraction. *ESC heart failure.* 2016;3:198-204.
72. Alattar FT, Imran NB, Patel P, Usmani S, Shamoon FE. Red cell distribution width (RDW) correlates with marker of diastolic dysfunction in patients with impaired left ventricular systolic function. *IJC Heart & Vasculature.* 2016;10:13-6.
73. Rudresh M G, Vivek KU, Relationship between red cell distribution width and heart failure. *Int J Med Res Rev.* 2016;4:144-50.
74. Koentartiwi D, Salim IA, Suwarniyati R. Relation between red cell distribution width and left ventricular function in children with heart failure. *Paediatrica Indonesiana.* 2015;55:10
75. Mertens LL, Friedberg MK. Echocardiographic assessment of cardiac dimensions, cardiac function, and valve function. Dalam: Allen HD, Driscoll DJ,

- Shaddy RE, Feltes TF, penyunting. Moss and Adams' heart disease in infants, children and adolescents including the fetus and young adult. Edisi ke-8. Philadelphia: Lippincott Williams and Wilkins; 2012.h.172-206
76. Dahlan MS. Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan. Edisi 3. Jakarta. Salemba medika. 2013. Hal. 19-24.
77. WHO, Iron efficiency Anemia Assesment, Prevention and Control A guide for Programme Managers. WHO/NHD/01.3. General English Only ; 2001 diunduh dari: <http://www.google.co.id.htm>.
78. Özdemir N. Iron deficiency anemia from diagnosis to treatment in children. Türk Ped Arş. 2015;50:11-9.
79. Rocha BML, Cunha GJL, Falcão LFM. The burden of iron deficiency in heart failure. JACC. 2018;71:782-93.
80. Sastoasmoro S, Ismael SI. Dasar-dasar metodologi penelitian klinis. Edisi 4. Jakarta. Sagung seto. 2011. Hal.348-83.
81. Lippi G, Turcato G, Cervellin G, Sanchis-Gomar F. Red blood cell distribution width in heart failure: a narrative review. World J Cardiol. 2018;10:6-14.
82. Rahayuningsih SE. Demam Rematik Akut. Dipresentasikan pada Pendidikan ilmu kesehatan anak berkelanjutan (PIKAB) IX Hotel Grand Royal Pnghergar Bandung 1-2 oktober 2011 diunduh dari <http://repository.unpad.ac.id/> pada tanggal 22 november 2016.
83. Yazar A, Kararslan S. Evaluation of left ventricular functions by conventional echocardiography and tissue Doppler imaging in children with rheumatic mitral regurgitation. J Contemp Med. 2018;8:1-6.
84. Borg AN, Harrison JL, Argyle RA, Pearce KA, Beynon R, Ray SG. Left ventricular filling and diastolic myocardial deformation in chronic primary mitral regurgitation. Eur J Echocardiogr. 2010;11:523-9.
85. Olowu WA. Epidemiology, pathophysiology, clinical characteristics and management of childhood cardiorenal syndrome. World J Nephrol. 2012;1:16-24.
86. Otukesh H, Mehralizadeh S. Cardiorenal syndrome or renocardiac syndrome. J Ped. Nephrology.2016;4:14-24.
87. Hsieh Y-P, Chang C-C, Kor C-T, Yang Y, Wen Y-K, Chiu P-F (2016) The Predictive Role of Red Cell Distribution Width in Mortality among Chronic Kidney Disease Patients. PLoS ONE. 2016;11:1-13.
88. Rossana JW, Shaddy RE. Heart failure in children : etiology and treatment. Jped.2014;165:228-33.
89. Celik A, Koc F, Kadi H, Ceyhan K, Erkorkmaz U, Burucu T, et al. Relationship between red cell distribution width and echocardiographic parameters in patients with diastolic heart failure. Kaohsiung J Med Sci. 2012;28:165-72.
90. Butnariu A, Zamfir C, Iancu M, Iacob D, Samasca G, Lupan I. Systolic and diastolic function in congestive heart failure pediatric patients. ROM. J. INTERN. MED. 2016;54:37-46.
91. Panesar D, Burch M. Assessment of Diastolic Function in Congenital Heart Disease. Front. Cardiovasc. Med. 2017;4:1-10.

92. Singh GK, Holland MR. Diastolic dysfunction in pediatric cardiac patients: evaluation and management. *Curr Treat Options Cardiovasc Med.* 2010;12:503-17.

