

**FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN PELAKSANAAN
INISIASI MENYUSU DINI (IMD) PADA IBU *POSTPARTUM*
DI WILAYAH KERJA PUSKESMAS IKUR KOTO
KOTA PADANG**



FINISHA ERZA RIZKA
No.BP. 1410331008

**PROGRAM STUDI S1 KEBIDANAN
FAKULTAS KEDOKTERAN UNIVERSITAS ANDALAS
PADANG 2018**

**BACHELOR OF MIDWIFERY PROGRAM
FACULTY OF MEDICINE
ANDALAS UNIVERSITY**

Undergraduate Theses, October 2018

FINISHA ERZA RIZKA, NO.BP.1410331008

**FACTORS RELATED TO IMPLEMENTATION OF EARLY BREASTFEEDING
INITIATION ON MOTHER'S WORK AREA POST PARTUM OF IKUR KOTO
HEALTH CENTER, IN PADANG CITY**

xx + 109 page, 14 tables, 3 pictures, 8 appendices

ABSTRACT

Background and Objective

Early breastfeeding initiation or *Inisiasi Menyusu Dini (IMD)* is to place the baby on the mother's chest immediately after birth for one hour minimum. The lowest IMD in Padang City in 2016 was in Health Center of Ikur Koto which is 75,90%. The purpose of this research is to know related factors about implementation of Early breastfeeding initiation or *Inisiasi Menyusu Dini (IMD)* toward postpartum mother in working area of Ikur Koto Health Center in Padang City.

Method

This research used quantitative research with cross sectional design. This research was held on working area health center of Ikur Koto and it was started from February-August 2018. Sample of the research was mothers who gave birth to 0-6 months which are 77 people who include inclusion criteria and were not included exclusion criteria. Technique of data collection is by questionnaire. The analysis of data is as univariate, bivariate and multivariate.

Result

Result of the research showed that 62,3% mothers had less knowledge, 57,1% mothers had negative attitude, 58,4% mothers got support of health worker, and 57,1% mothers did not implement IMD. Result of bivariate analysis showed that there are correlation between stage of knowledge, attitude, and medical personnel support toward implementation of *IMD*. Multivariate analysis obtained the dominant variable is support of health worker.

Conclusion

The implementation of early breastfeeding initiation was influenced by good knowledge, positive attitude, and support of health worker. The most dominant factor is support of health worker.

Reference : 36 (2006-2017)

Key Words : early initiation breastfeeding, knowledge, attitude, support of health worker.

**PROGRAM STUDI S1 KEBIDANAN
FAKULTAS KEDOKTERAN
UNIVERSITAS ANDALAS**

SKRIPSI, Oktober 2018

FINISHA ERZA RIZKA, No.BP.1410331008

**FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN PELAKSANAAN
INISIASI MENYUSU DINI (IMD) PADA IBU POSTPARTUM DI WILAYAH
KERJA PUSKESMAS IKUR KOTO KOTA PADANG**

xx + 109 halaman, 14 tabel, 3 gambar, 8 lampiran

ABSTRAK

Latar Belakang dan Tujuan Penelitian

Inisiasi Menyusu Dini (IMD) merupakan meletakkan bayi di dada ibu segera setelah lahir minimal dilakukan selama satu jam. Cakupan IMD terendah di Kota Padang tahun 2016 terdapat di Puskesmas Ikur Koto sebanyak 75,90%. Penelitian ini bertujuan untuk mengetahui faktor-faktor yang berhubungan dengan pelaksanaan Inisiasi Menyusu Dini (IMD) pada ibu *postpartum* di wilayah kerja Puskesmas Ikur Koto Kota Padang.

Metode

Jenis penelitian ini adalah penelitian kuantitatif dengan desain cross sectional, dilakukan di wilayah kerja Puskesmas Ikur Koto dari bulan Februari-Agustus 2018. Sampel penelitian adalah ibu yang melahirkan 0-6 bulan sebanyak 77 orang yang memenuhi kriteria inklusi dan tidak termasuk kedalam kriteria eksklusi. Pengumpulan data dengan cara kuesioner. Analisis data secara univariat, bivariat dan multivariat.

Hasil

Hasil penelitian menunjukkan bahwa 62,3% ibu berpengetahuan kurang, 57,1% sikap ibu yang negatif, 58,4% mendapat dukungan dari tenaga kesehatan, dan 57,1% tidak melaksanakan IMD. Hasil analisis bivariat menunjukkan terdapat hubungan antara tingkat pengetahuan, sikap, dan dukungan tenaga kesehatan dengan pelaksanaan IMD. Analisis multivariat diperoleh variabel yang dominan adalah dukungan tenaga kesehatan.

Kesimpulan

Pelaksanaan IMD dipengaruhi oleh pengetahuan baik, sikap positif, dan dukungan tenaga kesehatan. Faktor yang paling dominan adalah dukungan tenaga kesehatan.

Daftar Pustaka : 36 (2206-2017)

Kata Kunci : IMD, pengetahuan, sikap, dukungan tenaga kesehatan.

