

DAFTAR PUSTAKA

- Alldallal, S .(2016). Iron deficiency anemia : A Short Review. *Journal of Immunology*. Volume 2 ,No.4. Issue 1.
- Ashby,DR. Gale,DP. Busbridge,M, Murphy, KG. Duncan , ND. Cairns, TD. et al. (2009). Plasma hepcidin levels are elevated but responsive to erythropoietin therapy in renal disease. *Kidney Int*. Vol.75. No.9. pp.976-981
- Bah, A. Pasricha, S. Jallow, MW. Sise, EA. Wegmuller, R. Armitage, AE. et al. (2017). Serum hepcidin concentrations decline during pregnancy and may identify iron deficiency : analysis of a longitudinal pregnancy cohort in the gambia. *The Journal of Nutrition*. pp.1131-1137. Doi : 10.3945/jn.116.245373
- Bansal, A. Sharma, AK. Sharma, S. Sujatha, R. (2016). Iron deficiency anaemia in women of reproductive age group attending a tertiary care hospital. *Indian Journal Scientific Research*.Vol. 7.pp.109-1013
- Burke, RM, Leon, JS. Suchdev, PS. (2014). Identification, Prevention and Treatment of Iron Deficiency during the First 1000 Days. *Nutrients*. Vol. 6. pp. 4093-4114. doi:10.3390/nu6104093
- Cairo, RC. Silva, LR. Bustani, NC. Marques, CD. (2014). Iron deficiency anemia in adolescents; a literature review. *Nutricion Hospitalia*. Vol. 29. pp.1240-1249. DOI:10.3305/nh.2014.29.6.7245
- Chang,J. Chen,Y. Owaga, E. Palupi, KC. Pan, W. Bai, C. (2014). *Nutrients*. Vol.6. pp.3929-3941. doi:10.3390/nu6093929
- Charles,CV, (2012). Iron Deficiency Anemia: A public health problem of global proportions.university of guelph canada. *Public Health – Methodology, Environmental and Systems Issues*. www.inthecophen.com
- D’Angelo, Guido. (2013). Role of hepcidin in the pathophysiology and diagnosis of anemia. *Blood Research*. Vol.48.No.1.pp.10-15. <http://dx.doi.org/10.5045/br.2013.48.1.10>
- Dahlan, MS. (2014). Besar sampel dalam penelitian kedokteran dan kesehatan. *Epidemiologi Indonesia* : Jakarta
- Dahlan, MS. (2016). Statistik untuk kedokteran dan kesehatan : Deskriptif, Bivariat dan multivariat.. *Epidemiologi Indonesia* : Jakarta

- Dinas Kesehatan Kota Padang .(2017). Data ibu hamil hb<11gr/dl per puskesmas tahun 2014,2015 dan 2016
- Elnabaheen,EM. (2017). Hcpidin status among iron deficient anemic pregnant women in gaza strip:a case control study. Thesis. The Islamic University-Gaza. Gaza
- Ganz,T and Nemeth,E. (2012). Hcpidin and iron homeostatis. *National Institute of Health Public Access*.pp.1434–1443. doi:10.1016/j.bbamcr.2012.01.014.
- Geerts, I. Vermeersch, P. Joosten, E. (2012). Evaluation of the First Commercial Hcpidin ELISA for the Differential Diagnosis of Anemia of Chronic Disease and Iron Deficiency Anemia in Hospitalized Geriatric Patients. *ISRN Hematology*. Vol.2012, pp.1-3. doi:10.5402/2012/567491
- Ghose, B. Yaya, S. and Tang,S. (2016). Anemia status in relation to body mass index among women of childbearing age in Bangladesh. *Asia Pacific Journal of Public Health*. doi: 10.1177/1010539516660374
- Gibney, MJ (eds). (2009). Gizi Kesehatan Masyarakat (*Public Health Nutrition*). Jakarta : EGC
- Hall, JE. (2011). Buku ajar fisiologi kedokteran (Edisi 12). Jakarta : EGC
- Ilkovska, B. Kotevska, B. Trifunov, G. Kanazirev, B. (2017). Serum Hcpidin Reference Range, Gender Differences, Menopausal Dependence And Biochemical Correlates In Healthy Subjects. *Journal of IMAB*. Vol.22. DOI: <http://dx.doi.org/10.5272/jimab.2016222.1127>
- Kang, HT. Linton, JA. Kwon, SK. Park, BJ. Lee, JH. (2016). Ferritin Level Is Positively Associated with Chronic Kidney Disease in Korean Men, Based on the 2010–2012 Korean National Health and Nutrition Examination Survey. *International Journal of Environmental Research and Public Health*. Vol.13. doi:10.3390/ijerph13111058
- Kanuri, G. Chichula, D. Sawhney, R. Kuriakose, K. De'Souza, S. Pais, F. *et al.* (2018). Optimizing Diagnostic Biomarkers of Iron Deficiency Anaemia in Community Dwelling Indian Women and Preschool Children. *Haematologica*. doi:10.3324/haematol.2018.193243
- Kementerian Kesehatan RI. (2007). Riset Kesehatan Dasar 2007. <https://www.k4health.org/sites/default/files/laporanNasional%20Riskasdas%2007.pdf>

- Kemenkes. (2013). Riset Kesehatan Dasar 2013. www.depkes.go.id/resources/download/general/Hasil%20Risikesdas%202013.pdf
- Kwapisz, J. Slomka, Zekanowska, E. (2009). Hepcidin and its role in iron homeostasis. *The Journal of The International Federation of Clinical Chemistry and Laboratory Medicine*. Vol 20. No 2. pp.124-128
- Lee, BK. Kim, Y. Kim, Y-II. (2011). Association of serum ferritin with metabolic syndrome and diabetes mellitus in the South Korean general population according to the Korean National Health and Nutrition Examination Survey 2008. *Metabolism and Clinical Experimental*. Vol.60. No.2. pp. 1416-1424
- Lopez, AC. Osendarp, SJM. Boonstra, AM. Aeberli, I. Salazar, FG. Feskens, E. et al. (2011). Sharply higher rates of iron deficiency in obese Mexican women and children are predicted by obesity-related inflammation rather than by differences in dietary iron intake. *American Journal Clinical Nutrition*. Vol. 93. No. pp. 975-983. doi: 10.3945/ajcn.110.005439
- Manolov, V. Marinov, B. Velizarova, M. Atanasova, B. Vasilev, V. Tzatchev. K. et al. (2015). Anemia in pregnancy and serum hepcidin levels. *International Journal of Advanced Research*. Vol. 3. Issue 1. pp. 758-761
- McClung, JP. Karl, JP. (2008). Iron deficiency and obesity: the contribution of inflammation and diminished iron absorption. *Nutrition Reviews*. Vol. 67. pp.100- 104. doi:10.1111/j.1753-4887.2008.00145.x
- Michelazzo, FB. Oliveira, JM. Stefanello, J. Luzia, LA. Rondó, PH. (2013). The Influence of Vitamin A Supplementation on Iron Status. *Nutrients*. Vol. 5. Pp. 4399-4413. doi:10.3390/nu5114399
- Murray-Kolb, LE. (2011). Iron status and neuropsychological consequences in women of reproductive age: what do we know and where are we headed. *The Journal of Nutrition*. pp. 747S–755S. doi:10.3945/jn.110.130658
- Naigamwalla, D. Webb, JA. Giger, U. (2012). Iron deficiency anemia. *Canada Veterinary Journal*. Vol.53. pp 250-256
- Nagababu, E. Gulyani, S. Earley, CJ. Cutler, RG. Mattson, MP. Rifkind, JM. (2008). Iron-Deficiency Anemia Enhances Red Blood Cell Oxidative Stress. *Free Radical Research*. Vol.42. No.9. pp.824–829. doi:10.1080/10715760802459879.
- Orlandi, R. Bortoli, M. Ciniselli. Vaghi, E. Caccia, D. Garrisi, V. et al. (2013). Hepcidin and ferritin blood level as noninvasive tools for predicting breast cancer. *Annals of Oncology*. Vol. 25. No.2 pp.352–357. doi:10.1093/annonc/mdt490

- Pasricha,S. Drakesmith,H. Black, J. Hipgrave, D. Biggs, B. (2013). Control of iron deficiency anemia in low- and middle-income countries. *Blood Journal*. Vol.121. No.14. pp.2607-2617. doi:10.1182/blood-2012-09-453522
- Parischa,,S. McQuilten,Z. Westerman, M. Keller, A. Nemeth, E. Ganz,T. Wood, E. (2011). Serum hepcidin as a diagnostic test of iron deficiency in premenopausal female blood donors. *Haematologica*. pp. 1099-1105 doi:10.3324/haematol.2010.037960
- Parischa,,S. Caruana, SR. Phuc,TQ. Gerard J. Casey, GJ. Jolley,D. Kingsland, S. (2008). Anemia, iron deficiency, meat consumption, and hookworm infection in women of reproductive age in northwest vietnam. *American Journal of Tropical Medicine and Hygiene*.pp. 375–381.
- Perdana,WY. Jacobus, DJ. (2015). Hepcidin dan anemia defisiensi besi. *CDK-235*. Vol.42. No. 12. pp.919-926
- Permaesih,D. Herman,S. (2005). Faktor-faktor yang mempengaruhi anemia pada remaja. *Buletin Penelitian Kesehatan*. Vol. 33. No. 4. Pp.162-171
- Qin, Y. Boonstra, A. Pan, X. Yuan, B. Dai, Y. Zhao, J .*et al* .(2013). Anemia in relation to body mass index and waist circumference among chinese women. *Nutrition Journal*. Vol. 12. <http://www.nutritionj.com/content/12/1/10>
- Ridwan, Endi. (2012). Kajian Interaksi Zat Besi Dengan Zat Gizi Mikro Lain Dalam Suplementasi (*Review Of Interactions Between Iron And Other Micronutrients In Supplementation*). *Penel Gizi Makan* . Vol.35. No. 1. Pp. 49-54
- Rishi, G, Wallace, DF and Subramaniam, VN. (2015) .Hepcidin: regulation of the master iron regulator. *Bioscience. Report*. doi 10.1042/BSR20150014
- Romero, MM. Flores, RJ. Molina, RV. Ramos, MI. Reali, JY. Sigrist-Flores, SC. et al. (2012). The body mass index (BMI) as a public health tool to predict metabolic syndrome. *Journal of Preventive Medicine*. Vol.2, No.1, pp.59-66 (2012) <http://dx.doi.org/10.4236/ojpm.2012.21009>
- Rossi, E. (2005). Hepcidin - the Iron Regulatory Hormone. *I Clin Biochem Rev* . Vol.26
- Sal, E. Yenicesu,I. Celik,N. Pasaoglu,H. Celik, B.Pasaoglu,OT. (2018). Relationship between obesity and iron deficiency anemia: is there a role of hepcidin?. *Hematology*. DOI: 10.1080/10245332.2018.1423671

- Scarff, CA. Patel, VJ. Thalassinos, K. Scrivens, JH. (2009). Probing Hemoglobin Structure by Means of Traveling-Wave Ion Mobility Mass Spectrometry. *Journal of American Society for Mass Spectrometry*. Vol.20. pp. 625–631. doi:10.1016/j.jasms.2008.11.02
- Sherwood, L. (2011). Fisiologi Manusia (Edisi 6). Jakarta : EGC
- Sharma ,J.B. Shankar, M. (2010). Anemia in Pregnancy. *JIMSA*. Vol. 23. No. 4
- Stabler,SP. 2013. Vitamin B12 Deficiency. *The new engl and journal of medicine*. Vol. 368. Pp.149-60. DOI: 10.1056/NEJMcp1113996
- Sudikno. Sandjaja. (2016). Prevalensi dan Faktor Resiko Anemia pada Wanita Usia Subur di Rumah Tangga Miskin di Kabupaten Tasikmalaya dan Ciamis, Provinsi Jawa Barat. *Jurnal Kesehatan Reproduksi* . Vol. 7. No 2
- Sukarno, KJ. Marunduh, SR. Pangemanan, DH. (2016). Hubungan indeks massa tubuh dengan kadar hemoglobin pada remaja di Kecamatan Bolangitang Barat Kabupaten Bolaang Mongondow Utara. *Jurnal Kedokteran Klinik* . Vol. . No 1
- Sumarmi, S. Puspitasari,N. Handajani,R. Wirjatmadi, B.(2016). Underweight as a Risk Factor for Iron Depletion and Iron- Deficient Erythropoiesis among Young Women in Rural Areas of East Java, Indonesia. *Malaysian Journal of Nutrition*. Vol.22. No.2. pp.219-23
- Triyonate, EM. Kartini,A. (2015). Faktor determinan anemia pada wanita dewasa usia 23-35 tahun. *Journal of Nutrition College*. Vol. 4, No. 2. Pp. 259-263
- Ugwuja, EU. Ogbonnaya,L. Obuna,AJ. Femiawegbe, Henry, UC. (2015). Anaemia in relation to body mass index (bmi) and socio-demographic characteristics in adult nigerians in Ebonyi State. Vol.9. No.1. pp.LC04-LC07. doi: 10.7860/jcdr/2015/9811.5485
- Vyas, S. Kapoor, A. Nema, SK. Suman, S. (2017). Quantification of Serum Hepsidin as A Potential Biomarker in Diagnosis of Iron Deficiency Anaemia. *International Journal of Research in Medical Sciences*. Vol.5. No.7. pp. 2926-2930. DOI : <http://dx.doi.org/10.18203/2320-6012.ijrms10172546>
- WHO. (2015). The global prevalence of anaemia in 2011. www.who.int/.../global_prevalence_anaemia_2011/en/
- WHO. (2014). Anemia Policy Brief. www.who.int/.../globaltargets_anaemia_policybrief.pdf

WHO.(2011). Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity. www.who.int/vmnis/indicators/haemoglobin/en

WHO. (2011). Prevention of iron deficiency anaemia in adolescents. <http://www.who.int/iris/handle/10665/205656>

WHO. (2006). Global Database on Body Mass Index. http://apps.who.int/bmi/index.jsp?introPage=intro_3.html

Wimbley, TD. Graham, DY. (2011). Diagnosis and management of iron deficiency anemia in the 21st century. *Therapeutic Advances in Gastroenterology* . Vol.4. No.3 pp.177-184. DOI: 10.1177/1756283X11398736

Wirth, JP. Woodruff, BA. Stone, RE. Namaste, SML. (2014). Predictors of anemia in women of reproductive age: Biomarkers Reflecting Inflammation and Nutritional Determinants of Anemia (BRINDA) project. *American Journal Clinical Nutrition*. pp.16S–27S

Wu, Guoyao. Dietary protein intake and human health. (2016). *Food Funct*. Vol.7. pp.1251-1265. DOI: 10.1039/c5fo01530h

Zhao,N. Zhang, A. Enns, CA. (2013). Iron regulation by hepcidin. *Science in medicine*. <https://doi.org/10.1172/JCI67225>.

