


**HUBUNGAN POLA ASUH IBU DAN BERAT BADAN LAHIR DENGAN
STATUS GIZI BATITA DI KELURAHAN PARAK LAWEH KOTA
PADANG**

Oleh :

ANNISA BELLADONA ALNOTRI

No.BP. 1410331007



Dosen Pembimbing :

1. dr. Hardisman, M.HID, Dr.PH
2. Bd. Yulizawati, SST,M.Keb

PROGRAM STUDI S1 KEBIDANAN

FAKULTAS KEDOKTERAN UNIVERSITAS ANDALAS

PADANG 2018

**BACHELOR OF MIDWIFERY PROGRAM
FACULTY OF MEDICINE
ANDALAS UNIVERSITY**

**Undergraduate Theses, October 2018
ANNISA BELLADONA ALNOTRI. No.BP.1410331007**

**RELATIONSHIP BETWEEN MOTHER'S PARENTING AND BIRTH WEIGHT
WITH NUTRITIONAL STATUS OF TODDLERS IN PARAK LAWEH PADANG
CITY**

xxi+104 pages, 6 tables, 3 pictures, 10 appendices

ABSTRACT

Background and Objective

Nutritional status is the state of individual or community health that is determined based on the need for energy and nutrients which are measured by anthropometry. Nutritional status is an important health indicator for children under five years of age, because, at this age, it is a group that is vulnerable to health and nutrition. The purpose of this study was to determine the relationship between maternal parenting and birth weight with nutritional status of toddlers in ParakLaweh, Padang City.

Method

A cross sectional study was carried out in ParakLaweh from February 2018 to August 2018. The samples were mothers who had children aged 1-3 years as many as 100 people. Mothers as respondents were interviewed directly using a questionnaire. Nutritional status in children is measured by a BB / U indicator and interpreted using WHO-anthro software.

Result

The results of the study showed that toddlers who experienced underweight were 23%. There was a relationship between eating parenting ($p = 0.001$), health parenting ($p = 0.001$) and birth weight ($p = 0.009$) with nutritional status of toddlers.

Conclusion

Nutritional status is related to feeding parenting, health parenting and birth weight. Therefore, it is important to pay attention to parenting to improve nutritional status and also prevent low birth weight.

References : 58 (1997-2018)

Key Words : Nutritional status, feeding parenting, health parenting and birth weight

**PROGRAM STUDI S1 KEBIDANAN
FAKULTAS KEDOKTERAN
UNIVERSITAS ANDALAS**

**Skripsi,Okttober2018
ANNISA BELLADONA ALNOTRI. No.BP.1410331007**

**HUBUNGAN POLA ASUH IBU DAN BERAT BADAN LAHIR DENGAN
STATUS GIZI BATITA DI KELURAHAN PARAK LAWEH KOTA PADANG**
xxi+104halaman, 6 tabel, 3 gambar, 10 lampiran

ABSTRAK

Latar Belakang dan Tujuan Penelitian

Status gizi adalah keadaan kesehatan individu atau masyarakat yang ditentukan berdasarkan kebutuhan akan energi dan zat-zat gizi yang diukur dengan antropometri. Status gizi merupakan indikator kesehatan yang penting pada anak usia dibawah lima tahun, karena pada usia ini merupakan kelompok yang rentan terhadap kesehatan dan gizi. Tujuan penelitian ini adalah untuk mengetahui hubungan pola asuh ibu dan berat badan lahir dengan status gizi batita di Kelurahan Parak Laweh Kota Padang.

Metode

Penelitian *cross sectional* dilakukan di Kelurahan Parak Laweh dari bulan Februari 2018 sampai bulan Agustus 2018. Sampel adalah ibu yang memiliki anak usia 1-3 tahun sebanyak 100 orang. Ibu sebagai responden diwawancara secara langsung dengan menggunakan kuesioner. Status gizi pada anak diukur dengan indikator BB/U dan diinterpretasikan dengan *software WHO-anthro*.

Hasil

Hasil penelitian menunjukkan balita mengalami gizi kurang adalah sebesar 23%. Terdapat hubungan antara pola asuh makan ($p=0,001$), pola asuh kesehatan ($p=0,001$) dan berat badan lahir ($p=0,009$) dengan status gizi batita.

Kesimpulan

Status gizi berhubungan dengan pola asuh makan, pola asuh kesehatan dan berat badan lahir. Oleh Karena itu, penting untuk memperhatikan pola asuh untuk meningkatkan status gizi dan juga mencegah berat badan lahir rendah.

Daftar Pustaka: 58 (1997- 2018)

Kata Kunci: Status gizi, pola asuh makan, pola asuh kesehatan dan berat badan lahir