

## DAFTAR PUSTAKA

Al-snafi AE. The medical importance of Cicer arietinum - A review. IOSR Journal of Pharmacy. 2016;6(3):29-40

American Diabetes Association 2009. Diagnosis and classification of diabetes mellitus. Diakses tanggal 1 Maret 2018 dari <http://creativecommons.org/licenses/by-nc-nd/3.0/>.

Brem H, Tomic-Canic M. Cellular and molecular basis of wound healing in diabetes. J Clin Invest . 2007;117:1219–22.

Buraerah, Hakim. Analisis faktor risiko diabetes melitus tipe 2 di puskesmas tanrutedong, sidenreg rappan. Jurnal Ilmiah Nasional. 2010.

Cade WT. Diabetes-related microvascular and macrovascular diseases in the physical therapy setting. Phys. Ther. 2008;88:1322–1335.

Cao W, Li F, Steinberg RH, Lavail MM. Development of normal and injury-induced gene expression of aFGF, bFGF,CNTF, BDNF, GFAP and IGF-I in the rat retina. Exp Eye Res. 2001;72:591–604.

Choi SB, Jang JS, Park S. Estrogen and exercise may enhance  $\beta$ -cell function and mass via insulin receptor substrate 2 induction in ovariectomized diabetic rats. Endocrinology. 2005;146(11):4786-4794.

Cubero JI. Morphology of chickpea. 1987: 35-66. In: M.C. Saxena and K.B. Singh (eds.), The Chickpea. CAB International, Wallingford, Oxon, OX10 8DE, UK 1987

Dharma S, Wulandari U, Aria M, Dillasamolla D. The influences of Fibroblast growth factor (FGF) and protein about to histopathology of rats pancreatic  $\beta$  cell. Research Journal of Pharmaceutical, Biological and Chemical Science. 2016;7(5):481-487.

Doppalapudi S, Sandya L, Reddy K C, Nagarjuna S, Padmanabha R Y and Saba S. Anti- inflammatory activity of Cicer arietinum seed extracts. Asian Journal of Pharmaceutical & Clinical Research. 2012;5:64-68.

Duke JA. Handbook of Legumes Of World Economic Importance. New York: Plenum Press; 1981.

Eswarakumar VP, Lax I, Schlessinger J. Cellular signaling by fibroblast growth factor receptors. Cytokine and Growth Factor Reviews. 2005;16(1):139-149.

Ganong, WF. Fisiologi Kedokteran. Jakarta: Penerbit Buku Kedokteran EGC; 1995.

Gartner, Hiatt LP, Strum JL, et al. Biologi Sel dan Histologi Edisi ke-6. Jakarta : Binarupa Aksara Publisher; 2012.

Gibney JM, Margaretts MB, Kearney MJ, & Arab L. Gizi Kesehatan Masyarakat. Jakarta: Buku Kedokteran EGC; 2009.

Guyton AC. Buku Ajar Fisiologi Kedokteran (Edisi 9). Jakarta : Penerbit Buku Kedokteran EGC; 1997.

Harding, Anne Helen *et al*. Dietary fat and risk of clinic type diabetes. American Journal of Epidemiology. 2003;15(1):150-9.

Hauge-Evans A, King A, Carmignac D, Richardson C, Robinson C, Low M, et al. Somatostatin secreted by islet  $\delta$ - cells fulfills multiple roles as a paracrine regulator of islet function. Diakeses tanggal 3 Maret 2018 dari <http://www.medscape.com/viewarticle/588893>.

Hossain MN, Saha M, Rahman S, Haque S, Jahan R, Rahmatullah M. Antihyperglycemic and analgesic activity studies with boiled *Cicer arietinum* L. seeds. Journal of Applied Pharmaceutical Science. 2015;5(12):138-141.

ILDIS World database of Legumes. Geographical distribution of *Cicer arietinum* L. Diakses tanggal 1 Maret 2108 dari [http://www.legumes-online.net/ildis/aweb/td014/td\\_02827.htm](http://www.legumes-online.net/ildis/aweb/td014/td_02827.htm).

Integrated Taxonomic Information System. Taxonomy of *Cicer arietinum* L. Diakses tanggal 1 Maret 2108 dari <https://www.itis.gov/servlet/SingleRpt/SingleRpt#null>.

Jensen M, Joseph J, Ronnebaum S, Burgess S, Sherry A, Newgard C. Metabolic cycling in control of glucose-stimulated insulin secretion. Di akses tanggal 3 Maret 2018 dari <http://ajpendo.physiology.org/content/295/6/E1287>.

Karsono, S. Chickpea : the potentials crop planted in Indonesia. Indonesian Center for Agricultural Library and Technology Dissemination. 1999;(13):106-115.

Kemenkes RI, (2014). Pusat data dan informasi. Jakarta : Kementerian Kesehatan RI.

Lasekan O, Juhari N and Pattiram PD. Headspace solid-phase microextraction analysis of the volatile flavour compounds of roasted chickpea (*Cicer arietinum* L). J Food Process Technol. 2011;2(3):112-117.

Li Y, Zhang JS, Wu GZ. Effect of the isoflavone extract on cicer arietinum l. on blood glucose level and oxidation-antioxidation status in diabetic mice. Journal of Clinical Rehabilitative Tissue Engineering Research. 2007; 11(38): 7625-7629.

Liu, D., Zhen, W., Yang, Z., Carter, J.D., Si, H., & Reynolds, K.A. Genistein acutely stimulates insulin secretion in pancreatic beta-cells through a cAMP-dependent protein kinase pathway. *Diabetes*. 2006;55(4):1043-1050.

Lv Q, Yang Y, Zhao Y, Gu D. Comparative study on separation and purification of isoflavones from the seeds and sprout of chickpea by high-speed countercurrent chromatography. *Journal of Liquid Chromatography & Related Technologies*. 2009;32(19):2879-2892.

Mahdiana, R. Mencegah Penyakit Kronis Sejak Dini. Yogyakarta: Tora Book; 2010.

Marioli Nobile CG, Carreras J, Grossi R, Inga M, SilvaM, Aguilar R, Allende MJ, Badini R and Martinez MJ. Proximate composition and seed lipid components of kabuli-type chickpea (*Cicer arietinum* L.) from Argentina. *Agricultural Sciences*. 2013;4(12):729-737.

Marks D, Marks A, Smith C. Biokimia Kedokteran Dasar. Jakarta: EGC; 2000.

Mazur WM, Duke JA, Wahala K, Rasku S, and Adlercreutz H: Isoflavonoids and lignans in legumes: nutritional and health aspects on humans. *J Nutri Biochem*. 1998;9:193–200.

Mescher LA. Junquiera's Basic Histology Text and Atlas. 12<sup>th</sup> Edition. New York: McGraw-Hill Companies; 2011.

Mescher LA. JANQUEIRA'S Basic Histology Text and Atlas (14<sup>th</sup> edition). New York: Mc Graw Hill; 2016.

Murray RK, Granner DK, Rodwell VW. Glukogenesis dan Kontrol Gula Darah dalam Biokimia Harper. Jakarta : EGC; 2006.

National Genetic Resource Program. Coomon names of *Cicer arietinum* L. Diakses tanggal 1 Maret 2108 dari <https://npgsweb.ars-grin.gov/gringlobal/taxonomydetail.aspx?id=10535>.

Novrial D. Kerusakan sel  $\beta$  pankreas akibat induksi streptozotosin : tinjauan patologi eksperimental. *Mandala of Health*. 2007;3(2):46-51.

Ornitz DM, Itoh N. Fibroblast growth factors. *Genome Biol*. 2001;2.

Potthoff MJ, Kliwer SA, Mangelsdorf DJ. endocrine fibroblast growth factors15/19 and 21: from feast to famine. *Genes Dev.* 2012;26:312–324.

Price SA, Wilson LM. Patofisiologi (Edisi 6). Jakarta : Penerbit Buku kedokteran EGC; 2005.

Rorsman P. Insulin secretion: function and therapy of pancreatic beta-cells in diabetes. *The British Journal of Diabetes & Vascular Disease.* 2005; 5(4):187-191.

Sacher RA, Mc Pherson RA. Tinjauan Klinis Hasil Pemeriksaan Laboratorium. Edisi II. Penerjemah : Brahm Pendit, Dewi Wulandari. Jakarta : EGC. 2004.

Sadri Hamideh, Goodarzi MT, Salemi Z, Seifi M. Antioxidant effect of biochanin A in streptozotocin induced diabetic rats. *Brazilian Archives of Biology and Technology.* 2017;60.

Schlessinger J. Cell signaling by receptor tyrosine kinases. *Cell.* 2000;103:211–225.

Slomianka L. Blue histology. Diakses tanggal 4 Maret 2108 dari <http://www.lab.anhb.uwa.edu.au/mb140/CorePages/Epithelia/Epithel.htm>.

Snehalatha, Chamukuttan dan Ramachandran, Ambady. Diabetes Melitus Dalam Gizi Kesehatan Masyarakat. Editor : Michael J Gibney, et al. Penerbit Buku Kedokteran EGC.Jakarta; 2009.

Suherman SK. Insulin dan Antidiabetic Oral Farmakologi dan Terapi. Jakarta: Universitas Indonesia; 2007.

Szkudelski, T. The mechanism of alloxan and streptozotocin action in  $\beta$  cells of the rat pancreas. *Physiology Research.* 2001;50(6):536-554.

Tallitsch RB, Guastaferri RS. Histology : An identification manual. Philadelphia : Mosby Elsivier. 2009;16:12-13.

Teixeria L. Regular physical exercise training assists in preventing type 2 diabetes development: focus on its antioxidant and anti-inflammatory properties. *Biomed Central Cardiovascular Diabetology.* 2011; 10(2):1-15.

Teven CM, Farina EM, Rivas J, Reid RR. Fibroblast growth factor (FGF) signaling in development and skeletal diseases. *Genes & Diseases.* 2014;I: 199-213.

Thisse B, and Thisse C. Function and regulation of fibroblast growth factor signaling during embryonic development. *Dev Biol.* 2005; (287); 390-402.

Thompson, Lilian U et al. Phytoestrogen content of foods consumed in canada, including isoflavones, lignans, and coumestan. Nutrion and Cancer. 2006; 54(2):184-201.

Utami P. Tanaman Obat Untuk Mengatasi Diabets Melitus. Jakarta: Agromedia Pustaka; 2013.

Van der Maesen L.J.G. Cicer L. Origin, history and taxonomy of chickpea. 1987:11-34. In: M.C. Saxena and K.B. Singh (ed.), The Chickpea. C.A.b. International Cambrian News Ltd, Aberystwyth, UK 1987.

Wei, Ying et al. Study of the hypoglycemic activity of derivatives of isoflavones from *Cicer arietinum* L.. Research Article. 2017;1-18.

Zaki M, Zaid A, Mostafa M, Abouzid S. Antibacterial effect of isoflavones isolated from *Cicer arietinum*. International Journal of Natural Product Research. 2012; 2(1): 1-5.

Zhao S, Zhang L, Gao P and Shao Z. Isolation and characterisation of the isoflavones from sprouted chickpea seeds. Food Chem 2009;114:869-873.

