

DAFTAR PUSTAKA

- Ahdinur, R.F. 2014. *Uji aktivitas antimikroba dari jamur yang bersimbiosis dengan spon laut Haliclona fascigera asal Pulau Mandeh Pesisir Selatan Sumatera Barat*: Skripsi Sarjana Farmasi. Padang: Fakultas Farmasi Universitas Andalas.
- Arai, M., Sobou, M., Vilcheze, C., Baughn, A., Hashizume, H., Pruksakorn, P., Ishida, S., Matsumoto, M., Jacobs, WR., & Kobayashi, M. 2008. Halicyclamine A, a marine spongean alkaloid as a lead for antituberculosis agent. *Bioorganic & Medical Chemistry.*, 16, 6732-6736.
- Arora, D.S. & Bhardwaj. 1997. Antibacterial Activity of Some Medicinal Plants. *Geo. Bios.*, 24, 127-131.
- Bringmann, G & Lang, G. 2003. Full absolute stereostructures of natural products directly from crude extracts: The HPLC-MS/MS-NMRCD triad, In: WEG Muller (Ed.), *Sponges (Porifera), Mar. Mol.Biotechnol.*, 89-116.
- Bremer, P.J. 2004. *Staphylococcus aureus*. New Zealand: New Zealand Institute for Crop & Food Research Limited., 148-152.
- Brock, T.D. 1961. Chloramphenicol. *Bacteriol. Rev.*, 25, 32-48.
- Chen, IN., Chang, CC., Ng, CY., Wang, YY., Shyu, TL., & Chang. 2008. Antioxidant and Antimicrobial Activity of Zingiberaceae Plants in Taiwan. *J. Plant Foods Hum.Nutr.*, 63, 15-20.
- Cosgrove, S., Qi, Y., Kaye, K.S., Harbarth, S., Karchmer, A.W., & Carmeli, Y. 2005. The impact of methicillin resistance in *Staphylococcus aureus* bacteremia on patient outcomes : mortality, lenght of stay and hospital charges. *Infection Control and Hospital Epidemiology.*, 26, 166-74.
- Darwis, D. 2000. *Teknik Dasar Laboratorium Dalam Penelitian Senyawa Bahan Alam Hayati*, Workshop Pengembangan Sumber Daya Manusia Dalam Bidang Kimia Organik Bahan Alam Hayati, FMIPA Universitas Andalas Padang.
- Dellit, T., Duchin, J., Hofmann, J., & Olson, E., 2007. Guidelines for evaluation & management of community-associated methicillin-resistant *Staphylococcus aureus* skin and soft tissue infections in outpatient setting. [online] available at:<http://www.metrokc.gov/health/providers/epidemiology/MRSAguidelines.pdf>
- Engmann, J.J., Carmeli, Y., Cosgrove, S.E., Fowler, V.G., Bronstein M.Z., & Trivette, S.L. 2003. Advers clinical and economic outcomes attributable to

- methicillin resistance among patients with *Staphylococcus aureus* surgical site infection. *Clinical Infection Disease.*, 36, 592-98.
- Ely, R., Supriya T., & Naik CG. 2004. Antimicrobial activity of marine organisms collected off the coast of south east India. *Elsevier Sciences.*, 309, 121-127.
- Ermiati, N. 2014. *Isolasi Senyawa Antibakteri Dari Jamur Aspergillus niger Hfl yang Bersimbiosis Pada Spon Laut Haliclona fascigera*. Skripsi Sarjana Farmasi. Padang : Universitas Andalas.
- Fardiaz, S. 1989. *Mikrobiologi Pangan*. Bogor : IPB.
- Fisher, N.M & Goldsworthy, P.R. 1992. *Fisiologi Tanaman Budidaya Tropik*. Yogyakarta : Universitas Gadjah Mada Press.
- Fukuda, T., Hasegawa, Y., Hagimori, K., Yamaguchi, Y., Masuma, R., Tomoda, H., & Omura, S. 2006. Tensidols, New Potentiators of Antifungal Miconazole Activity, Produced by *Aspergillus niger* FKI-2342. *Journal Antibiotic.*, 59(8), 480-485).
- Harborne, J.B. 1987. *Metode Fitokimia*, Edisi ke dua. Bandung : ITB.
- Hatijah, S., Husain, D.R., & Sartini. 2013. Bioaktivitas Minyak Atsiri Umbi Lapis Bawang Merah (*Allium cepa* L.) Lokal Asal Bima terhadap Bakteri *Streptococcus mutans* Penyebab Karies Gigi. Naskah Publikasi Fakultas Farmasi. Makasar : Universitas Hasanudin.
- Hentschel, E. 1912. Kiesel- und Hornschwamme der Aru- und Kei-Inseln. Abhandlungen herausgegeben von der Senckenbergischen naturforschenden Gesellschaft., 34(3), 293-448.
- Jadulco, R., Proksch, P., Wray, V., Sudarsono., Berg, A., Grafe, U. 2001. New macrolides and furan carboxylic acid derivative from the sponge derived fungus *Cladosporium herbarum*. *J. Nat. Prod.*, 64, 527–530.
- Kadarisman, I. 2000. *Isolasi dan Identifikasi Senyawa Kimia Bioaktif dari Rimpang Bangle (Zingiber cassumunar Roxb)*. Skripsi Jurusan Kimia FMIPA. Bogor : Institut Pertanian Bogor.
- Katzung, B.G. 2004. *Basic and Clinical Pharmacology*. New York : MCCraw Hill Companies.
- Kobayashi M., Chen Y.J., Aoki Y., Ishida T., & Kitagawa I .1995. For new and carboline alkaloids isolated from two Okinawa marine sponges of *Xestospongia* sp. and *Haliclona* sp. *Tetrahedron.*, 51, 3727-3736.
- Kozakiewicz, Z. 1989. *Aspergillus nigerecies on stored products*. CAB International Mycological Institute, Kew, Surrey.

- Mahdiyah, D & Mukti, B.H. 2012. Penapisan Bakteri yang Berasosiasi dengan Spon *Japsis sp* Penghasil Enzim Amilase. *Bioscientiae.*, 9, 9-14.
- Madigan, M.T & Martinko, J.M., 2006. *Brock Biology of Microorganisms 11th ed.* New Jersey : Pearson Education., 178-185.
- Mayers, P., Espinosa, Parr CS, Jones, Hammond GS., & Dewey TA. 2008. *The Animal diversity web*, Diakses 3 Februari 2013 dari <http://animaldiversity.org>.
- Murniasih, T & Satari, R. 1998. *Isolasi Substansi Bioaktif Antimikroba dari Spons Asal Pulau Pari Kepulauan Seribu.* Seminar Bioteknologi Kelautan Indonesia. Laboratorium Produk Alam Laut: Puslitbang Oseanologi LIPI.
- Nining. 2009. *Isolasi dan Uji Aktivitas Senyawa Antibakteri dari Spon Laut Haliclona fascigera.* Padang : Universitas Andalas.
- Nurkusuma D.D. 2009. *Faktor yang Berpengaruh terhadap Kejadian Methicillin Resistant *Staphylococcus aureus* (MRSA) pada Kasus Infeksi Luka Pasca Operasi di Ruang Bangsal Rawat Bedah RS Kariadi Semarang.* In Thesis. Semarang., 23.
- Nursanty, Risa & Yunita. 2012. The Potent of Methanol Extract of Cashew (*Anacardium occidentale L*) Againts Methilcillin-Resistant *Staphylococcus aureus* (MRSA). *Jurnal Natural.*, 12(2), 40-43.
- Nursidika, P., Saptarini, O., & Rafqua, N. 2014. *Aktivitas Antimikrob Fraksi Ekstrak Etanol Buah Pinang (Areca catechu L) pada Bakteri Methicillin Resistant *Staphylococcus aureus*.*, 46(2). Cimahi : MKB.
- Proksch, P., Edrada, RA., & Ebel. 2002. Drugs from the sea-current statusand microbiological implications. *Appl. Microbiol. Biotechnol.*, 59, 125–134.
- Pokhrel, C.P & Ohga, S. 2007. Submerged Culture Conditions for Mycelial Yield and Polysaccharides Production by *Lyophyllum decastes*. *Food Chemistry*, 105, 641-646.
- Raper, K.B & Fennell, D.I. 1965. *The Genus Aspergillus.* Baltimore: The Williams and Wilkins Company., 686
- Stanbury, P.F., Whitaker A., & Hall, S.J. 1995. Principle of Fermentation Technology 2nd edition. *Elsevier Science Ltd.*, 1-5, 147-149.
- Samson, R. A., Hoekstra, E. S., & Oorschot, C. A. N. 1981. Introduction to Food Borne Fungi. *Central bureau for Schimmcl Cultures, Netherland.*, 4.

- Sari L & Purwadaria T. 2004. Pengkajian nilai gizi hasil fermentasi mutan *Aspergillus niger* pada substrat bungkil kelapa dan bungkil inti sawit. *Biodiversitas.*, 5(2), 48-51.
- Sastrohamidjojo, H. 1991. *Spektrosfotokopi, edisi kedua*. Yogyakarta: Penerbit Liberty.
- Shriner, R., C. Fuson., D. Curtin., and T.C. Moril. 1981. *The systematic identification of organic compounds 4ed*. Singapore : John Willey and Sons.
- Silverstein, R. M., G. C. Bassler, and T.C Morill. 1981. *Spectrometric identification of organic compounds fourth edition*. Singapore : John Willey and Sons.
- Tarigan, Mochtar & Anwar, R. 1991. Allergic Bronchopulmonary Aspergillosis Mycology, Immunology, and Clinical Aspects. *Laboratory of Microbiology, Faculty of Medicine, Islamic University of North Sumatra, Medan. Laboratory of Pulmonology, Faculty of Medicine, Islamic University of North Sumatra/PTP IX Hospital, Medan.*
- Taylor, M.W., Radax, R., Steger, D., & Wagner, M. 2007. Sponge-associated Microorganisms: Evolution, Ecology, and Biotechnological Potential. *Microbiol. Mol. Bio. Reviews.*, 2, 295- 347.
- Trevino, L., Contretas-Esquivel, J.C., Rodriguez-Herrera, R., & Aguilar, CN. 2007. Effects of polyurethane matrices on fungal tannase and gallic acid production under solid state culture. *J Zhejiang Univ Sci.*, 8(10), 771-6.
- Varoglu, M., Corbett, T.H., Valeriote, F.A., & Crews, P. 1997. Asperazine, a Selective Cytotoxic Alkaloid from a Sponge-Derived Culture of *Aspergillus niger*. *The Journal of Organic Chemistry.*, 7078-7079.
- Vasantha Bharathi, S & Jayalakshmi, S. 2011, Bioactive potential of symbiotic bacteria and fungi from marine sponges. *African Journal of Biotechnology.*, 11,7500-7511.
- Waluyo, Lud. 2005. *Mikrobiologi Umum*. Malang : Universitas Muhammadiyah Malang.
- Wang, J., Wang, M., Huang, Y., & Zhu, M. 2011. Colonization pressure adjusted by degree of environmental contamination : a better indicator for predicting *Methicillin Resistant Staphylococcus aureus* acquisition. *American Journal of Infection Control.*, 39, 763-69.
- Wattanadilok, R., Sawangwong, P., Rodrigues, C., Cidade, H., Pinto, M., & Pinto, E. 2007. Antifungal activity evaluation of the constituent of *Haliclona baeri* and *Haliclona cymaeformis*. Collected from the gulf of Thailand, *Marine Drugs.*, 5,40-51.

Weerdt, W.H & Van Soest, R.W.M. 2001. *Haliclona* (*Halichoclonia*) *vanderlandi* spec. nov (Porifera: Demospongiae: Haplosclerida) from Indonesia. *Zool. Verh. Leiden.*, 334, 189-194.

WHO. 2010. *Indonesia Health Profile*. Geneva: WHO Statistics.

Wuryanti. 2008. Pengaruh Penambahan Biotin Pada Media Pertumbuhan Terhadap Produksi Sel *Aspergillus niger*. *Biomal.*, 10(2), 46-50.

Yan, J., Li, L., Wang, Z., & Wu, J. 2010. Structural elucidation of an exopolysaccharide from mycelial fermentation of a *Tolypocladium* sp. fungus isolated from wild *Cordyceps sinensis*. *Carbohydrate Polymers.*, 79, 125-130.

Yang, Wen., Kim, W.S., Fang, A., & Demain, A. 2003. Carbon and Nitrogen Source Nutrition of Fumagillin Biosynthesis by *Aspergillus fumigatus*. *Current microbiology.*, 46(4), 275-279.

Zhang, Y., Li, X., & Wang, B. 2007. Nigersasperones A~C, New Monomeric and Dimeric Naphtho- γ -pyrones from a Marine Alga-derived Endophytic Fungus *Aspergillus niger* EN-13. *Journal Antibiotic.*, 60(3), 204-210.

Zhang, Y., Wang, S., Li, X., Cui, C., Feng, C., & Wang, B. 2007. New Sphingolipids with a Previously Unreported 9-Methyl-C₂₀-sphingosine Moiety from a Marine Algous Endophytic Fungus *Aspergillus niger* EN-13. *Springer AOCS.*, 42, 759-764.