


SKRIPSI

HUBUNGAN DUKUNGAN SOSIAL DENGAN PERILAKU MENYUSUI IBU *POST PARTUM* PADA FASE *IMMEDIATE* DI RUMAH SAKIT “X” KOTA PADANGTAHUN 2018



PEMBIMBING 1 : Vetty Priscilla, M.Kep, Sp.Mat, MPH

PEMBIMBING II: Ns. Lili Fajria, S.Kep,M,Biomed

**PROGRAM STUDI S1 KEPERAWATAN
FAKULTAS KEPERAWATAN
UNIVERSITAS ANDALAS
2019**

Program Studi Sarjana Keperawatan
Fakultas Keperawatan
Universitas Andalas
Januari, 2019

Nama : Prima Wia Sari

Nomor Buku Pokok : 1711316038

Hubungan Dukungan Sosial dengan Perilaku Menyusui Ibu *Post Partum*Fase
Immediate di Rumah Sakit “X” KotaPadang Tahun 2018

ABSTRAK

Pemberian ASI terutama pada masa 24 jam setelah persalinan merupakan langkah awal keberhasilan pemberian ASI selanjutnya. Kondisi persalinan dan ketakutan terhadap kondisi pasca persalinan mengakibatkan Ibu menunda pemberian ASI pada bayinya. Faktor seperti motivasi Ibu sendiri, produsen susu formula, dan dukungan sosial yang terdiri dari dukungan tenaga kesehatan, teman dan keluarga berpengaruh sangat kuat dalam hal ini.Penelitian ini bertujuan untuk melihat apakah ada hubungan antara dukungan sosial dengan perilaku menyusui ibu *post partum* fase *immediatedi* Rumah Sakit “X” Kota Padang Tahun 2018.Desain penelitian ini adalah penelitian cross-sectional study dengan sampel sebanyak 94 orang yang diambil dengan metode *Non Probability Sampling* yaitu dengan *Accidental Sampling*.Data diolah menggunakan analisis univariat dan analisis bivariat dengan menggunakan uji chi-square.Hasil analisis univariat menunjukkan lebih dari separuh (55.3%) responden memiliki dukungan sosial yangtinggi dan sebanyak 75.5% responden memiliki perilaku menyusui yang baik.Pada analisis bivariat hampir semua responden (96%) dengan perilaku menyusui yang baik juga memiliki dukungan sosial yang tinggi dan hanya (3.84%) responden dengan dukungan sosial yang tinggi yang tidak memiliki perilaku menyusui yang baik.Sehingga diketahui dukungan sosial secara signifikan berhubungan dengan perilaku menyusui ibu *post partum* fase *immediate* di Rumah Sakit “X” Kota Padang dengan $p = 0.000$ ($p < 0.05$) dan diharapkan penelitian ini dapat menjadi dasar peningkatan ilmu di rumah sakit dalam pelaksanaan pelayanan keperawatan khususnya peningkatan pemberian ASI sesegera mungkin pada ibu *post partum* di fase *immediate*.

Kata Kunci: Dukungan Sosial, Perilaku Menyusui, Ibu *Post Partum*
Bibliografi :61(2003 - 2018)

*Under Graduate of Nursing Study Program
Nursing Faculty
University of Andalas
January, 2019*

*Name : Prima Wia Sari
Registered Number : 1711316038*

*The Relationship between Social Support and Breastfeeding Behavior
In the Immediate Phase of post partum mothers in the "X" hospital
in the Padang city in 2018*

ABSTRACT

Giving ASI, especially during the 24 hours after delivery is the first step to success in subsequent breastfeeding. The condition of labor and fear of postpartum conditions results in the mother delaying breastfeeding in her baby. Factors such as mothers own motivation, formula milk producers, and social support consisting the support of health workers, friends and family have a very strong influence on this matter. This study aims to see whether there is a relationship between social support and breastfeeding behavior in the immediate phase of post partum mothers at Padang "X" Hospital in 2018. The design of this study is a cross-sectional study with a sample of 94 people taken by the Non Probability Sampling method that is by accidental sampling. Data was processed using univariate analysis and bivariate analysis using the chi-square test. The results of univariate analysis showed that more than half (55.3%) of respondents had high social support and as many as 75.5% of respondents had good breastfeeding behavior. In bivariate analysis, almost all respondents (96%) with good breastfeeding behavior also had high social support and only (3.84%) respondents did not have good breastfeeding behavior. So it can be concluded that social support is significantly related to breastfeeding behavior in the immediate phase of post partum mothers at Padang "X" Hospital with $p = 0.000$ ($p < 0.05$) and it is expected that this research can be the basis for improving hospital knowledge in implementing nursing services in particular increased breastfeeding as soon as possible in post partum mothers in the immediate phase.

*Keywords : Social Support, Breastfeeding Behavior, Post Partum Mothers
Bibliography : 61 (2003-2018)*