

DAFTAR PUSTAKA

1. Djafar ZA, Helmi RR. Kelainan telinga tengah. In: *Kesehatan Telinga Hidung Tenggorok Dan Leher FKUI*. 6th ed. Badan Penerbit FKUI; 2012:57-69.
2. Mittal R, Lisi C V., Gerring R, et al. Current concepts in the pathogenesis and treatment of chronic suppurative otitis media. *J Med Microbiol*. 2015;64(10):1103-1116.
3. Uddin W, Hussain A, Khan A, Ahmad F S. Prevalence and comparison of chronic suppurative otitis media in government and private schools. *Ann Pak Inst Med Sci*. 2009;5(3):141-144.
4. Helmi. Otitis media supuratif kronis. In: *Balai Penerbit FKUI*. ; 2005:55-68.
5. Moorthy PNS, Lingaiah J, Katari S, Nakirakanti A. Clinical application of a microbiological study on chronic suppurative otitis media. *Ijohns*. 2013;2:290-294.
6. Anwar K, Said M, Zada B, Din G, Ahmad I. Cholesteatoma and the destruction of middle ear and mastoid cavities in otorrhoea. *PJMHS*. 2012;6(1):51-55.
7. Moriyama H, Huang CC, Abramson M. Cell cooperation on bone resorption in chronic otitis media. *Arch Otorhinolaryngol*. 1984;241(1):89-93.
8. Meyer T, Strunk C, Lambert P. Cholesteatoma. In: Johnson J, Rosen C, eds. *Bailey,s Head and Neck Surgery Otolaryngology 5th Edition*. 5th ed. China: Wolters Kluwer Lippincot Williams and Wilkins; 2014:2433-2446.
9. Peek F, Huisman M, Berckmans R, Sturk A, Loon J, Grote J. Lipopolysaccharide concentration and bone resorption in cholesteatoma. *Otol Neurotol*. 2003;24(5):709-713.
10. Varshney S, Nangia A, Bist SS, Singh RK, Gupta N, Bhagat S. Ossicular chain status in chronic suppurative otitis media in adults. *Indian J Otolaryngol Head Neck Surg*. 2010;62(4):421-426.
11. Mansoor T, Musani MA, Khalid G, Kamal M. *Pseudomonas aeruginosa* in

chronic suppurative otitis media: sensitivity spectrum against various antibiotics in Karachi. *J Ayub Med Coll.* 2009;21(2):120-123.

12. Alexander Arts. Meredith Adams. Intratemporal and intracranial complication of otitis media. In: *Bailey,s Head and Neck Surgery Otolaryngology.* 5th ed. Lippincott Williams and Wilkins; 2014:2399-2409.
13. Jacky M. Pola kuman aerob dan anaerob pada OMSK tipe aman dan OMSK tipe bahaya di RSUP dr. M. Djamil Padang. *Tesis.* 2009:1-84.
14. Novianti D. Perbedaan frekuensi pembentukan biofilm bakteri aerob pada otitis media supuratif kronis tipe aman fase aktif dengan tipe bahaya di RSUP Dr. M. Djamil Padang. *Tesis.* 2016:1-62.
15. Syazwani S. Detection of gram positive and gram negative organisms in sputum quality testing. In: *Tesis.* Faculty of Electrical & Electronics Engineering , University Malaysia, Pahang; 2012:1-13.
16. Leone S, Silipo A, Nazarenko E, Lanzetta R, Parilli M, Molinaro A. Molecular structure of endotoxin from gram negative Marine bacteria : an update. *Mar Drugs.* 2007;5:85-112.
17. Wang X, Quinn PJ. Lipopolysaccharide: Biosynthetic pathway and structure modification. *Prog Lipid Res.* 2010;49(2):97-107.
18. Wang X, Quinn PJ. Endotoxins: lipopolysaccharides of gram-negative bacteria. In: *Subcellular Biochemistry.* Vol 53. ; 2010:3-25.
19. Juhn SK, Jung M-K, Hoffman MD, et al. The role of inflammatory mediators in the pathogenesis of otitis media and sequelae. *Clin Exp Otorhinolaryngol.* 2008;1(3):117.
20. Neill LAJO, College T. Signal transduction by the lipopolysaccharide receptor, Toll-like receptor-4 °. 2004. doi:10.1111/j.1365-2567.2004.01976.x.
21. Shaik Y, Anogianaki A, Katsanos G, et al. Role of cytokines in the pathogenesis of bone resorption. *J Orthop.* 2009;1(1):25-28.
22. Likus W, Siemianowicz K, Markowski J. Bacterial infections and osteoclastogenesis regulators in men and women with cholesteatoma. *Arch IMMunol Ther Exp.* 2016;64:241-247.
23. Nason R, Jung JY, Chole RA. Lipopolysaccharide-induced

osteoclastogenesis from mononuclear precursors: A mechanism for osteolysis in chronic otitis. *JARO*. 2009;10(2):151-160.

24. Delima AJ, Karatzas S, Amar S, Graves DT. Inflammation and tissue loss caused by periodontal pathogens is reduced by interleukin-1 antagonists. *J Infect Dis*. 2002;186(4):511-516.
25. Hienz SA, Paliwal S, Ivanovski S. Mechanisms of bone resorption in periodontitis. *J Immunol Res*. 2015;2015:1-10.
26. Alberti PW. The anatomy and physiology of the ear and hearing. *Occup Expo to noise Eval Prev Control*. 2001:53-62.
27. Ko A, Karaaslan O, Ko T. Mastoid air cell system. *Otoscope*. 2004;4:144-154.
28. Virapongse C, Sarwar M, Bhimani S, Sasaki C, Shapiro R. Computed tomography of temporal bone pneumatization: I. Normal pattern and morphology. *Am J Roentgenol*. 1985;145(3):473-481.
29. Vidya C, Shamsundar SG. Computerized tomographic study of pneumatisation of mastoid. *Ijsrp*. 2013;3(3):2-5.
30. Adhikari P, Joshi S, Baral D, Kharel B. Chronic suppurative otitis media in urban private school children of Nepal. *Braz J Otorhinolaryngol*. 2009;75(5):669-672.
31. Kumar H, Seth S. Bacterial and fungal study of 100 cases of chronic suppurative otitis media. *J Clin diagnostic Res*. 2011;5(6):1224-1227.
32. Pradesh A. Aerobic bacteriology of chronic suppurative otitis media in Rajahmundry , Andhra Pradesh , India. *Biol Med*. 2012;4(2):73-79.
33. Ahmed Z, Khan TZ, Rahim DU. Otogenic complications of otitis media : experience at tertiary care hospital. *Pak J Surg*. 2016;32(1):49-53.
34. Sanders E. Chronic suppurative otitis media : A review. *Int J Pediatr Otorhinolaryngol*. 2006;70:1-12.
35. Angrill J, Sánchez N, Agustí C, et al. Does *Helicobacter pylori* have a pathogenic role in bronchiectasis? *Respir Med*. 2006;100(7):1202-1207.
36. Meyer T, Strunk P, Lambert. Cholesteatoma. In: *Bailey's Head and Neck Surgery Otolaryngology*. 5th ed. Philadelphia: Lippincott Williams and Wilkins; 2014:2433-2446.

37. Olszewska E, Wagner M, Bernal-Sprekelsen M, et al. Etiopathogenesis of cholesteatoma. *Eur Arch Oto-Rhino-Laryngology*. 2004;261(1):6-24.
38. Hamed MA, Nakata S, Sayed RH, et al. Pathogenesis and bone resorption in acquired cholesteatoma: Current knowledge and future perspectives. *Clin Exp Otorhinolaryngol*. 2016;9(4):298-308.
39. Chole RA, McGinn MD, Tinling SP. Pressure-induced bone resorption in the middle ear. *Ann Otol Rhinol Laryngol*. 1985;94(2 I):165-170.
40. Brian S, Chole RA. Pressures exerted experimental cholesteatomas. *Arch Otolaryngol Head Neck Surg*. 1987;113:386-389.
41. Sinha AK, Sharma AK, Ahmad E, Kumar G. Bone resorption in chronic otitis media. *Vertigo*. 2014;5(6):10-90.
42. Kumar G, Daizy N, Pritam B. Ossicular chain status in chronic suppurative otitis media. *IOSR-JDMS*. 2016;15(3):20-23.
43. Nguyen KH, Suzuki H, Ohbuchi T, et al. Possible participation of acidic pH in bone resorption in middle ear cholesteatoma. *Laryngoscope*. 2014;124(1):245-250.
44. Likus W, Siemianowicz K, Markowski J, et al. Bacterial infections and osteoclastogenesis regulators in men and women with cholesteatoma. *Arch Immunol Ther Exp*. 2016;64:241-247.
45. Kanemaru SI, Kikkawa Y, Omori K, Ito J. Bone destructive mechanisms of cholesteatoma. *Laryngoscope*. 2010;120(SUPPL. 3):68.
46. Shang. Y sun. D. Inhibitory effects of antimicrobial peptides on lipopolysaccharide-induced inflammation. *Hindawi Publ Cooperation*. 2015:1-8.
47. Huang KC, Mukhopadhyay R, Wen B, Gitai Z, Wingreen NS. Cell shape and cell-wall organization in Gram-negative bacteria. *Proc Natl Acad Sci*. 2008;105(49):19282-19287.
48. Simpson Brent, May Janine, Sherman David, Kahne Daniel RN. Lipopolysaccharide transport to the cell surface: biosynthesis and extraction from the inner membrane. *Philos Trans R Soc B*. 2016:1-22.
49. Kini U, Nandeesh BN. Physiology of Bone Formation, Remodeling, and Metabolism. In: *Radionuclide and Hybrid Bone Imaging*. ; 2012:29-57.

50. Phan TCA, Xu J, Zheng MH. Interaction between osteoblast and osteoclast: Impact in bone disease. *Histol Histopathol*. 2004;19(4):1325-1344.
51. Kelava T, Alan, Kuzmac S, Katavi V. Interactions between bone and immune systems: A focus on the role of inflammation in bone resorption and fracture healing. *Period Biol*. 2014;116(1):45-52.
52. Abu-Amer Y, Ross FP, Edwards J, Teitelbaum SL. Lipopolysaccharide-stimulated osteoclastogenesis is mediated by tumor necrosis factor via its P55 receptor. *J Clin Invest*. 1997;100(6):1557-1565.
53. Davidson BA, Knight PR, Helinski JD, Nader ND, Shanley TP. The role of tumor necrosis factor. 1999;73(1):486-499.
54. Dahlan S. Menggunakan rumus besar sampel secara benar. In: *Besar Sampel Dan Cara Pengambilan Sampel Dalam Penelitian Kedokteran Dan Kesehatan*. 3rd ed. Salemba medika; 2013:35-80.
55. Jackler RK, Santa Maria PL, Varsak YK, Nguyen A, Blevins NH. A new theory on the pathogenesis of acquired cholesteatoma: Mucosal traction. *Laryngoscope*. 2015;125(S4):1-14.
56. Artono, Purnami N, Rahmawati R. Biofilm bacteria plays a role in CSOM pathogenesis and has significant corellation with unsafe type CSOM. *Folia Medica Indones*. 2014;51(4):208-213.
57. Tang AJS, Yap D, Kurtz J, Chan WH, Lusia MA. Global burden of disease due to chronic suppurative otitis media : disease, deafness, deaths and DALYs. In: *Chronic Suppurative Otitis Media : Burden of Illness and Management Options*. Berlin: World Health Organization; 2004:9-24.
58. Islam R, Taous A, Hossain M, Ekramuddaula AFM. Comparative study of tubotympanic and atticoantral variety of chronic suppurative otitis media. *bangladesh J Otorhinolaryngol*. 2010;16(2):113-119.
59. Raushan EA, Kumar J PS. Clinico-Epidemiological Profile of Tubotympanic Type of. *Ann Int Med Dent Res*. 2016;1(2):16-19.
60. Khan AU, Khan Q, Ahmed N, Ullah I, Khan MF. Clinical findings and diagnosis of cholesteatoma. *Pakistan J Med Heal Sci*. 2013;7(4):1184-1189.
61. Khatoon A, Rizvi M, Sultan A, et al. Chronic suppurative otitis media : a

- clinico-microbiological menace. *Int J Res Med Sci.* 2015;3(8):1932-1936.
62. Rathore VS, Shekhawat KK. Prevalence of pseudomonas aeruginosa in cholesteatoma patients in tertiary care hospital in North India. *Int J Otorhinolaryngol Head Neck Surg.* 2018;4(1):76-79.
63. Balan S, Viswanatha B. Microbiology of chronic suppurative otitis media: a prospective study in a tertiary care hospital. *J Otolaryngol Res.* 2017;9(1):1-4.
64. Chole RA, Faddis BT. Evidence for microbial biofilms in cholesteatomas. *Arch Otolaryngol - Head Neck Surg.* 2002;128(10):1129-1133.
65. Pinar E, Öncel S, Karagöz Ü, Şener G, Çalli Ç, Tatar B. Demonstration of bacterial biofilms in chronic otitis media. *Mediterr J Otol.* 2008;4(2):64-68.
66. Psaltis AJ. The role of bacterial biofilms in chronic rhinosinusitis. In: *Disertasi.* South Australia: Department of surgery, Faculty of Health Science, The Queen Elizabeth Hospital/ University of Adelaide; 2008.
67. Novianti D. Perbedaan frekuensi pembentukan biofilm bakteri aerob pada otitis media supuratif kronis tipe aman fase aktif dengan tipe bahaya di RSUP dr. M. Djamil Padang. In: *Tesis.* Bagian THT-KL, Fakultas Kedokteran Universitas Andalas, RSUP dr.M. Djamil Padang; 2016.
68. Ovesen T, Ledet T. Bacteria and endotoxin in middle ear fluid and the course of secretory otitis media. *Clin Otolaryngol Allied Sci.* 1992;17(6):531-534.
69. Kirikae T, Nakano M, Morrison DC. Antibiotic-induced endotoxin release from bacteria and its clinical significance. *Microbiol Immunol.* 1997;41(4):285-294.
70. Lepper P, Held T, Schneider E, Bölke E, Gerlach H, Trautmann M. Clinical implications of antibiotic-induced endotoxin release in septic shock. *Intensive Care Med.* 2002;28(7):824-833.
71. Sakuma Y, Tanaka K, Suda M, et al. Impaired bone resorption by lipopolysaccharide in vivo in mice deficient in the prostaglandin E receptor EP4 subtype. *Infect Immun.* 2000;68(12):6819-6825.
72. Morandini AC de F, Sipert CR, Ramos-Junior ES, Brozoski DT, Santos CF. Periodontal ligament and gingival fibroblasts participate in the

production of TGF- β , interleukin (IL)-8 and IL-10. *Braz Oral Res.*
2011;25(2):157-162.

