

DAFTAR PUSTAKA

1. Ginelli P, Bella JN. Treatment of diastolic dysfunction in hypertension. *Nutr Metab Cardiovasc Dis.* 2012;22:613–8.
2. Aurigemma GP, Gottdiener JS, Shemanski L, Gardin J, Kitzman D. Predictive value of systolic and diastolic function for incident congestive heart failure in the elderly: The cardiovascular health study. *J Am Coll Cardiol.* 2001;37:1042–8.
3. Redfield MM, Jacobsen SJ, Burnett Jr JC, Mahoney DW, Bailey KR, Rodeheffer RJ. Burden of systolic and diastolic ventricular dysfunction in the community. *JAMA.* 2003;289:194–9.
4. Kane GC, Karon BL, Mahoney DW, Redfield MM, Roger VL, Brunett JC, et al. Progression of left ventricular diastolic dysfunction and the risk of heart failure. *JAMA.* 2012;306:856–63.
5. Owan TE, Hodge DO, Herges RM, Jacobsen SJ, Roger VL, Redfield MM. Trends in prevalence and outcome of heart failure with preserved ejection fraction. *N Engl J Med.* 2006;355:251–9.
6. Palmiero P, Zito A, Maiello M, Cameli M, Amedeo P. Left ventricular diastolic function in hypertension : methodological considerations and clinical implications. *J Clin Med Res.* 2015;1:137–44.
7. Wolf-Maier K, Cooper RS, Banegas JR, Giampaoli S, Hense HW, Joffres M, et al. Hypertension prevalence and blood pressure levels in 6 european countries, Canada, and the United States. *JAMA.* 2003;289:2363–9.
8. Joffres M, Falaschetti E, Gillespie C, Robitaille C, Loustalot F, Poulter N, et al. Hypertension prevalence, awareness, treatment and control in national surveys from England, the USA and Canada, and correlation with stroke and ischaemic heart disease mortality: A cross-sectional study. *BMJ Open.* 2013;3:1–10.
9. Muntner P, Carey RM, Gidding S, Jones DW, Taler SJ, Wright JT, et al. Potential U.S. Population impact of the 2017 american college of cardiology/american heart association high blood pressure guideline. *J Am Coll Cardiol.* 2017;1–27.
10. Departemen Kesehatan RI.2013. Riset kesehatan dasar. Jakarta
11. Walsh R. Molecular mechanisms of cardiac hypertrophy and failure. *Circulation.* 2004;1–961.
12. Wiegers SE. Diastolic echo parameters meaningless numbers or crucial information? *Circ Cardiovasc Imaging.* 2011;4:460–2.
13. Nagueh SF, Smiseth OA, Appleton CP, Byrd BF, Dokainish H, Edvardsen T, et al. Recommendations for the evaluation of left ventricular diastolic function by echocardiography: an update from the american society of echocardiography and the european association of cardiovascular imaging. *J Am Soc Echocardiogr.* 2016;29:277–314.
14. Ha JW, Oh JK, Pellikka PA, Ommen SR, Stussy VL, Bailey KR, et al. Diastolic stres echocardiography: A novel noninvasive diagnostic test for diastolic dysfunction using supine bicycle exercise Doppler echocardiography. *J Am Soc Echocardiogr.* 2005;18:63–8.
15. Burgess MI, Jenkins C, Sharman JE, Marwick TH. Diastolic stres echocardiography:

- hemodynamic validation and clinical significance of estimation of ventricular filling pressure with exercise. *J Am Coll Cardiol.* 2006;47:1891–900.
- 16. Tsutomli, Yoshikawa T, Miyazaki, Makoto Akaishi, Showhe1 Ohnishi S, Handa Yn. Diastolic pressure-volume relationship during handgrip exercise in patients with coronary artery disease. *Clin Cardio.* 1991;748:743–8.
 - 17. Jake Samuel T, Beaudry R, Haykowsky MJ, Sarma S, Park S, Dombrowsky T, et al. Isometrik handgrip echocardiography: a noninvasive stres test to assess left ventricular diastolic function. *Clin Cardiol.* 2017;40:1247–55.
 - 18. Otto A. Smiseth, Maurizio Galderisi and JKO. Left ventricle: diastolic function. In: Patrizio L, José L Z, Gilbert H LB, editor. *The EACVI textbook of echocardiography.* 2nd ed. London: Oxford Press; 2017. p. 147–61
 - 19. Scott D. Solomon, Justina Wu and LG. Echocardiography. In: Mann, Douglas L., Zipes, Douglas P., Libby, Peter, Bonow Robert O., Braunwald E, editor. *Braunwald's Heart Disease : A textbook of cardiovascular medicine.* 10th ed. Philadelphia: Elsevier Saunders; 2015. p. 221
 - 20. Tzschätzsch H, Hättasch R, Knebel F, Klaua R, Schultz M, Jenderka KV, et al. Isovolumetric elasticity alteration in the human heart detected by invivo time-harmonic elastography. *Ultrasound Med Biol.* 2013;39:2272–8.
 - 21. Nagueh SF. Physiology of Diastole. In: Lang, Roberto M., Goldstein, Steven A, Kronzon, Itzhak, Khandheria Bijoy, Mor-Avi V, editor. *ASE'S Comprehensive Echocardiography.* second. Philadelphia: Elsevier Saunders; 2015. p. 173–89
 - 22. Leite-Moreira AF. Current perspectives in diastolic dysfunction and diastolic heart failure. *Heart.* 2006;92:712–8.
 - 23. Kass DA, Bronzwaer JGF, Paulus WJ. What mechanisms underlie diastolic dysfunction in heart failure? *Circ Res.* 2004;94:1533–42.
 - 24. Zile MR, Baicu CF, Gaasch WH. Diastolic heart failure-abnormalities in active relaxation and passive stiffness of the left ventricle. *N Engl J Med.* 2004;350:1953–9.
 - 25. Nadruz W, Solomon SD. Diastolic dysfunction and hypertension. *Med Clin NA.* 2017;101:7–17.
 - 26. Nadruz W. Myocardial remodeling in hypertension. *J Hum Hypertens.* 2014;29:1–6.
 - 27. Lalande S, Johnson BD. Diastolic dysfunction: a link between hypertension and heart failure. *Drugs Today (Barc).* 2009;44:503–13.
 - 28. Phan TT, Shriv GN, Abozguia K, Davies C, Nassimizadeh M, Jimenez D, et al. Impaired heart rate recovery and chronotropic incompetence in patients with heart failure with preserved ejection fraction. *Circ Hear Fail.* 2010;3:29–34.
 - 29. Jeong E-M, Dudley Jr SC. Diastolic dysfunction : Potential new diagnostics and therapies. *Circulation.* 2015;79:470–7.
 - 30. Reed AL, Tanaka A, Sorescu D, Liu H, Jeong E-M, Sturdy M, et al. Diastolic dysfunction is associated with cardiac fibrosis in the senescence-accelerated mouse. *Am J Physiol Heart Circ Physiol.* 2011;301:H824–31.
 - 31. Chiao YA, Ramirez TA, Zamilpa R, Okoronkwo SM, Dai Q, Zhang J, et al. Matrix metalloproteinase-9 deletion attenuates myocardial fibrosis and diastolic dysfunction in ageing mice. *Cardiovasc Res.* 2012;96:444–55.
 - 32. Edvardsen T, Smiseth OA. Evaluation of diastolic function by echocardiography: important progression, but issues to be resolved. *Eur Hear J - Cardiovasc Imaging.* 2018;19:387–8.

33. Mizushige K, Matsuo H, Nozaki S, Kwan L. Differential responses in left ventricular diastolic filling dynamics with isometric handgrip versus isotonic treadmill exertion. *Circulation*. 2007;116:572–84.
34. Nagueh SF, Sun H, Kopelen HA, Middleton KJ, Khouri DS. Hemodynamic determinants of the mitral annulus diastolic velocities by tissue doppler. *J Am Coll Cardiol*. 2001;37:278–85.
35. Ha J, Lulic F, Bailey KR, Pellikka PA, Seward JB, Tajik AJ, et al. Effects of treadmill exercise on mitral inflow and annular velocities in healthy adults. *J Am Coll Cardiol*. 2003;91:114–5.
36. Lomoriello VS, Santoro, Ciro Simone, Giovanni De Galderisi M. Diastolic bicycle stress echocardiography: Normal reference values in a middle age population. *Int J Cardiol*. 2015;1-3
37. Holland DJ, Prasad SB, Marwick TH. Contribution of exercise echocardiography to the diagnosis of heart failure with preserved ejection fraction (HFpEF). *Heart*. 2010;96:1024–8.
38. Takagi T, Yoshikawa J. Diastolic stress echocardiography in Japanese elderly patients: prevalence and features of patients with elevated left ventricular filling pressure after treadmill stress. *J Echocardiogr*. 2011;9:17-23.
39. Talreja DR, Nishimura RA, Oh JK. Estimation of left ventricular filling pressure with exercise by doppler echocardiography in patients with normal systolic function: a simultaneous echocardiographic-cardiac catheterization study. *J Am Soc Echocardiogr*. 2007;20:477–9.
40. Obokata M, Kane GC, Reddy YN V., Olson TP, Melenovsky V, Borlaug BA. Role of diastolic stress testing in the evaluation for heart failure with preserved ejection fraction clinical perspective. *Circulation*. 2017;135:825–38.
41. Prasad SB, Holland DJ, Atherton JJ. Diastolic stress echocardiography: from basic principles to clinical applications. *Heart*. 2018;1–10.
42. Upadhyay B, Haykowsky MJ, Eggebeen J, Kitzman DW. Exercise intolerance in heart failure with preserved ejection fraction: More than a heart problem. *J Geriatr Cardiol*. 2015;12:294–304.
43. Penicka M, Bartunek J, Trakalova H, Hrabakova H, Maruska M, Karasek J, et al. Heart failure with preserved ejection fraction in outpatients with unexplained dyspnea. a pressure-volume loop analysis. *J Am Coll Cardiol*. 2010;55:1701–10.
44. H.S.J. Hwang, K.K.H. Kim, K.M.G. Kang, P.H.W. Park, K.J.S. Koh, P.J.R. Park HJYH. Feasibility of handgrip exercise test for detection of early heart failure with preserved ejection fraction compared to bicycle exercise test. *Eur Heart J*. 2018;40:87188.
45. Sharon A. Plowman DLS. Hemodynamic changes of resistance and endurance training. 3rd ed. 2011
46. Froelicher VF, Myers J. Manual of exercise testing. 3rd ed. Mosby, Inc. Philadelphia: Mosby Elsevier; 2007. p.1-351
47. Mark AL, Victor RG, Nerherd C, Wallin BG. Microneurographic studies of the mechanisms of sympathetic nerve responses to static exercise in humans. *Circ Res*. 1985;57:461-9.
48. Mayo JJ, Kravitz L. A review of the acute cardiovascular responses to resistance exercise of healthy young and older adults. *J Strength Cond Res*. 1999;13:90–6.
49. Sharon A. Plowman DLS. Exercise physiology for health, fitness, and performance. 3rd ed. Philadelphia: Lippincott Williams & Wilkins; 2011

50. Sastroasmoro, S. Metodologi Penelitian Klinis. Jakarta: EGC; 2011
51. Senni M, Tribouilloy CM, Rodeheffer RJ, Jacobsen SJ, Evans JM, Bailey KR, et al. Congestive heart failure in the community: a study of all incident cases in Olmsted county, Minnesota, in 1991. *Circulation*. 1998;98:2282-9.
52. Ceia F, Fonseca C, Mota T, Morais H, Matias F, de Sousa A, et al. Prevalence of chronic heart failure in Southwestern Europe: the EPICA study. *Eur J Heart Failure*. 2002;4:531-9.
53. Azad N, Kathiravelu A, Minoosepeher S, Hebert P, Fergusson D. Gender differences in the etiology of heart failure: a systematic review. *J. Geriatr. Cardiol.* 2011;8:15-23.
54. Stamler R, Stamler J, Riedlinger WF, Algera G, Roberts, RH. Weight and blood pressure: findings in hypertension screening of 1 million Americans. *JAMA*. 1978;240:1607-10.
55. Dyer AR, Elliott P, on behalf of the INTERSALT Co-operative Research Group. The INTERSALT study: relations of body mass index to blood pressure. *J Hum Hypertens*. 1989;3:299-308.
56. Arnold C. T, Francesca P, Giulia D, Cornelis JR, Roxana D, Matteo B, et al. Impact of diabetes and increasing body mass index category on left ventricular systolic and diastolic function. *J Am Soc Echocardiogr*. 2018;31:916-25.
57. Gustafson B, Hammarstedt A, Andersson CX, Smith U. Inflamed adipose tissue: a culprit underlying the metabolic syndrome and atherosclerosis. *Arterioscler Thromb Vasc Biol*. 2007;27:2276-83.
58. Andersson CX, Gustafson B, Hammarstedt A, Hedjazifar S, Smith U. Inflamed adipose tissue, insulin resistance and vascular injury. *Diabetes Metab Res Rev*. 2008;24:595-603.
59. Salem JE, Florent L, Alexandre C, Christian FB , Jean SH, Amel M, et al. Impact of negative inotropic drugs on accuracy of diastolic stress echocardiography for evaluation of left ventricular filling pressure. *Nature*. 2017;1-8
60. Katsufumi M, Matsuo H, Nozaki S, Kwan L, DeMaria AN. Differential responses in left ventricular diastolic filling dynamics with isometric handgrip versus isotonic treadmill exertion. *AJH*. 1996;131:131-7.
61. Khan IA, Otero FJ, Font-Cordoba J et al. Adjunctive handgrip during dobutamine stress echocardiography: invasive assessment of myocardial oxygen consumption in humans. *Clin Cardiol*. 2005;28:349-52.
62. Picano E. Handgrip stress echocardiography. In *Stress Echocardiography*. 6th ed. Pisa; Springer.2015. p284
63. Lind, A. Cardiovascular responses to static exercise. *Circulation*. 1970 XLI.173-6.
64. Choi EY, Shim CY, Kim SA, Rhee SJ, Choi D, Rim SJ et al. Passive leg-raise is helpful to identify impaired diastolic functional reserve during exercise in patients with abnormal myocardial relaxation. *J Am Soc Echocardiogr*. 2010;23:523-30.
65. Bonita A. A sonographer's guide to the assessment of heart disease. Australia: MGA Graphics; 2014
66. Kazunori O, Taisei M, Sanae K, Hisao O, Mamiko I, Shinobu Y et al. Early diastolic mitral annular velocity at the interventricular septal annulus correctly reflects left ventricular longitudinal myocardial relaxation. *Eur. Heart J*. 2011;12:917–923.