

DAFTAR KEPUSTAKAAN

- [1] A. Syakur, "Analisis Karakteristik Breakdown Voltage pada Dielektrik Minyak Shell Diala B pada Suhu 30C-130C," *J. Univeritas Diponegoro*, no. January 2011, 2011.
- [2] Q. Wang, M. Rafiq, Y. Lv, C. Li, and K. Yi, "Preparation of Three Types of Transformer Oil-Based Nanofluids and Comparative Study on the Effect of Nanoparticle Concentrations on Insulating Property of Transformer Oil," vol. 2016, 2016.
- [3] D. U. Yue-fan, L. V Yu-zhen, W. Fo-chi, L. I. Xiao-xin, and L. I. Cheng-rong, "Effect of TiO₂ Nanoparticles on the Breakdown Strength of Transformer Oil," vol. 2, pp. 1–3, 2010.
- [4] M. Rafiq, C. Li, Y. Lv, K. Yi, and S. Hussnain, "Preparation and Study of Breakdown Features of Transformer Oil Based Magnetic Nanofluids," pp. 17–20, 2017.
- [5] M. Rafiq, C. Li, and Y. Ge, "Effect of Fe₃O₄ Nanoparticle Concentrations on Dielectric Property of Transformer Oil," *North China Electr. Power Univ.*, pp. 9–12, 2016.
- [6] B. Du, J. Li, B. M. Wang, and Z. T. Zhang, "Preparation and breakdown strength of Fe₃O₄ nanofluid based on transformer oil," *ICHVE 2012 - 2012 Int. Conf. High Volt. Eng. Appl.*, pp. 311–313, 2012.
- [7] M. Rafiq, Y. Lv, C. Li, and K. Yi, "Effect of different Nanoparticle Types on Breakdown Strength of Transformer oil," *North China Electr. Power Univ. No.2*, no. 2, pp. 436–440, 2016.
- [8] M. Qodrat, "Pengaruh Penambahan Nanopartikel Alumina pada Minyak Nynas terhadap Karakteristik Tegangan Tembus dan Peluahan Sebagian," Universitas Andalas, 2017.
- [9] I. Garniwa and J. F. S., "Analisis pengaruh kenaikan temperatur dan umur minyak Transformator terhadap degradasi tegangan tembus minyak Transformator," *J. Tugas Akhir*, pp. 1–8, 2011.
- [10] M. Naidu, *High Voltage Engineering Second Edition*. Bangaluru: McGraw-Hill, 1996.
- [11] Supriono, *Buku Ajar Teknik Tegangan Tinggi*. Mataram: Universitas Mataram, 2014.
- [12] Ce. Laughton, *Electrical Engineer's Reference Book*, Sixteen. Burlington: British Library, 2003.
- [13] R. Arora, *High Voltage and Electrical Insulation Engineering*. Canada: WILEY, 2011.
- [14] J. Holtzhausen; Vosloo WL, *High Voltage Engineering Practice and Theory*. South Afrika: SAIEE (South African Institute of Electrical Engineers), 2013.
- [15] J. O. Wuwung, "Pengaruh pembebanan terhadap kenaikan suhu pada belitan transformator daya jenisterendam minyak," vol. 7, no. 52, pp. 29–39, 2010.
- [16] I. N. Anggraini and M. K. A. Rosa, "Analisa Tegangan Tembus Minyak Nabati Dengan Perlakuan Pemanasan Berulang," *J. Univ. Bengkulu*, pp. 62–69, 1982.
- [17] R. Olein, M. Elektroda, R. Setiawan, and F. Murdiya, "Perancangan Alat dan Pengujian Tegangan Tembus dengan Minyak Isolasi," *J. Univ. Riau*, vol. 4,

- no. 2, pp. 1–14, 2017.
- [18] J. F. Simamora, “Analisis Pengaruh Kenaikan Temperatur Dan Umur Minyak Transformator Terhadap Degradasi Tegangan Tembus Minyak Transformator,” *Tugas Akhir*, pp. 1–72, 2011.
- [19] D. Nugroho, “Kegagalan Isolasi Minyak Trafo,” *Media Elektr.*, vol. 3, no. 2, pp. 1–5, 2010.
- [20] B. A. Nugroho, “Kekuatan Dielektrik Minyak Jagung,” *J. Univ. Sumatera utara*, pp. 35–40, 1982.
- [21] A. Syakur, “Analisis karakteristik breakdown voltage pada dielektrik minyak shell diala b pada suhu 30 c-130c,” *J. Univeritas Diponegoro*, 2011.
- [22] dan K. Mikrajuddin Abdullah, Yudistira Virgus, Nirmin, “Review : Sintesis Nanomaterial,” *J. Nanosains Nanoteknologi*, vol. Vol. 1 No., pp. 1–26, 2008.
- [23] H. Jin, *Dielectric Strength and Thermal Conductivity of Mineral Oil based Nanofluids*. Jinzhou, China: Delft University of Technology, 2015.
- [24] M. Abdassah, “Nanopartikel dengan Gelasi Ionik,” *Farmaka*, vol. 15, pp. 45–52, 2010.
- [25] Y. Li, J. Zhou, S. Tung, E. Schneider, and S. Xi, “A review on development of nanofluid preparation and characterization,” *Powder Technol.*, vol. 196, no. 2, pp. 89–101, 2009.
- [26] V. Segal, A. Hjortsberg, A. Rabinovich, D. Nattrass, and K. Raj, “AC (60 Hz) and impulse breakdown strength of a colloidal fluid based on transformer oil and magnetite nanoparticles,” *Conf. Rec. 1998 IEEE Int. Symp. Electr. Insul. (Cat. No.98CH36239)*, vol. 2, pp. 619–622, 1998.
- [27] Y. Z. Lv, Y. Zhou, C. R. Li, Q. Wang, and B. Qi, “Recent progress in nanofluids based on transformer oil: preparation and electrical insulation properties,” *IEEE Electrical Insulation Magazine*, vol. 30, no. 5. pp. 23–32, 2014.
- [28] Y. F. Du, Y. Z. Lv, J. Q. Zhou, X. X. Li, and C. R. Li, “Breakdown properties of transformer oil-based TiO₂ nanofluid,” *Annu. Rep. - Conf. Electr. Insul. Dielectr. Phenomena, CEIDP*, pp. 3–6, 2010.
- [29] M. Rafiq, Y. Lv, and C. Li, “A Review on Properties , Opportunities , and Challenges of Transformer Oil-Based Nanofluids,” *Nanomaterial*, vol. 2016, pp. 1–24, 2016.
- [30] H. Jin, T. Andritsch, and J. J. Smit, “AC Breakdown Voltage and Viscosity of Mineral Oil based Fullerene Nanofluids,” *Delft Univ. Technol.*, pp. 703–706, 2013.
- [31] H. Jin, T. Andritsch, P. H. F. Morshuis, and J. J. Smit, “AC breakdown voltage and viscosity of mineral oil based SiO₂ nanofluids,” *2012 Annual Report Conference on Electrical Insulation and Dielectric Phenomena*. pp. 902–905, 2012.
- [32] J. G. Hwang, M. Zahn, F. M. O’Sullivan, L. A. A. Pettersson, O. Hjortstam, and R. Liu, “Effects of nanoparticle charging on streamer development in transformer oil-based nanofluids,” *J. Appl. Phys.*, vol. 107, no. 1, 2010.
- [33] Y. f. Du, Y. z. Lv, F. c. Wang, X. x. Li, and C. r. Li, “Effect of TiO₂ nanoparticles on the breakdown strength of transformer oil,” *2010 IEEE International Symposium on Electrical Insulation*. pp. 1–3, 2010.
- [34] Y. Du *et al.*, “Effect of electron shallow trap on breakdown performance of transformer oil-based nanofluids,” *J. Appl. Phys.*, vol. 110, no. 10, 2011.

- [35] D. Yue-fan, L. Yu-zhen, Z. Jian-quan, C. Mu-tian, L. Xiao-xin, and L. Cheng-rong, "Effect of Ageing on Insulating Property of Mineral Oil-based TiO₂ Nanofluids," *2011 IEEE International Conference on Dielectric Liquids*. pp. 1–4, 2011.
- [36] A. Manab, E. P. Walidi, M. Kodrat, and G. Widia, "Pengaruh Penuaan Elektrik terhadap Karakteristik Tegangan Tembus dan PDIV Minyak NanoNynas," *J. Nas. Tek. Elektro*, vol. 7, no. 1, pp. 18–23, 2018.

