

DAFTAR PUSTAKA

- American Cancer Society. 2013. *Breast Cancer*. Atlanta: American Cancer Society.
- American Joint Comitte on Cancer (AJCC). 2010. <http://americanjointcomitteoncancer.com>
- Alma et, al.(2016). *A Comprehensive Review of Topical Odor-Controlling Treatment Options for Chronic Wounds*.Journal Wound Ostomy Continence Nurs 2016;43(6):598-609. Lippincott
- Arkhan. (2008). *Pengertian, Penyebab, Pengobatan & Pencegahan Penyakit kanker Payudara*. <http://www.pengertian-penyebab-pengobatanpencegahan-penyakit-kanker-payudara.html>
- Bansal V, Medhi B, Pandhi P. (2005). *Honey—a remedy rediscovered and its therapeutic utility*. Kathmandu Univ Med J (KUMJ) 2005;3(July (3)):305–9.
- Carlson, E. A. (2010). *Evidence-Based Practice for Nurses: Appraisal and Application of Research*. Orthopaedic Nursing, 29(4), 283- 284.
- Cooper, R., & Gray D. (2005). *The control of wound malodor with honey-based wound dressings and ointments*. Wounds-UK
- Dunford, M. (2000). *The use of honey in wound management*. Nursing standard, 15(11).
- Edge SB, Compton CC. (2010). *The American Joint Committee on Cancer: the 7th edition of the AJCC cancer staging manual and the future of TNM*. Ann Surg Oncol. Jun;17(6):1471-4. doi: 10.1245/s10434-010-0985-4.
- Gangwar, S.K., (2016). Honey Physio-Chemical Parameters And Its Application With Peference To thiopia. *International Journal of Science and Nature*, 7(1), pp.16-24.
- Ganiswara, S.G., (2000). *Farmakologi dan Terapi*, Edisi IV, 800, Bagian Farmakologi FKUI, Jakarta
- Gitaraja Widasari, Christins Asmi. (2007). Penatalaksanaan Perawatan Luka Kanker. *Indonesian Journal of Cancer* 3, 110-114.
- Gitaraja. (2004). *Manajemen perawatan luka akut dan kronik, Perawatan luka kanker*. Jakarta : RS Kanker Darmais.
- Grocott, P. (2002). A review of advances in fungating wound management since EWMA 1991. *EWMA journal*, 2(1).

Grocott, P. (2005). Quality of life: Assessing the impact and benefits of care to patients with fungating wounds. *Wounds*

Haisfield E. Marry. (1997). Malignant Cutaneous Wound. *Ostomy Wound Management Journal*; 43:1997. 56-66

Hoplamazian, L. (2006). Therapeutic measures for palliative treatment of tumor wounds. *Midwest regional conference on end of life*. Kansas city, Missouri. 14 November 2006.

I.A Silver. (1994). The Physiology of Wound Healing. *Journal of Wound* 1994 ; 3 : 106-109

International Agency for Research on Cancer (IARC). (2013). <http://www.iarc.fr>

Kalinski, C., Schnepf, M., Laboy, D., Hernandez, L., Nusbaum, J., Grinder, M.B., et. Al. (2005). *Effectiveness of a Topical Formulation Containing Metronidazole for Wound Odor and Exudate Control*. Diakses dari <http://www.naccme.com/woundcare>.

Keast, D., & Orsted, H. (2007) *The basic principles of wound healing*. Diakses dari <http://www.cawc.net>

Kelly, N. (2002). Malodorous fungating wounds; a review of current literature. *Professional nurse*

Kementrian Kesehatan RI. (2015). Stop Kanker. www.depkes.go.id/download.php?file=download/pusdatin

Kementrian Kesehatan RI. (2015). Panduan Penatalaksanaan Kanker Payudara. <http://kanker.kemkes.go.id>

Kozier, B., Erb, G., Berman A.J., Burke, K., Bouchal, D.S.R., Hirst, S.P. (2000). *Fundamentals of nursing*. Edisi ke-1. Toronto: Prentice hall

Kwakman, P. & Zaai, S. (2012). Antibacterial components of honey. 64(1).

Lazelle-Ali C. (2007) . Psychological and physical care of malodorous fungating wounds . *Br J Nurs* . 2007 ; 16 (15): S16-S24

Lelo, A. (2006). Efek farmakologi madu lebah. Jakarta

Molan, P.C. (2007). *A brief review of the clinical literature on the use of honey as a wound dressing*.<http://www.wave.co.nz/~whp/publicat3.htm>, diperoleh 29 Januari 2007

Molan, P.C. (2007). *The evidence supporting the use of honey as a wound dressing*. <http://www.wave.co.nz/~whp/publicat3.html>

Morison, M. J. (2004). *Manajemen Luka*. Penerbit Buku Kedokteran. Jakarta : EGC

NANDA International. (2012). *Nursing diagnosis: Definition and Classifications 2012-2014*. Oxford: Willey Black Well

Naylor, W. (2002a). Part 1: Symptom control in the management of fungating wounds. www.worldwidewounds.com.

Naylor, W. (2002b). Malignant wound: aetiology and principles of management. *Nursing Standard*, 16(22).

NIC. (2012). *Nursing Implementation Classification (NIC)*. United States of America: Mosby Elsevier

NOC. (2012). *Nursing Outcome Classification (NOC)*. United States of America: Mosby Elsevier

Onitilo AA, Kio E, Doi SAR. (2007). Tumor related hyponatremia. CM & R. 2007;5 (4) : 228-37.

Oryan, A., Alemzadeh, E. & Moshiri, A. (2016). Biological properties and therapeutic activities of honey in wound healing: A narrative review and meta-analysis. 25(2).

Potter, P., & Perry. (2001). *A Fundamental of Nursing : concept, process & practice*,5Ed. Mosby Company, St. Louis.

Potter, P.A. and Perry, A.G. (2005). *Fundamental of nursing*. 6th ed. Philadelphia: Mosby

Price, S. A., & Wilson, L. M.(2005). *Pathophysiology: Clinical Concepts of Disease Processes*. Alih bahasa : Brahm U Pendit. Editor bahasa indonesia : Huriawati Hartanto. Edisi 6. Jakarta : EGC.

Rahman A, Sampepajung D, Hamdani W. (2011). Hubungan Ekspresi HER-2/neu dan Hormonal Reseptor dengan Grading Histopatologi pada Penderita Kanker Payudara Wanita Usia Muda [skripsi] Makassar: Universitas Hasanuddin.

Ruth A Bryant. (2007). Acute and Chronic Wound. Mosby

Schiech, L. (2002). Malignant cutaneous wounds. *Clinical journal of oncology nursing*

Sjamsuhidajat R, Wim de Jong. (2009). Buku Ajar Ilmu Bedah, ed revisi. EGC. Jakarta. pp. 1138-96

Stopeck AT. (2014). Breast Cancer Risk Factors. Arizona. Medscape. Tersedia dari <http://emedicine.medscape.com>.

Stopeck, A.T. (2015). Breast Cancer. <http://emedicine.medscape.com/article/1947145-overview#a5>

Tanjung, (2007). Perbedaan Efektivitas Perawatan Luka Menggunakan Madu dengan Metronidazole terhadap Tingkat Malodor dan Jumlah Eksudat Luka Maligna di RS Kanker Dharmais. Jakarta

WHO (World Health Organization). (2013). Breast Cancer: Prevention and Control. Tersedia dari <http://www.who.int>

