


## **SKRIPSI**

### **FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN ANEMIA PADA IBU HAMIL DI PUSKESMAS SEBERANG KOTA PADANG TAHUN 2018**

*Penelitian Keperawatan Maternitas*



**FAKULTAS KEPERAWATAN  
UNIVERSITAS ANDALAS  
2019**

**FAKULTAS KEPERAWATAN  
UNIVERSITAS ANDALAS  
JANUARI, 2019**

**NAMA : Meina Mustika Sari  
BP : 1711316034**

**Faktor- Faktor Yang Mempengaruhi Kejadian Anemia Pada Ibu Hamil  
Di Puskesmas Seberang Padang Kota Padang**

**ABSTRAK**

Anemia merupakan salah satu faktor penyebab tidak langsung kematian ibu hamil. Untuk mencegah anemia diberikan tablet zat besi untuk mencegah anemia. Banyak faktor yang mempengaruhi perilaku ibu dalam mengkonsumsi diantaranya pengetahuan, sikap dan dukungan suami. Penelitian ini bertujuan untuk mengetahui faktor-faktor yang mempengaruhi kejadian anemia pada ibu hamil. Penelitian ini merupakan penelitian kuantitatif dengan desain penelitian *cross sectional*. Pengumpulan data dilakukan pada bulan September 2018 menggunakan teknik *accidental sampling* terhadap 32 responden. Instrumen penelitian menggunakan kuesioner. Hasil penelitian didapatkan bahwa lebih dari separuh responden (59,4%) memiliki tingkat pengetahuan buruk, memiliki sikap positif (56,3%), memiliki dukungan suami mendukung (56,3%). Hasil analisis dengan uji *chi-square* didapatkan bahwa ada hubungan yang antara pengetahuan ( $p\ value= 0,020$ ), sikap ( $p\ value= 0,006$ ), dan dukungan suami ( $p\ value= 0,006$ ) dengan kejadian anemia. Kesimpulan dari penelitian ini dapat disimpulkan bahwa semua variabel berhubungan dengan kejadian anemia. Hasil penelitian ini diharapkan pada ibu hamil mengkonsumsi tablet fe agar terhindar dari anemia.

**Kata kunci : Kejadian Anemia, Pengetahuan, Sikap, Dukungan Suami  
Kepustakaan : 75 (2008-2018)**

**THE FACULTY OF NURSING  
ANDALAS UNIVERSITY  
January, 2019**

Name : Meina Mustika Sari  
Registered Number : 1711316034

***The Factors Related to the Problems of Anemia in Pregnant Women at  
Seberang Padang Public Health Center Padang Year 2018***

***ABSTRACT***

*Anemia is one of the indirect causes of death of pregnant women. To prevent anemia iron tablets are given to prevent anemia. Many factors influence maternal behavior in consuming them, including husbands;s knowledge, attitudesand support. This study aims to determine the factors that influence the incidence of anemia in pregnant women. This research is a quantitative research with cross sectional research desihn. Data collection was conducted in Sepetember 2018 using accidental sampling technique for 32 repondents. The reasearch instrument used a questioner. The results showed that more than half of respondents (59,4%). Had a level of bad knowledge, had a positive attitude (56,3%), had supportive husband support (56,3%). The results of analysis with the chi-square test found that there was a relationship between knowledge ( $p$  value=0,020), attitude ( $p$  value=0,006), and husbands;s support ( $p$  value=0,006) with teh incidence of anemia. The conclusion of this study can be concluded that all variables are associated with the incidence of anemia. The results of this study are expected in pregnant women to consume fe tablets to avoid anemia.*

Key words : *The incidence of anemia, knowledge, attitude and support of the husband.*  
Libraries : 75 (2008-2018)