

RUJUKAN

- Arianto, R. (2005). *Pengaruh anestesi sevofluran dan enfluran terhadap klirens kreatinin.* (Skripsi). Semarang: Universitas Diponegoro.
- Badan Pengawas Obat & Makanan Republik Indonesia. (2008). *Informatorium obat nasional Indonesia.* Jakarta: BPOM RI.
- Bauer, L.A. (2008). *Applied clinical pharmacokinetics.* 2nd Edition. New York: McGraw Hill Medical Companies. Inc.
- Brater, D.G., & Chennavasin, P. (1984). Effect of renal disease: Pharmacokinetic considerations. Dalam L.Z. Benet, N. Massaoud, & J.G. Gambertoglio (Eds.), *Pharmacokinetic basic for drug treatment.* New York: Raen Press.
- Brenner, B.M., Lazarus, J.M. (2000). *Prinsip-prinsip ilmu penyakit dalam.* (Edisi 13). Jakarta: E.G.C., Hal.1435-1443.
- Bolhuis, M.S., Panday, P.N., Pranger, A.D., Kosterink, J.G., & Alffenaar, J.W. (2011). Pharmacokinetic drug interactions of antimicrobial drugs: A systematic review on oxazolidinones, rifamycines, macrolides, fluoroquinolones, and beta-lactams. *Pharmaceutics*, 3, 865-913.
- Brunton, L., Lazo, J., & Parker, K. (2005). *The pharmacological basis of therapeutics.* New York: McGraw Hill.
- Chen, K., & Pohan, H.T. (2009). Penatalaksanaan syok septik. Dalam A.W. Sudoyo, B. Setiyohadi, I. Alwi, M. Simadibrata, S. Setiati (Ed.), *Buku ajar ilmu penyakit dalam.* (5th ed., hal. 252-256). Jakarta: Interna Publishing.
- Christ, W., Lehnert, T., & Ulbrich, B. (1998). Specific toxicologic aspects of the quinolones. *Rev Infect. Dis.*, 10(1), 141–146.
- Departemen Kesehatan Republik Indonesia. (2005). *Pelayanan informasi obat.* Jakarta: Departemen Kesehatan Republik Indonesia.
- DiPiro, J.T., Wells, B.G., DiPiro, C.V., & Schwinghammer, T.L. (2009). *Pharmacotherapy handbook seventh edition.* New York: McGraw Hill.
- Drusano, G.L., Standiford, H.C., Plaisance, K., Forrest, A., Leslie, J., & Caldwell, J. (1986). Absolute oral bioavailability of ciprofloxacin antimicrob. *Agents Chemother.*, 30, 444-446.

- Drusano, G.L., Weir, A., Forrest, K., Plaisance, T., Emm., & Standiford, H.C. (1987). Pharmacokinetics of intravenously administered ciprofloxacin in patients with various degrees of renal function. *Antimicrob. Agents Chemother.*, 31, 860–864.
- Higuchi, H., & Sumita. (1998). *Effect of sevoflurane and isoflurane on renal function and on possible markers of nephrotoxicity*. Anesthesiology.
- Lestari, W. (2011). *Studi penggunaan antibiotik berdasarkan sistem atc/ddd dan kriteria gyysens di bangsal penyakit dalam RSUP Dr.M .Djamil*. (Skripsi). Padang: Universitas Andalas.
- Levy, M.M., Artigas, A., & Phillips, G.S. (2012). Outcomes of the surviving sepsis campaign in intensive care units in the USA and Europe. *Lancet Infect. Dis.*, 12, 919–924.
- Matzke, G.R., & Comstock, T.J. (2006). Influence of renal function and dialysis on drug disposition. Dalam M.E. Burton, L.M. Shaw, J.J. Schentag, Evans (Eds.), *Applied Pharmacokinetics and Pharmacodynamics - Principles of Therapeutic Drug Monitoring*. (4th ed.). Philadelphia: Lippincott Williams & Wilkins.
- Munford, R.S. (2008). Severe sepsis and septic shock. Dalam: Fauci (Ed.), *Harrison's Principles of Internal Medicine*. (17th ed., hal 1695-1702). New York: McGraw Hill.
- Nandipati, S., Reddyvanka, K., & Uba, S. (2013). The separation and quantitative determination of ciprofloxacin in a pharmaceutical formulation by ultra performance liquid chromatograph. *Int J Pharm. Pharm. Sci.*, 5, 312-317.
- Nasronudin. (2007). *Penyakit infeksi di Indonesia*. Surabaya: Airlangga University Press, Hal 121-125.
- NICE. (2008). *Chronic Kidney Disease*. Manchester: National Institute for Health and Care Excellence.
- Nix, D.E., Spivey, J.M., & Normal, A. (1992). Dose ranging pharmacokinetic study of ciprofloxacin after 200, 300, and 400 mg intravenous doses. *Ann Pharmacother.*, 26, 8–10.
- Pangaribuan, J.P. (2013). *Mortalitas penderita sepsis berat yang dirawat di unit perawatan intensif RSUP H.Adam Malik Medan periode Juli 2012 – Juni 2013*. (Skripsi). Medan: Universitas Sumatera Utara.

- Pickering, T.D., Gurwitz, J.H., Zaleznik, D., & Noonan, J.P. (1994). The inappropriateness of oral fluoroquinolone prescribing in the long term care setting. *F. Am. Geriatr Soc.*, 42(1), 28-32.
- Renneboog, B., Musch, W., Vandemergel, X., Manto, M.U., & Decaux, G. (2006). Mild chronic hyponatremia is associated with falls, unsteadiness, and attention deficits. *Am. J. Med.*, 119(10), 10-16.
- Roberts, J.A., & Lipman, J. (2006). Antibacterial dosing in intensive care: pharmacokinetics, degree of disease and pharmacodynamics of sepsis. *Clin. Pharmacokinet.*, 45, 755–773.
- Rosser, C.J., Bare, R.L., & Meredith, J.W. (1999). Urinary tract infections in the critically patient with a urinary catheter. *Am. J. Surg.*, 177, 287–290.
- Sedlacek, M., Suriawinata, A.A., & Schoolwert, A. (2006). Ciprofloxacin crystal nephropathy: A new cause of acute renal failure. *Nephrol Dial Transplant*.
- Setiabudy, R. (1995). Antimikroba Lain. Dalam S.G. Ganiswara. *Farmakologi dan terapi*. (Edisi 4). Jakarta: Balai Penerbit FKUI.
- Singh, N.P., Ganguli, A., & Prakash, A. (2003). Drug induced kidney diseases. *Journal A. Physicians of India*, 50, 970 – 977.
- Shargel, L., Wu-Pong, S., & Yu, A.B.C. (2005). *Applied biopharmaceutics and pharmacokinetics*. (5th ed). Boston: McGraw Hill Medical Publishing Division.
- Sudoyo, A.W., Bambang, S., Idrus, I., Marcellus, S.K. & Siti, S. (2010). *Buku ajar ilmu penyakit dalam*. Jakarta: Interna Publishing.
- Suwitra K. (2006). *Penyakit ginjal kronik. buku ajar ilmu penyakit dalam*. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, Hal 581-584.
- Sweetman, S.C. (2009). *Martindale 36 The Complete Drug Reference*. London: The Pharmaceutical Press.
- Taylor, M., Mutton, K., & Kaczmarski, E. (2007). *Guidelines for the management of neutropenic sepsis*. Withington: NHS Foundation Trust.
- Trisnawati, Riah. (2011). *Analisis farmakokinetika penyesuaian dosis obat pada pasien gagal ginjal di bangsal penyakit dalam RSUP Dr. M. Djamil Padang*. (Skripsi). Padang: Universitas Andalas.
- WHO. (2014). *Drug and Terapeutics Committee a practical guide*. New York.

- Widodo, D. (2004). The clinical, laboratory, and microbiological profile of patients with sepsis at the internal medicine inpatient unit of Dr. Cipto Mangunkusumo national general hospital Jakarta. *Med. J. Indonesia*, 13, 90-95.
- Wiffen, P., Mitchell, M., Snelling, M., & Stoner, N. (2007). *Oxford handbook of clinical pharmacy*. Oxford: Oxford University Press.
- Yusra. (2005). *Gambaran jenis kuman dan kepekaan antibiotik terhadap otitis media supuratif kronik tipe benigna dan tipe maligna*. (Skripsi). Jakarta: Departemen Patologi Klinik FKUI.

