

## DAFTAR PUSTAKA

1. Wahidiyat I. Thalassemia dan permasalahannya di Indonesia. *Sari Pediatr* 2003; 2–3.
2. Permono B, IUgrasena D. Talasemia. In: Permono B, Sutaryo, Ugrasena I, et al. (eds) *Buku Ajar Hematologi-Onkologi Anak*. 2006, pp. 64–83.
3. Departemen Kesehatan RI. Riset kesehatan dasar (Riskesda). *Badan Penelitian dan Pengembangan Kesehatan*, 2007, pp. 1–6.
4. Pusat Thalassemia RSCM Jakarta. Data Registrasi Pasien Thalassemia tahun 2010-2013.
5. Weatherall J. The talasemias. In: William W, Beutler E, Erslev A (eds) *Hematology*. Philadelphia: Mc Graw-Hill, 1998, pp. 890–9.
6. Talluri SB, Datta V, Guttula SGB. An overview on thalassemia. *Int Res J Invent Pharm Sci* 2013; 1–12.
7. Claster S, Wood JC, Noetzli L, Carson SM, Hofstra TC, Khanna R, et al. Nutritional deficiencies in iron overloaded patients with hemoglobinopathies. 2009; 344–8.
8. Marengo-Rowe AJ. The thalassemias and related disorders. *Baylor Univ Med Cent* 2007; 27–31.
9. Tabatabaei SM, Abdollah, Shamsheersaz A, Bakhirnia MR, Kamghar M, Bozari N, et al. Metabolic and endocrinologic complications in beta thalassemia major: A Multicenter study in Tehran. *Iran South Med J* 2002; 2–6.
10. Morshed AA, Islam S, Islam A. Growth status and serum zinc level in patients with haemoglobin-E  $\beta$  thalassemia. 2012; 76–81.
11. Brown KH. Commentary: Zinc and child growth. *Int J Epidemiol* 2003; 1103–4.

12. Brown KH, Wuehler SE, Peerson JM. The importance of zinc in human nutrition and estimation of the global prevalence of zinc deficiency. *Food Nutr Bull* 2001; 113–25.
13. Arcasoy A, Canatan D, Sinav B, Kutlay L, Ouz N. Serum zinc levels and zinc binding capacity in thalassemia. *J Trace Elem Med Biol* 2001; 85–7.
14. Arijanty L, Nasar SS. Masalah nutrisi pada thalassemia. *Sari Pediatr* 2003; 21–6.
15. Bartakke S, Bavdekar SB, Kondurkar P, Muranjan MN, Manglani M V, Sharma R. Effect of deferiprone on urinary zinc excretion in multiply transfused children with thalassemia major. *Indian Pediatr* 2005; 150–154.
16. Erdoğan E, Canatan D, Örmeci AR, Vural H, Aylak F. The effects of chelators on zinc levels in patients with thalassemia major. *J Trace Elem Med Biol* 2013; 109–11.
17. Mashhadi MA, Sepehri Z, Heidari Z, Shirzaee E, Kiani Z. The prevalence of zinc deficiency in patients with thalassemia in South East of Iran, Sistan and Baluchistan Province. *Iran Red Crescent Med J* 2014; 1–4.
18. Morshed A, Islam S, Chowdhury T, Islam A, Islam A, Begum H, et al. Serum zinc status in patients with haemoglobin E thalassemia. *J Dhaka Med Coll* 2013; 115–9.
19. Sultan S, Sm I, Ju K, Zeeshan R, Kidwai A. Zinc status and its correlation with basic parameters in transfusion dependent thalassaemic patients: A Pakistani perspective. *Iran J Blood Cancer* 2014; 113–8.
20. Olivieri NF. The  $\beta$ -thalassemias. *N Engl J Med* 1999; 99–109.
21. Cappellini M, Cohen A, Eleftheriou A, Piga A, Porter J, Taher A. *Guidelines for the clinical management of thalassaemia*. Thalassaemia International Federation TIF, 2014.
22. DeBaun MR, Frei-Jones MJ, Vichinsky EP. Thalassemia syndromes. In:

- Kliegman RM, Stanton BF, St Geme III JW, et al. (eds) *Nelson Textbook of Pediatrics*. Philadelphia: Elsevier, 2015, pp. 2349–53.
23. Rund D, Rachmilewitz E.  $\beta$ -Thalassemia. *N Engl J Med* 2005; 1135–46.
  24. Kartoyo P, Purnamawati SP. Pengaruh penimbunan besi terhadap hati pada thalassemia. *Sari Pediatri* 2016; 34–8.
  25. Khaleel KJ, Ahmed AA, Alwash MM, Yaseen NY, Hamza A, Ahmed AA. Biomarkers and trace elements in beta thalassemia major. *Iraqi J Cancer Med Genet* 2013; 81–6.
  26. Rachmat I, Fadil R, Azhali MS. *Hubungan jumlah darah transfusi, pemberian deferoksamin dan status gizi dengan kadar seng plasma pada penderita thalassemia mayor anak*. 2008.
  27. Clarke GM, Higgins TN. Laboratory investigation of hemoglobinopathies and thalassemias: Review and update. *Clin Chem* 2000; 1284–1290.
  28. Gatot D, Amalia P, Tjitra Sari T, Amelia Chozie N. Pendekatan mutakhir kelasi besi pada thalassemia. *Sari Pediatri* 2007; 78–84.
  29. Hashemi A, Ghilian R, Golestan M, Akhavan Ghalibaf M, Zare Z, Dehghani M. The study of growth in thalassemic patients and its correlation with serum ferritin level. 2011; 147–52.
  30. Sandström B. Diagnosis of zinc deficiency and excess in individuals and populations. *Food Nutr Bull* 2001; 133–7.
  31. Almatsier S. *Prinsip dasar ilmu gizi*. Gramedia Pustaka Utama, 2002.
  32. Agustian L, Sembiring T, Ariani A. Peran zinkum terhadap pertumbuhan anak. *Sari Pediatri* 2009; 244–9.
  33. Frassinetti S, Bronzetti G, Caltavuturo L, Cini M, Croce C Della. The role of zinc in life: A review. *J Environ Pathol, Toxicol, Oncol* 2006; 597–610.
  34. Prasad AS. Zinc in human health: effect of zinc on immune cells. *Mol Med*

- 2008; 353–7.
35. Salgueiro J, Zubillaga MB, Lysionek AE, Caro RA, Weill R, Boccio R. The role of zinc in the growth and development of children. *Nutrition* 2002; 510–9.
36. Mahyar A, Ayazi P, Pahlevan A-A, Mojabi H, Sehat M-R, Javadi A. Zinc and copper status in children with Beta-thalassemia major. *Iran J Pediatr* 2010; 297–302.
37. Widad NM, Al-naama LM, Hassan MK. Trace elements in patients with p-thalassaemia major. *Haema* 2003; 376–83.
38. Osendarp S, Santosham M, Black R, Wahed M, van Raaij J, Fuchs G. Effect of zinc supplementation between 1 and 6 mo of life on growth and morbidity of Bangladeshi infants in urban slums. *Am J Clin Nutr* 2002; 1401–8.
39. Fung EB, Kwiatkowski JL, Huang JN, Gildengorin G, King JC, Vichinsky EP. Zinc supplementation improves bone density in patients with thalassemia : a double-blind , randomized , placebo-controlled trial. *Am J Clin Nutr* 2013; 960–71.
40. Mehdizadeh M, Zamani G, Tabatabaee S. Zinc status in patients with major  $\beta$ -thalassemia. *Pediatr Hematol Oncol* 2008; 49–54.
41. Watts DL. *Trace elements & others essential nutrients*. 1995.
42. Aydinok Y, Coker C, Kavakli K, Polat A, Nisli G, Cetiner N, et al. Urinary zinc excretion and zinc status of patients with beta-thalassemia major. *Biol Trace Elem Res* 1999; 165–72.
43. Bekheirnia MR, Shamshirsaz AA, Kamgar M, Bouzari N, Erfanzadeh G, Pourzahedgilani N, et al. Serum zinc and its relation to bone mineral density in beta-thalassemic adolescents. *Biol Trace Elem Res* 2004; 215–24.
44. Yazhida M, Farnoush M. Assesment of serum zinc concentration in thalassemia major children. *Res Med* 2003; 7–9.

45. Mansi K, Aburjai T, Barqawi M, Naser H. Copper and zinc status in Jordanian patients with a thalassemia major treated with deferoxamine. *Res J Biol Sci* 2009; 566–72.
46. Karunaratna AMDS, Ranasingha JGS, Mudiyanse RM. Zinc status in beta thalassemia major patients. *Biol Trace Elem Res* 2017; 1–6.
47. Arijanty L, Nasar SS, Madiyono B, Gatot D. Relationships between plasma zinc and ferritin with nutritional status in thalassemic children. *Paediatr Indones* 2006; 220–4.
48. Robbiyah N, Deliana M, Mayasari S. Gangguan pertumbuhan sebagai komplikasi talasemia • mayor. 2014; 44–50.
49. Tridjaja B. Short stature (perawakan pendek) diagnosis dan tatalaksana. In: Trihono PP, Djer MM, Sjakti HA (eds) *Best Practices in Pediatrics*. DKI Jakarta: Ikatan Dokter Anak Indonesia Cabang DKI Jakarta, 2013, pp. 11–8.
50. Hamidah A, Rahmah R, Azmi T, Aziz J, Jamal R. Short stature and truncal shortening in transfusion dependent thalassemia patients: result from a thalassemia center in Malaysia. *Shoutheast Asian J*. 2001;32:625-30.
51. Moayeri H, Oloomi Z. Prevalence of growth and puberty failure with respect to growth hormone and gonadotropin secretion in beta-thalassemia major. *Arc Iranian*. 2006; 9:329-34.
52. Bhala AK, Marwaha RK, Kaur H. Longitudinal growth attainments of transfusion dependent  $\beta$ -thalassemia children. *Mankin quarterly*. 2008;48:484-93.
53. El Missiry M, Hamed Hussein M, Khalid S, Yaqub N, Khan S, Itrat F, et al. Assessment of serum zinc levels of patients with thalassemia compared to their siblings. *Anemia* 2014; 11–6.
54. Kyriakou A, Skordis N. Thalassemia and aberration of growth and puberty. *Medit J Hemat Infec Dis*. 2009;4:1-8.

55. Malakar R, Kour M, Ahmed A, Malviya SN, Dangi CBS. Trace elements ratio in patients of haemoglobinopathie. *Internatioal J Curr Microbiol Appl Sci* 2014; 81–92.
56. Arcasoy A, Çavdar A, Cin, Erten J, Babacan E, Gözdasoglu S, et al. Effects of zinc supplementation on linear growth in beta-thalassemia (A new approach). *Am J Hematol* 1987; 127–136.
57. Eshghi P, Alavi S, Ghavami S, Rashidi A. Growth impairment in beta-thalassemia major: the role of trace element deficiency and other potential factors. *J Pediatr Hematol Oncol* 2007; 5–8.
58. Faranoush M, Rahiminejad MS, Karamizadeh Z, Ghorbani R, Owji SM. Zinc supplementation effect linear growth in transfusion dependent  $\beta$  thalassemia. *IJBC*. 2008;1:29- 32.
59. Nidumuru S, Boddula V, Vadakedath S, Kolanu BR, Kandi V. Evaluating the Role of Zinc in Beta Thalassemia Major: A Prospective Case-Control Study from a Tertiary Care Teaching Hospital in India. *Cureus* 2017; e1495.
60. Sultan S, Irfan SM, Kakar J, Zeeshan R. Effect of iron chelator desferrioxamine on serum zinc levels in patients with beta thalassemia major. 2015; 35–38.
61. Banihashem A, Ghahramanlu E, Tavallaie S, Mirhosseini N, Taherpour M, Saber H, et al. Serum zinc and copper concentrations in patients with Beta-thalassemia major. *Trace Elem Electrolytes* 2013; 108–113.
62. Hess SY, Peerson JM, King JC. Use of serum zinc concentration as an indicator of population zinc status. *Food Nutr Bull*. 2007, 28:S403-29.
63. Al-Awadhi A, Alfadhli SM, Borhama M, Borusly M. Investigation of the distribution of lymphocyte subsets and zinc levels in multitransfused b - thalassemia major patients. 2010; 191–196.
64. Kwan, E Y, A C. Lee, A M Li. A cross sectional study of growth, puberty and endocrine function in thalassemia major in Hongkong. *J Paediatr*

1995;83-7.

65. Suthipark KU, Likidlilid A, Fucharoen S, Pootrakul P, Shumnumsirivath D, Ong-ajyooth S, et al. Red cell and plasma calcium, copper and zinc in beta-thalassemia/hemoglobin E. *Southeast Asian J Trop Med Public Health* 1991; 171–5.
66. Rea F, Perrone L, Mastrobuono A, Toscano G, D'Amico M. Zinc levels of serum, hair and urine in homozygous beta-thalassemic subjects under hypertransfusional treatment. *Acta Haematol* 1984; 139–142.
67. Donma O, Günbey S, Taş MA, Donma MM. Zinc, copper, and magnesium concentrations in hair of children from Southeastern Turkey. *Biol Trace Elem Res* 1990; 39–47.
68. Wainscoat J.S: The haemoglobinopathies In: Hoffbrand AV and Lewis M . Postgraduate haematology 4 th edition Great Britain, Oxford. Heinemann Medical Book (1999).
69. Kajanachumpol S, Tatu T, Sasanakul W, Chuansumrit A, Hathirat P. Zinc and copper status of thalassemic children. *Southeast Asian J Trop Med Public Heal* 1997; 877–80.
70. Al-Sayer H., Dashti H., and Christenson J. The role of superoxide dismutase and allupurinal in the prevention of CCl4 induced liver cirrhosis. In: Abdulla M.,*Int J Pharm Bio Sci* 2013 Jan; 4(1): (P) 672 - 691 This article can be downloaded from [www.ijpbio.com](http://www.ijpbio.com).
71. Nima RS, Ablaa HA, Mohammed HJ. The Relationship between Blood Counts and Serum Levels of Zinc and Copper in Children with  $\beta$  - thalassemia Living in Najaf Governorate , in Iraq. 2018; 77–82.
72. Sabah N, Sherien M, Al-Thamir, Mekkey, Al-Hussainy. Effects of Iron Overload and Treatment Methods on Serum Levels of Zinc (Zn) and Cupper (Cu) in Beta Thalassemia Major (BTM) Patients.