

DAFTAR PUSTAKA

1. Tjindarbumi, *Diagnosis dan Pencegahan Kanker Payudara, Kursus Singkat Deteksi Dini dan Pencegahan Kanker*, 6-8 November, FKC.II-POI, Jakarta, 1995.
2. Cragg, G. M.; Pezzuto, J. M. Natural Products as a Vital Source for the Discovery of Cancer Chemotherapeutic and Chemopreventive Agents. *Med Princ Pract*, 2015, 25(2), 41–59.
3. Kumar, P. Plant Derived Anticancer Agents and Their Structure: A Review. *Int J Life Sci Biotechnol Pharma Res*, 2018, 9(6), 43–49.
4. Prasad S, Nigam N, Kalra N, Shukla Y. Regulation of Signaling Pathways Involved in Lupeol Induced Inhibition of Proliferation and Induction of Apoptosis in Human Prostate Cancer Cells. *Mol Carcinog*, 2008; 47:916–924.
5. Liby K, Honda T, Williams CR, Risingsong R, Royce DB, Suh N, et al. Novel Semisynthetic Analogues of Betulinic Acid with Diverse Cytoprotective, antiproliferative, and proapoptotic activities. *Mol Cancer Ther*, 2007; 6:2113–2119.
6. Ehrhardt H, Fulda S, Fuhrer M, Debatin KM, Jeremias I. Betulinic Acid Induced Apoptosis in Leukemia Cells. *Leukemia*, 2004, 18:1406–1412.
7. Abubakar, A. N., Achmadi, S. S., & Suparto, I. H. Triterpenoid of Avocado (*Persea americana*) Seed and its Cytotoxic Activity toward Breast MCF-7 and Liver HepG2 Cancer Cells. *Asian Pac J Trop Biomed*, 2017; 7(5), 397-400.
8. Efdi, Mai. Isolasi Senyawa Triterpenoid Dari Fraksi Aktif Kulit Batang Kecapi (*Sandoricum koetjape* Merr.) dan Uji Bioaktivitas “*Brineshrimps Lethality Bioassay*”. *J ris kim*, 2013, Volume 2 ,hal 1.
9. Nassar Z, Aisha A, Abdul Majid A. The Pharmacological Properties of Terpenoids from *Sandoricum Koetjape*. *WebmedCentral Complementary Medicine*, 2010;1(12):WMC001311
10. Maji, A. A., Aisha, A., Alrokayan, S., Abu-Salah, K., & Darwis, Y . In vitro Cytotoxic and Apoptotic Properties of the Stem Bark Extract of *Sandoricum koetjape* on Breast Cancer Cells. *Int J Immunother Cancer Res*, 2009; 5(3), 123-127.

11. Siregar, Amelia Zulyanti. *Sotul Buah Berkasiat dari Semenanjung Indocina-Malaya*. Skripsi. FP. Pertanian. Universitas Sumatera Utara Medan, 2016.
12. <http://4.bp.blogspot.com/> . Diakses pada 02 Januari 2019
13. Basmal, J.A. *Seminar Nasional Pengolahan Produk dan Bioteknologi kelautan dan Perikanan*. Jakarta, 2009.
14. Fridayanti, A.; Rijai, L.; Farmasi, F.; Mulawarman, U.; Timur, K. Aktivitas Antibakteri Ekstrak Daun Kecapi (*Sandoricum Koetjape* Merr.). *J Trop Pharm Chem*, 2013, 2 (3), 180–185.
15. Ismail, I.S., Ito, H., Mukainaka, T., Higashihara, H., Enjo, F., Tokuda, H., Nishino, H. and Yoshida, T. Ichthyotoxic and Anticarcinogenic Effects of Triterpenoids from *Sandoricum Koetjape* Bark. *Biol Pharm Bull*, 2003, 26, 1351-3.
16. Rasadah, M.A., Khozirah, S., Aznie, A.A. and Nik, M.M. Anti-inflammatory agents from *Sandoricum koetjape* Merr. *Phytomedicine*, 2004, 11, 261-3.
17. Muhammad, I., El Sayed, K.A., Mossa, J.S., Al-Said, M.S., El-Feraly, F.S., Clark, A.M., Hufford, C.D., Oh, S. and Mayer, A.M.S. Bioactive 12-Oleanene Triterpene and Secotriterpene Acids from *Maytenus undata*. *J Nat Prod*, 2000, 63, 605-610.
18. Aisha, A.F.A., Sahib, H.B., Abu-Salah, K.M., Darwis, Y. and Abdul Majid, A.M.S. Cytotoxic and Anti-Angiogenic Properties of the Stem Bark Extract of *Sandoricum koetjape*. *Int. J. Cancer Res.*, 2009, 5, 105-114.
19. Warsinah, Kusumawati.E, Sunarto. Identifikasi Senyawa Antifungi dari Kulit Batang Kecapi (*Sandoricum Koetjape*) dan Aktivitasnya terhadap *Candida albicans*. *Trad Med J*, 2011, 16,170-178
20. Newman DJ, Cragg GM, Snader KM. Natural products as sources of new drugsover the period 1981-2002. *J Nat Prod* , 2003.66:1022-37
21. Pang X, Yi Z, Zhang J, et al. Celastrol Suppresses Angiogenesis-Mediated Tumor Growth Through Inhibition of AKT/mammalian Target of Rapamycin Pathway. *Cancer Res* ;2010;70:1951-9
22. Vannini N, Lorusso G, Cammarota R, Barberis M, Noonan DM, Sporn MB, Albini A. The Synthetic Oleanane Triterpenoid, CDDO-methyl ester, is A Potent Antiangiogenic Agent. *Mol Cancer Ther*, 2007. 6:3139–3146.
23. Miro' M. Cucurbitacins and Their Pharmacological Effects. *Phytotherapy Research* 1995;9:159-68

24. Liu T, Zhang M, Zhang H, et al. Combined Antitumor Activity of Cucurbitacin B and Docetaxel in Laryngeal Cancer. *Eur J Pharmacol*. 2008;587:78-84
25. Huang YT, Huang DM, Chueh SC, et al. Alisol B acetate, a Triterpene from *Alismatis rhizoma*, Induces Bax Nuclear Translocation and Apoptosis in Human Hormone-resistant Prostate Cancer PC-3 Cells. *Cancer Lett*. 2006;231:270-8
26. Zhang, S.; Yi, Y.; Tang, H.; Li, L.; Sun, P.; Wu, J. Two New Bioactive Triterpene Glycosides from the Sea Cucumber *Pseudocolochirus violaceus*. *J. Asian Nat Prod Res* 2006, 8, 1–8.
27. <https://www.learner.org/resources/series187.html>. Diakses pada tanggal 15 januari 2018
28. Alberts; Tumor Suppressor Genes and Oncogenes : Genes that Prevent and Cause Cancer, *Mol Biol Cell 5th Ed Garl Sci*, 2008, Chapter 20, 1230-1256.
29. Syaifudin, Mukh. Gen Penekan Tumor p53, Kanker dan Radiasi Pengion Pusat Teknologi Keselamatan dan Metrologi Radiasi Batan. Jakarta *Buletin Alara*, 2007, Volume 8 Nomor 3, April 2007, 119 – 128
30. Maharani, S. *Kanker:Mengenal 13 jenis kanker dan pengobatannya*. Yogyakarta: Katahati Press,2009.
31. Lee, J. R. *Kanker Payudara Pencegahan dan Pengobatannya*. Jakarta: Daras Books,2008.
32. Ferlay J, Soerjomataram I, Ervik M, Dikshit R, et al., GLOBOCAN 2012 v1.0,Cancer incidence and Mortality Worldwide: IARC CancerBase No. 11 Lyon, France: *International Agency For Research on cancer*; 2013. Available from: <http://globocan.iarc.fr>, diakses pada tanggal 16 januari 2018.
33. Prat, A., Adamo, B., Cheang, M. C., Anders, C. K., Carey, L. A., & Perou, C. M. Molecular Characterization of Basal-Like and Non-Basal-Like Triple-Negative Breast Cancer. *Oncologist*, 2013.18(2), 123-133.
34. Dai, Xiaofeng. Breast Cancer Cell Line Classification and Its Relevance with Breast tumor Subtyping. *J Oncol Transl Res*; 2017.8(16). Hal. 3131-3141.
35. ATCC, 2008a, Cell Biology, ATCC® Number: CRL-2338™ , Designations: HCC1954, <https://www.atcc.org/Products/All/CRL-2338.aspx>, accessed on 20 January 2018.
36. Cooper, J. Cell Line Profile MCF7. *Eur Collect Authenticated Cell Cult* 2012, 7 (86012803), 1–2.

- 37.Chavez KJ, Garimella SV, Lipkowitz S. *Triple Negative Breast Cancer Cell Lines: One Tool in the Search for Better Treatment of Triple Negative Breast Cancer*. *Breast Dis*, 2010. 32(1-2):35–48.
- 38.Zampieri, L., Bianchi, P., Ruff, P., dan Arbuthnot, P., Differential Modulation by Estradiol of P-glycoprotein Drug Resistance Protein Expression in Cultured MCF7 and T47D Breast Cancer Cells, *Anticancer Res*, 2002, 22 (4): 2253-9.
- 39.Verma, S.P., Glodin. B.R, and Lin, P.S. The Inhibition of the Estrogenic Effects of Pesticides and Environmental Chemicals by Curcumin and Flavonoids, *Environ Health Perspect*, 1998, 106(12):807-812
- 40.Wozniak, M.A., dan Keely, P.J. Use of Three Dimensional Collagen Cells to Study Mechanotransduction in T47D Breast Epitelian Cells. *Biol Proced Online*, 2005 7: 144-161.
- 41.Mccauley, J.; Zivanovic, A.; Skropeta, D. *Metabolomics Tools for Natural Product Discovery. Methods and Protocols, Methods Mol Biol*, 2013, 1055, 191-205
- 42.Peng, S.; Zhao, M. *Pharmaceuticals Methods and Applications*. Jhon Wiley & Sons. 2009
- 43.Rahman, A.;Iqbal Choudhary, M.; J Thomsen, W. *Bioassay Technique for Drug Development*. Hardwood Academic Publisher. 2005
- 44.Riss, T. L.; Moravec, R. A.; Niles, A. L.; Duellman, S.; Benink, H. A.; Worzella, T. J.; Minor, L. *Cell Viability Assays. Assay Guidance Manual*, 2016, 114, 785-796.
- 45.Mosman, T. Rapid Colorimetric Assay for Cellular Growth and Survival: Application to Proliferation and Cytotoxicity Assays. *J Immunol Methods*. 1983, 16, (1-2): 55-63
- 46.J, Meerloo., J.Cloos. Cell sensitivity assay: The MTT assay. *Methods Mol Biol*, 2004, 731(march): 237-245
- 47.Hashemi, et al.,. Cytotoxicity effect of Cladribine on the MCF-7 Human Breast Cancer cell line. *Iran Biomed J*, 2004, 8(1)
- 48.<https://www.cancerrxgene.org/translation/CellLine/749709>. Diakses pada 23 November 2018.
- 49.K. Santos, M. Laranjo, M. Abrantes, A.F. Brito, C. Gonçalves, A.B. Sarmento Ribeiro, M.F. Botelho, M.I.L. Soares, A.S.R. Oliveira, T.M.V.D. Pinho e Melo,

- Targeting Triple-Negative Breast Cancer Cells with 6,7-bis(hydroxymethyl)-
1H,3H-pyrrolo[1,2-c]thiazoles, *Eur J Med Chem*, 2014
50. Kaneda, N., J.M. Pezzuto, A.D. Kinghorn, N.R. Farnsworth and T. Santisuk et al. *Plant Anticancer Agents, L. Cytotoxic Triterpenes from Sandoricum Koetjape Stems. J Nat Prod*, 1992, 55: hal 654-659
51. Efidi, M.; Ninomiya, M.; Suryani, E.; Tanaka, K.; Ibrahim, S.; Watanabe, K.; Koketsu, M. Sentulic Acid: A Cytotoxic Ring A-Seco Triterpenoid from Sandoricum Koetjape Merr. *ChemInform*, 2012, 43(44).
52. Safe, S. H.; Prather, P. L.; Brents, L. K.; Chadalapaka, G.; Jutooru, I. Unifying Mechanisms of Action of the Anticancer Activities of Triterpenoids and Synthetic Analogs. *Anticancer Agents Med Chem*, 2012, 12(10), 1211–1220.
53. O'Reilly, E. A.; Gubbins, L.; Sharma, S.; Tully, R.; Guang, M. H. Z.; Weiner-Gorzel, K.; McCaffrey, J.; Harrison, M.; Furlong, F.; Kell, M.; McCann, A. The Fate of Chemoresistance in Triple Negative Breast Cancer (TNBC). *BBA Clinical*, 2015, 3, 257–275.
54. Chalakur-Ramireddy, N. K.; Pakala, S. B. Combined Drug Therapeutic Strategies for the Effective Treatment of Triple Negative Breast Cancer. *Biosci Rep*, 2018, 38(1).