

**GAMBARAN KECEMASAN PASIEN PREOPERATIF *SECTIO CASEREA*
DENGAN ANESTESI SPINAL DI RUMAH SAKIT
IBU DAN ANAK SITI HAWA PADANG**



1. dr. M. Zulfadli Syahrul, Sp.An

2. dr. Dedy Kurnia, Sp.An

**FAKULTAS KEDOKTERAN
UNIVERSITAS ANDALAS
PADANG
2018**

ABSTRACT

PREOPERATIVE ANXIETY IN CESAREAN SECTION PATIENTS AT SITI HAWA'S MOTHER AND CHILD HOSPITAL PADANG

By
Rani Ilma Imani

Anxiety is a response to a threat that comes nowhere, internally, indistinctly or conflictually. One common cause of the anxiety in the world is a patient that will experience an operation. The incidence is about 11-80% in the world. There are some risk factors that impact the anxiety of pre-operative patient like ages, education levels, operation histories, information resources, and etc. This study aimed to give the incidence of the anxiety of cesarean section pre-operative patients with spinal anaesthesia at Siti Hawa's Mother and Child Hospital Padang. Specifically, cesarean section is chosen to be observed because this surgery is the most common operation in the world and spinal anesthesia is the main choice because of its rapid onset and low failure.

This study was an observational-descriptive with cross-sectional design done from July until August 2018. Data were collected by direct interview with 83 respondents using *The Amsterdam Preoperative Anxiety and Information Scale* (APAIS) questionnaire.

This result of this study based on APAIS questionnaire were (51,8%) patients does not feel anxiety and the most need for information was low (48,2%). The highest frequency of preoperative anxiety were patients 20-35 years old (54%), based on education levels (62,9%) patients graduated from college, based on operation histories (63%) patients that hadn't experience the operation yet, and based on the information resources (53,3%) patients who had known the operation procedure.

Key words: anxiety, pre-operative anxiety, cesarean sectio, spinal anaesthesia

ABSTRAK

GAMBARAN KECEMASAN PASIEN PREOPERATIF *SECTIO CAESAREA* DENGAN ANESTESI SPINAL DI RSIA SITI HAWA PADANG

Oleh
Rani Ilma Imani

Kecemasan adalah respons terhadap suatu ancaman yang asalnya tidak diketahui, internal, samar-samar, atau konfliktual. Salah satu penyebab kecemasan tersering di dunia adalah pasien yang dinyatakan akan menjalani operasi. Insidennya sekitar 11-80% di dunia. Terdapat beberapa faktor risiko yang dapat mempengaruhi keadaan kecemasan preoperatif seperti usia, tingkat pendidikan, riwayat operasi, sumber informasi, dan lain-lain. Tujuan penelitian ini dilakukan untuk memberikan gambaran kecemasan pasien preoperatif *sectio caesarea* dengan anestesi spinal di RSIA Siti Hawa Padang. Secara khusus, operasi *sectio caesarea* dipilih untuk diteliti karena operasi ini merupakan operasi tersering yang dilakukan di dunia dan anestesi spinal merupakan pilihan utama karena onsetnya cepat dan tingkat kegagalannya rendah.

Penelitian ini merupakan penelitian deskriptif observasional dengan desain *cross-sectional* yang dilakukan pada bulan Juli - Agustus 2018. Pengumpulan data dengan cara melakukan wawancara langsung kepada 83 responden dengan menggunakan kuesioner *The Amsterdam Preoperative Anxiety and Information Scale* (APAIS).

Hasil penelitian kecemasan berdasarkan kuesioner APAIS, sebagian besar tidak mengalami kecemasan preoperatif (51,8%) dan lebih banyak pada tingkat kebutuhan informasi rendah (48,2%). Kecemasan preoperatif terbanyak pada kelompok usia 20 sampai 35 tahun (54%), berdasarkan tingkat pendidikan lebih banyak pada lulusan perguruan tinggi (62,9%), berdasarkan riwayat operasi lebih banyak pada pasien yang belum pernah menjalani operasi (63%), dan berdasarkan sumber informasi lebih banyak pada pasien yang sudah mengetahui prosedur operasi (53,3%).

Kata kunci: kecemasan, kecemasan preoperatif, *sectio caesarea*, anestesi spinal