

DAFTAR PUSTAKA

- American Cancer Society. 2014. *Cancer Facts and Figures 2014*. Atlanta: American Cancer Society.
- Baguley, B.C. 2010. *Multidrug Resistance Mechanisms in Cancer*. Molecular Biotechnology. vol.46 (3) . 308-316.
- Burdall, E.S., Hanby M.A., Landsdown., R.J.M., & Speirs, V., 2003. *Breast Cancer Cell Line*. Breast Cancer Res. 5(2):89-95.
- Canadian Breast Cancer Foundation Atlantic. 2013. *Breast Cancer in 2013*. Canada: Canadian Cancer Society.
- Capes, D., Theodosopoulos G., & Atkin I. 2010. *Check your cultures! A list of cross-contaminated or misidentified cell lines*. Int J Cancer 127 (1): 1-8.
- Castanheiro., Raquel A. P., Artur M. S. Silva, Nair A. N. Campos, Maria S. J. Nascimento., & Madalena M. M. Pinto. 2009. Antitumor Activity of Some Prenylated Xanthenes. *Pharmaceuticals*. 2. 33-43.
- Chiang, Y., Y.Kuo, S. Oota., & Y. Fukuyama. 2003. *Xanthenes and benzophenones from the stems of Garcinia multiflora*. J Nat Prod 66: 1070-1073.
- Clarke, R.B., Howell, A., & Anderson E. 1997. *Breast Cancer Res. Treat.*, 45: 121-133.
- Darwito, Suwito. (2009). *Omega-3 dan Kanker Payudara*. <http://darwitosuwitosaridinsangpembaharu.blogspot.com/2009/03/pengertian-kanker-payudara-kanker.html>. (diakses tanggal 25 Agustus 2015).
- Departemen Kesehatan Republik Indonesia. 2009. *Profil kesehatan Indonesia 2008*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Dharmaratne, H.R.W., Wanigasekera, & W.M.A.P. 1996. *Xanthenes from Root Bark of Calophyllum thwaitesii*. *Phytochemistry*. 42 (1), 249-250.
- Freshney. 1987. *Culture of Animal Cells, A Manual of Basic Technique*. Wiley-Liss Inc. New York.

- Ganiswara,S., & Nafrialdi. 1995. *Antikanker dan Immunosupresan*, dalam Ganiswara, S., (Ed),*Farmakologi dan Terapi, Bagian Farmakologi Fakultas Kedokteran, Universitas Indonesia*.
- Hanahan,D., R. A. Weinberg. 2000. *The Halfmark of Cancer Cell*, 100, 57-70.
- Husni, E., Nahari,F., Wirasti,Y., Wahyuni,F,S., & Dachriyanus. 2015. *Cytotoxicity Study Of Ethanol Extract Of Stem Bark Of Asam Kandis (Garcinia cowa Roxb.) On T47D Breast Cancer Cell Line*. Asian Pac J Trop Biomed., 5(3):249 252.
- International Agency For Research On Cancer.2013.*Latest World Statistics*.New York: World Health Organization
- Ito,C., Itoigawa , M., Takakura, T., Ruangrunsi, N., Enjo, F., Tokuda, H., Nishino, H., & Furukawa , H. 2003. *Chemical Constituents of Garcinia fusca: Structure Elucidation of Height New Xanthones and Their Cancer Chemopreventive Activity*. Journal of Natural Products 66-200-205.
- Jabit, Md. Lip, Wahyuni, F.S, Rozida, K., Ahmad, I.D., Khozirah, S., Lajis Nordin H, & Johnson, S. 2009. *Cytotoxic and nitric oxide inhibitory activities of methanol extracts of Garcinia species*. Pharmaceutical Biology. 47(11): 1019–1026.
- Jena, B. S., Jayaprakasha, G. K., & Sakariah, K. K. 2002. *Organic acids from leaves, fruits, and rinds of Garcinia cowa*. Journal of Agricultural and food chemistry 50 (12): 3431-3434.
- Jeong., Ju-Mi., Su-Kyeong Kang., In-Hwa Lee., Ji-Yoon Lee., Hyuk Jung., & Cheol-Hee Choi. 2007. *Antioxidant and Chemosensitizing Effects of Flavonoids with Hydroxy and/or Methoxy Groups and Structure-Activity Relationship*. J Pharm Pharmaceut Sci, 10, 537-546.
- Katzung B.G., 2009. Basic & Clinical Pharmacology, 11th edition, McGraw-Hill Company.
- Kusumastuti, R. 2013. *Efek Ekstrak Kloroform Daun Tapak Dara (Catharanthus roseus [L.] G. Don) var.albus dan roseus Dalam Induksi Apoptosis Berdasarkan Ekspresi Procaspase-3 Pada Sel HeLa*. Yogyakarta: Skripsi Sarjana Sains Prodi Biologi UGM.
- Lannang, A.M., Komguem, J., Ngninzeko, F.N., Tangmouo, J.G., Lontsi, D., Ajaz, A., Choudhary, M.I., Ranjit, R., Devkota, K.P., & Sodengam,

- B.L. 2005. *Bangaxanthone A and B, two xanthenes from the Stem bark of Garcinia poliantha Oliv.*, *Phytochemistry*, 66,2351-2355.
- Levenson, S.Anait & V.Craig Jordan, 1997. *MCF7 : The First Hormone-responsive Breast Cancer Cell Line*. Robert H.Lurie Cancer Centre.Northwestern University Medical School,Chicago, Illinois 60611.
- Lisdawati, Vivi, Surnali Wiryowidagdo, & L. Broto S. 2007. *Isolasi dan Elusidasi Struktur Senyawa Lignan dan Asam Lemak dari Ekstrak Daging Buah Phaleria macrocarpa*. *Bul. Penel. Kesehatan*, Vol. 35, No. 3, 2007:115 – 124.
- Mather, Jennie P. & Penelope E. Roberts. 1998. *Introduction to Cell and Tissue Culture: Theory and Technique*. New York: Plenum Press.
- Meiyanto,E.,Sismindari, Kusnandar L.C., & Moordiani. 2003.*Efek Anti Proliferatif Ekstrak Etanol Daun dan Kulit Batang Tanaman Cangkring (Erythrina fuscaLour) terhadap Sel HeLa*.MFI, 14, 124-131.
- Minami, H., *et al.* 1996.*Novel Prenilated Xanthenes with Antioksidant Property from the wood of Garcinia subelliptica*, *Chem.Pharm. Bull*, 44 (11), 2103-2106.
- Mosmann T. 1983. *Rapid colorimetric assay for cellular growth and I survival: application to proliferation and cytotoxicity assays*. *J Immunol Methods* 65:55–63.
- Muharni., Dachrianus., Bahti., & H.,Supriyatna.,2011.*Potensi Tumbuhan Manggis Hutan (Garcinia bancana Miq.) Sebagai Sumber Senyawa Antikanker*.Universitas Sriwijaya.Palembang.
- Nafrialdi & Gan S., 1995. *Antikanker, Farmakologi dan Terapi*, Bagian Farmakologi FKUI, Jakarta, 686-701.
- Oktaviani Jamil., Dwi., & Taslim Ersam. 2010. *Pelacakan Aktivitas Antikanker Terhadap Tiga Senyawa Santon Terprenilasi Dari Spesies Garcinia*, *Prosiding Skripsi Semester Gasal 2009/2010*.
- Panthong, K., W.Pongcharoen, S. Phongpaichit., & W.C.Taylor. 2006. *Tetraoxygenated xanthenes from the fruits of Garcinia cowa*. *Phytochemistry*. 67 (2006) 999–1004.

- Peres V & Nagem T.J. 1997. *Trioxxygenated naturally occurring xanthonnes*. *Phytochemistry* 44:191–214..
- Pusat Data dan Informasi.2015.*Stop Kanker*.Jakarta : Kementrian Kesehatan RI
- Rao, R. R. 1981. *Ethnobotany of Meghalaya: Medicinal Plants Used by Khasi and Garo Tribes*. *Economic Botany* 35(1):4-9.
- Rasjidi, Imam. 2010. *Epidemiologi Kanker pada Wanita*. Jakarta: Sagung Seto.
- Ritthiwigrom., Thunwadee., Surat Laphookhieo & Stephen G. Pyne. 2013. *Chemical constituents and biological activities of Garcinia cowa, Roxb.* *Maejo Int. J. Sci. Technol.*2013, 7(02), 212-231.
- Schafer, J.M., Lee, E.S., O'Regan, R.M., Yao, K., & Jordan, V.C. (2000). *Rapid Development of Tamoxifen-stimulated Mutant p53 Breast Tumors (T47D) in Athymic Mice*, *Clinical Cancer Research*, 6, 4373-4380.
- Shahidi, F. & M. Naczk. 1995.*Food Phenolics: Sources, Chemistry, Effects, Applications*. Ed. Technomic Publishing Co. Inc.
- Shen, Jie & Yang, Jun-Shan. 2005.*Two New Xanthonnes from the Stems of Garcinia cowa*.*Chem. Pharm. Bull.* 54(1) 126-128 (2006) Vol. 54, No. 1.
- Sukardiman, Ekasari, W., & Hapsari, P.P. 2006. *Aktivitas Antikanker dan Induksi Apoptosis Fraksi Kloroform Daun Pepaya (Carica papaya L.) terhadap Kultur Sel Kanker Myeloma*. *Medium Kedokteran Hewan*. vol. 22, No. 2, Mei 2006.
- Suksamrarn, S., Suwannapoch, N., Phakhodee, W., Thanuhiranlert, J., Ratananukul, P., Chimnoi, N., & Suksamrarn, A. 2003.*Antimycobacterial Activity of Prenylated Xanthonnes from the Fruit of Garcinia mangostana*,*Chem. Pharm. Bull.* 51 (7), 857-859.
- Sutma, S. 2012. *Uji Efek Sitotoksik Ekstrak Etanol Kulit Buah Asam Kandis (Garcinia cowa, Roxb.) Terhadap Sel Kanker Payudara T47D Dengan Metoda MTT*. Padang: Skripsi Sarjana Farmasi Universitas Andalas.
- Tjindarbumi D & R. Mangunkusumo. 2002. *Cancer in Indonesia, Present and Future*. *Jpn. J. Clin. Oncol.*, 32, S17–S21.

- Wahyuni, F.S., L.T.Byrne, Dachriyanus, R. Dianita, J.Jubahar, N.H.Lajis, & M.V.Sargent. 2004. *A New Ring-Reduced Tetraprenyltoluquinone and a Prenylated Xanthone from Garcinia cowa*. *Aust. J. Chem.* 57: 223-226.
- Wahyuni, F.S., Shaari, K., Stanlas, J., Lajis, N.Hj., & Dachriyanus. 2015. Cytotoxic xanthenes from the stem bark of *Garcinia cowa* Roxb. *J. Chem. Pharm. Res.* 7 (1) : 227-236.
- Wahyuni, F.S., Stanlas J, N.H.Lajis., & Dachriyanus.2015. *Cytotoxicity Studies Of Tetraprenyltoluquinone, A Prenylated Hydroquinone From Garcinia Cowa Roxb On H-460, MCF 7 And DU-145*. *Innovare Academic Science*. Vol 7, issue 3.
- Wahyuni, F.S., Hui, LS., Stanlas J., N.H.Lajis, & Dachriyanus.2015. *Tetraprenyltoluquinone, an Anticancer Compound from Garcinia cowa Roxb Induce Cell Cycle Arrest on H460 Non Small Lung Cancer Cell Line*. *Int.J.Pharm.* 27 :166-168.
- Whitmore, T.C. 1973. *Guttiferae*. In *Tree Flora of Malaya 2*: 162-236. Kuala Lumpur, Longman Malaysia.
- Wu, C.C., Weng, J.R., Won, SJ., & Lin, C.N (2005). *Constituents of the Pericarp of Garcinia subelliptica*. *Journal of Natural Products* 68:1125-1127,
- Xu Y.J., Chiang P.Y., Lai Y.H., Vittal J.J., Wu X.H., Tan B.K.H., Imiyabir & Goh S.H. (2000). *Cytotoxic Prenylated Depsidones from Garcinia parvifolia*. *Journal of Natural Products* 63 :1361-1363.
- Zampieri, L., Bianchi, P., Ruff, P., & Arbuthnot, P. (2002). *Differential modulation by estradiol of P-glycoprotein drug resistance protein expression in cultured MCF7 and T47D breast cancer cells*, *Anticancer Res.*, 22(4):2253-9.