

DAFTAR PUSTAKA

- Agoes, G., 2007. *Teknologi Bahan Alam (SF-2) ed. Revisi.* Bandung: ITB
- Ames, B.N., Shigenaga, M.K., Hagen, T.M., 1993. Oxidants, antioxidants, and the degenerative diseases of aging. *Proc. Natl. Acad. Sci.* 90: 7915-7922.
- Anitha, V.T., Antonisamy, J.M., Jeeva, S., 2012. Anti-bacterial studies on *Hemigraphis colorata* (Blume) H.G. Hallier and *Elephantopus scaber* L. *Asian Pac. J. Trop. Med.* 5: 52-57.
- Avani, K., Neeta, S., 2005. A Study of the antimicrobial activity of *Elephantopus scaber*. *Indian J. Pharmacol.* 37: 126-128.
- Battu, G.R., Rao, Y.V., Dasari, V.S.P., 2012. Antihepatotoxic effect of *Elephantopus scaber* L. on carbon tetrachloride-induced hepatotoxicity in rats. *Recent Res. Sci. Technol.* 4: 21-24.
- Blois, M.S., 1958. Antioxidant Determination by the use of a stable free radical. *Nature.* 181: 1199-1200.
- Chiang, Y.M., Chuang, D.Y., Wang, S.H., Kuo, Y.H., Tsai, P.W., Shyur L.F., 2004. Metabolite profiling and chemopreventive bioactivity of plant extracts from *Bidens pilosa*. *Journal of Ethnopharmacology.* 24: 409-419.
- Cotelle, N., 2001. Role of flavonoids in oxidative stress. *Curr. Top. Med. Chem.* 1: 569-590
- Dai, J., Mumper, R.J., 2010. Plant Phenolics: Extraction, analysis and their antioxidant and anticancer properties. *Molecules.* 15: 7313-7352.
- Daisy, P., Jasmine, R., Ignacimuthu, S., Murugan, E., 2009. A novel steroid from *Elephantopus scaber* L. an ethnomedicinal plant with antidiabetic activity. *Phytomedicine* 16: 252-257.
- Departemen Kesehatan Republik Indonesia. 1990. *Materia Medika Jilid IV.* Dirjen POM. Jakarta: 52-56
- Frei, B., Higdon, J.V., 2003. Antioxidant activity of tea polyphenols *in vivo*: evidence from animal studies. *J. Nutr.* 133: 3275
- Fresco, P., Borges, F., Diniz, C., Marques M.P.M., 2006. New insights on the anticancer properties of dietary polyphenols:*Med. Res. Rev.* 26: 747

- Gangarao, B., Rao, Y.V., Pavani, S., Dasari, V.S.P., 2012. Qualitative and quantitative phytochemical screening and in vitro anti oxidant and anti microbial activities of *Elephantopus scaber* Linn. *Recent Research in Science and Technology*. 4: 15-20
- Gurav, S., Deshkar, N., Gulkari, V., Duragkar N., Patil, A., 2007. Free radical scavenging activity of *Polygala Chinensis* Linn. *Pharmacologyonline*. 2: 245-253.
- Hammer, M.L.A., Johns, E.A., 1993. Tapping an amazonian plethora: Four medicinal plants of Marajo Island, Para (Brazil). *J. Ethanopharmacol.* 40: 53-75.
- Harborne, J.B., 2006. *Metode Fitokimia Penuntun Cara Modera Menganalisis Tumbuhan*. Terjemahan: Kosasih Padmawinata dan Soediro Iwang. Bandung: ITB.
- Ho, W.Y., Ky, H., Yeap, S.K., Rahim, R.A., Omar, A.R., Ho, C.L., Alitheen, N.B., 2009. Traditional practice, bioactivities and commercialization potential of *Elephantopus scaber* Linn. *Journal of Medicinal Plants Research*. 3(13). 1212-1221.
- Hiradeve, S.M., Rangari, V.D., 2014. *Elephantopus scaber* Linn.: A review on its ethnomedical phytochemical and pharmacological profile. *Journal of Applied Biomedicine*. 12: 49-61.
- Jun, M.H.Y., Fong, J., Wan, X., Yang, C.S., Ho, C.T., 2003. Comparison of antioxidant activities of isoflavones from kudzu root (*Pueraria labata* O.). *Journal Food Science Institute of Technologies*. 68:2117-2122.
- Kabeer, F.A., Prathapan, R., 2014. Phytopharmacological profile of *Elephantopus scaber*. *Pharmacologia*. 5(8): 272-285
- Kabiru, A., Por, L.Y., 2013. *Elephantopus Species*: Traditional uses, pharmacological actions and chemical composition. *Advances in Life Science and Technology*. 15: 1- 13.
- Kampa, M., Nifli, A.P., Notas, G., Castanas, E., 2007. Polyphenols and cancer cell growth. *Rev.Physiol. Biochem. Pharmacol.* 159: 79
- Khan, A., Arun, P., Mukesh, P., Singh, B.P., 2011. Evaluation of anthelmintic property of alcoholic and aqueous extract of leaves of *E. scaber* Linn. *Int. J. Pharm. Life Sci.* 2:551-553.
- Liang, Q.L., Min, Z.D., Tang, Y.P., 2008. A new elemanolide sesquiterpene lactone from *Elephantopus scaber*. *J. Asian Nat. Prod. Res.* 10: 403–407.

- Molyneux, P., 2004. The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J. Sci. Technol.* 26(2) : 211-219.
- Ooi, K.L., Muhammad, T.S.T., Tan, M.L., Sulaiman, S.F., 2011. Cytotoxic, apoptotic and anti α -glucosidase activities of 3,4-di-O-caffeyl quinic acid, an antioxidant isolated from the polyphenolic-rich extract of *Elephantopus mollis* Kunth. *Journal of Ethnopharmacology*. 135: 685–695.
- Ozyurt B., Iraz M., Koca K., Ozyurt H., Sahin S., 2006. Protective effects of caffeyic acid phenethyl ester on skeletal muscle ischemia-reperfusion injury in rats. *Mol Cell Biochem.* 292(1-2): 197-203.
- Prior, R.L., Wu, X., Schaich, K., 2005. Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*. 53: 4290-4302.
- Putra, D.P., Fatra, H.A., Bakhtiar, A., 2010. Isolasi senyawa antioksidan dari kelopak bunga nusa indah (*Mussaenda frondosa* L.). *Jurnal Farmasi Indonesia*. 5: 48 - 56.
- Rajesh, M.G., Latha, M.S., 2001. Hepatoprotection by *E. scaber* Linn. in CCl_4 induced liver injury. *Indian J. Physiol. Pharmacol.* 45:481-486.
- Ramos, S. 2007. Effects of dietary flavonoids on apoptotic pathways related to cancer chemoprevention. *J. Nutr. Biochem.* 18:427
- Rice-Evans, C.A., Miller, N.J., Bolwell, P.G., Bramley, P.M., Pridham, J.B., 1995. The relative antioxidant activities of plant-derived polyphenolic flavonoids. *Free Radic. Res.* 22:375-383.
- Sankar, V., Kalirajan, R., Sales, S.V., Raghuraman, S., 2001. Anti inflammatory activity of *E. scaber* in albino rats. *Indian J. Pharm. Sci.* 63:523-525
- Sankaranarayanan, S., Barna, P., Ramachandra, J., Jayasimman, R., Kalaichelvan, P.T., Deccaraman, M., Vijayalakshmi, M., Visveswaran, M., Chitibabu, C.V., 2010. Invitro platelet aggregation inhibitory effect of triterpenoid compound from the leaf of *E. Scaber* Linn . *Int. J. Pharm. Pharm. Sci.* 2: 49-51.
- Sheeba, K.O., Wills, P.J., Latha, B.K., Rajalekshmy, R., Latha, M.S., 2012. Antioxidant and antihepatotoxic efficacy of methanolic extract of *E. scaber* Linn. in Wistar rats. *Pac. J. Trop. Dis.* 2: S904-S908.

Shivaprasad, H.N., Mohan, S., Kharya, M.D., 2005. In-vitro model for antioxidant activity evaluation. a review. <http://www.pharmainfo.net>.

Singh, S.D.J., Khrisna, V., Mankani, K.L., Manjunatha, B.K., Vidya, S.M., Manohara, Y.N., 2005. Wound healing activity of the leaf extracts and deoxyelephantopin isolated from *E. scaber* Linn. *Indian J. Pharmacol.*, 37 238-242.

Singleton, V.L., Rossi, J.A.Jr., 1965. Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *Am. J. Enol. Vitic.* 16:3:144-158

Suresh, K.S., Perumal, P., Suresh, B., 2004. Antibacterial studies on leaf extract of *E. scaber* Linn. *Ancient. Sci. Life.* 23:6-8.

Than, N.N., Fotso, S., Seviana, M., Sheldrick, G.M., Fiebig, H.H., Kelter, G., Laatsch, H., 2005. Sesquiterpene lactones from *Elephantopus scaber*. *Z. Naturforsch.* 60: 200–204.

Tjitosoepomo, G., 2007. *Taksonomi Tumbuhan (Spermatophyta)*. Yogyakarta: Gadjah Mada University Press. 334-335.

Tomás-Barberán, F.A., Blázquez, M.A., Garcia-Viguera, C., Ferreres, F., Tomás-Lorente, F., 1992. A comparative study of different amberlite XAD resins in flavonoid analysis. *Phytochemical analysis*. 3:178-181.

Wang, L., Jian, S., Nan, P., Liu, J., Zhong, Y., 2004. Chemical composition of the essential oil of *Elephantopus scaber* from southern China. *Z. Naturforsch.* 59:327–329.

Winarsi, H., 2007. *Antioksidan Alami dan Radikal Bebas*. Yogyakarta: Kanisius.

Wu, T., Cui, H., Cheng, B., Fang, S., Xu, J., Gu, Q., 2014. Chemical constituents from the roots of *Elephantopus scaber* L. *Biochemical Systematics and Ecology*. 54:66-67.