

## DAFTAR PUSTAKA

- Alangaden, G.J., Kreiswirth, B.N., Aouad, A., Khetarpal, M., Igno, F.R., Moghazeh, S.L., Manavathu, E.K., dan Lerner, S.A. 1998. Mechanism of resistance to amikacin and kanamycin in *Mycobacterium tuberculosis*. *Antimicrobial agents and chemotherapy* 42(5), 1295–7. <http://www.ncbi.nlm.nih.gov/pubmed/9593173>. [diakses 27 Okt 2018].
- Albanna, A.S., Reed, M.B., Kotar, K. V., Fallow, A., McIntosh, F.A., Behr, M.A., dan Menzies, D. 2011. Reduced Transmissibility of East African Indian Strains of *Mycobacterium tuberculosis*. *PLoS ONE* 6(9), e25075. <http://www.ncbi.nlm.nih.gov/pubmed/21949856>. [diakses 23 Okt 2018].
- Alexander, K.A., Laver, P.N., Michel, A.L., Williams, M., van Helden, P.D., Warren, R.M., dan Gey van Pittius, N.C. 2010. Novel *Mycobacterium tuberculosis* complex pathogen, *M. mungi*. *Emerging infectious diseases* 16(8), 1296–9. <http://www.ncbi.nlm.nih.gov/pubmed/20678329>. [diakses 4 Des 2018].
- Ali, A., Hasan, Z., McNerney, R., Mallard, K., Hill-Cawthorne, G., Coll, F., Nair, M., Pain, A., Clark, T.G., dan Hasan, R. 2015. Whole Genome Sequencing Based Characterization of Extensively Drug-Resistant *Mycobacterium tuberculosis* Isolates from Pakistan. *PLOS ONE* 10(2), e0117771. <http://dx.plos.org/10.1371/journal.pone.0117771>. [diakses 27 Jul 2018].
- Almeida Da Silva, P.E., dan Palomino, J.C. 2011. Molecular basis and mechanisms of drug resistance in *Mycobacterium tuberculosis*: classical and new drugs. *Journal of Antimicrobial Chemotherapy* 66(7), 1417–1430. <http://www.ncbi.nlm.nih.gov/pubmed/21558086>. [diakses 21 Okt 2018].
- Altschul, S.F., Gish, W., Miller, W., Myers, E.W., dan Lipman, D.J. 1990. Basic local alignment search tool. *Journal of molecular biology*.
- Aubry, A., Pan, X.S., Fisher, L.M., Jarlier, V., dan Cambau, E. 2004. *Mycobacterium tuberculosis* DNA gyrase: interaction with quinolones and correlation with antimycobacterial drug activity. *Antimicrobial agents and chemotherapy* 48(4), 1281–8. <http://www.ncbi.nlm.nih.gov/pubmed/15047530>. [diakses 28 Okt 2018].
- Baker, M. 2012. De novo genome assembly: what every biologist should know. *Nature Methods* 9(4), 333–337. <http://www.nature.com/articles/nmeth.1935>. [diakses 1 Des 2018].
- Banerjee, A., Dubnau, E., Quemard, A., Balasubramanian, V., Um, K.S., Wilson, T., Collins, D., de Lisle, G., dan Jacobs, W.R. 1994. *inhA*, a gene encoding a target for isoniazid and ethionamide in *Mycobacterium tuberculosis*. *Science (New York, N.Y.)* 263(5144), 227–30. <http://www.ncbi.nlm.nih.gov/pubmed/8284673>. [diakses 22 Okt 2018].
- Bankevich, A., Nurk, S., Antipov, D., Gurevich, A.A., Dvorkin, M., Kulikov, A.S., Lesin, V.M., Nikolenko, S.I., Pham, S., Prjibelski, A.D., Pyshkin, A. V., Sirotkin, A. V., Vyahhi, N., Tesler, G., Alekseyev, M.A., dan Pevzner, P.A.

2012. SPAdes: A New Genome Assembly Algorithm and Its Applications to Single-Cell Sequencing. *Journal of Computational Biology* 19(5), 455–477. <http://www.ncbi.nlm.nih.gov/pubmed/22506599>. [diakses 28 Okt 2018].
- BARBU, E., LEE, K.Y., dan WAHL, R. 1956. [Content of purine and pyrimidine base in desoxyribonucleic acid of bacteria]. *Annales de l'Institut Pasteur* 91(2), 212–24. <http://www.ncbi.nlm.nih.gov/pubmed/13363015>. [diakses 26 Nov 2018].
- Beckert, P., Hillemann, D., Kohl, T.A., Kalinowski, J., Richter, E., Niemann, S., dan Feuerriegel, S. 2012. rplC T460C identified as a dominant mutation in linezolid-resistant *Mycobacterium tuberculosis* strains. *Antimicrobial agents and chemotherapy* 56(5), 2743–5. <http://www.ncbi.nlm.nih.gov/pubmed/22371899>. [diakses 27 Jul 2018].
- Biomatters Limited 2018. Geneious - Molecular Biology and NGS Analysis Tools. Biomatters Ltd. <https://www.geneious.com/geneious/>. [diakses 20 Okt 2018].
- Böttger, E.C., Springer, B., Pletschette, M., dan Sander, P. 1998. Fitness of antibiotic-resistant microorganisms and compensatory mutations. *Nature Medicine* 4(12), 1343–1344. [http://www.nature.com/articles/nm1298\\_1343](http://www.nature.com/articles/nm1298_1343). [diakses 5 Des 2018].
- Brossier, F., Sougakoff, W., Bernard, C., Petrou, M., Adeyema, K., Pham, A., Amy de la Breteque, D., Vallet, M., Jarlier, V., Sola, C., dan Veziris, N. 2015. Molecular Analysis of the embCAB Locus and embR Gene Involved in Ethambutol Resistance in Clinical Isolates of *Mycobacterium tuberculosis* in France. *Antimicrobial agents and chemotherapy* 59(8), 4800–8. <http://www.ncbi.nlm.nih.gov/pubmed/26033726>. [diakses 30 Nov 2018].
- Brown, A.C., Bryant, J.M., Einer-Jensen, K., Holdstock, J., Houniet, D.T., Chan, J.Z.M., Depledge, D.P., Nikolayevskyy, V., Broda, A., Stone, M.J., Christiansen, M.T., Williams, R., McAndrew, M.B., Tutill, H., Brown, J., Melzer, M., Rosmarin, C., McHugh, T.D., Shorten, R.J., Drobniewski, F., Speight, G., dan Breuer, J. 2015. Rapid Whole-Genome Sequencing of *Mycobacterium tuberculosis* Isolates Directly from Clinical Samples. *Journal of clinical microbiology* 53(7), 2230–7. <http://www.ncbi.nlm.nih.gov/pubmed/25972414>. [diakses 1 Des 2018].
- Bryant, J.M., Schürch, A.C., van Deutekom, H., Harris, S.R., de Beer, J.L., de Jager, V., Kremer, K., van Hijum, S.A.F.T., Siezen, R.J., Borgdorff, M., Bentley, S.D., Parkhill, J., dan van Soolingen, D. 2013. Inferring patient to patient transmission of *Mycobacterium tuberculosis* from whole genome sequencing data. *BMC Infectious Diseases* 13(1), 110. <http://bmcinfectdis.biomedcentral.com/articles/10.1186/1471-2334-13-110>. [diakses 27 Agu 2018].
- Casali, N., Broda, A., Harris, S.R., Parkhill, J., Brown, T., dan Drobniewski, F. 2016. Whole Genome Sequence Analysis of a Large Isoniazid-Resistant Tuberculosis Outbreak in London: A Retrospective Observational Study. *PLoS medicine* 13(10), e1002137. <http://www.ncbi.nlm.nih.gov/pubmed/27701423>. [diakses 1 Des 2018].

- Casali, N., Nikolayevskyy, V., Balabanova, Y., Harris, S.R., Ignatyeva, O., Kontsevaya, I., Corander, J., Bryant, J., Parkhill, J., Nejentsev, S., Horstmann, R.D., Brown, T., dan Drobniewski, F. 2014. Evolution and transmission of drug-resistant tuberculosis in a Russian population. *Nature Genetics* 46(3), 279–286. <http://www.nature.com/articles/ng.2878>. [diakses 1 Des 2018].
- Caws, M., Duy, P.M., Tho, D.Q., Lan, N.T.N., Hoa, D.V., dan Farrar, J. 2006. Mutations prevalent among rifampin- and isoniazid-resistant *Mycobacterium tuberculosis* isolates from a hospital in Vietnam. *Journal of clinical microbiology* 44(7), 2333–7. <http://www.ncbi.nlm.nih.gov/pubmed/16825345>. [diakses 22 Okt 2018].
- Chaidir, L., Ruesen, C., Dutilh, B.E., Ganiem, A.R., Andryani, A., Apriani, L., Huynen, M.A., Ruslami, R., Hill, P.C., Crevel, R. van, dan Alisjahbana, B. 2018. Use of whole genome sequencing to predict *Mycobacterium tuberculosis* drug resistance in Indonesia. *Journal of Global Antimicrobial Resistance*. <https://www.sciencedirect.com/science/article/pii/S2213716518301656?via%3Dihub>. [diakses 21 Okt 2018].
- Chen, X., Wang, B., Yang, W., Kong, F., Li, C., Sun, Z., Jelfs, P., dan Gilbert, G.L. 2014. Rolling circle amplification for direct detection of *rpoB* gene mutations in *Mycobacterium tuberculosis* isolates from clinical specimens. *Journal of clinical microbiology* 52(5), 1540–8. <http://www.ncbi.nlm.nih.gov/pubmed/24574296>. [diakses 16 Des 2018].
- Cheng, A.F.B., Yew, W.W., Chan, E.W.C., Chin, M.L., Hui, M.M.M., dan Chan, R.C.Y. 2004. Multiplex PCR amplimer conformation analysis for rapid detection of *gyrA* mutations in fluoroquinolone-resistant *Mycobacterium tuberculosis* clinical isolates. *Antimicrobial agents and chemotherapy* 48(2), 596–601. <http://www.ncbi.nlm.nih.gov/pubmed/14742214>. [diakses 28 Okt 2018].
- Chien, J.Y., Chiu, W.Y., Chien, S.T., Chiang, C.J., Yu, C.J., dan Hsueh, P.R. 2016. Mutations in *gyrA* and *gyrB* among Fluoroquinolone- and Multidrug-Resistant *Mycobacterium tuberculosis* Isolates. *Antimicrobial agents and chemotherapy* 60(4), 2090–6. <http://www.ncbi.nlm.nih.gov/pubmed/26787695>. [diakses 1 Des 2018].
- Cirillo, D.M., Cabibbe, A.M., De Filippo, M.R., Trovato, A., Simonetti, T., Rossolini, G.M., dan Tortoli, E. 2016. Use of WGS in *Mycobacterium tuberculosis* routine diagnosis. *International Journal of Mycobacteriology* 5, S252–S253. <https://www.sciencedirect.com/science/article/pii/S2212553116301911?via%3Dihub>. [diakses 27 Jul 2018].
- CNR-MyRMA 2017. Résumé du rapport d'activité pour l'année 2007 Septembre 2008. Paris: .
- Cole, S.T., Brosch, R., Parkhill, J., Garnier, T., Churcher, C., Harris, D., Gordon, S. V., Eiglmeier, K., Gas, S., Barry, C.E., Tekaiia, F., Badcock, K., Basham, D., Brown, D., Chillingworth, T., Connor, R., Davies, R., Devlin, K., Feltwell, T., Gentles, S., Hamlin, N., Holroyd, S., Hornsby, T., Jagels, K., Krogh, A.,



- McLean, J., Moule, S., Murphy, L., Oliver, K., Osborne, J., Quail, M.A., Rajandream, M.A., Rogers, J., Rutter, S., Seeger, K., Skelton, J., Squares, R., Squares, S., Sulston, J.E., Taylor, K., Whitehead, S., dan Barrell, B.G. 1998. Deciphering the biology of *Mycobacterium tuberculosis* from the complete genome sequence. *Nature* 393(6685), 537–544. <http://www.nature.com/articles/31159>. [diakses 27 Jul 2018].
- Comas, I., Coscolla, M., Luo, T., Borrell, S., Holt, K.E., Kato-Maeda, M., Parkhill, J., Malla, B., Berg, S., Thwaites, G., Yeboah-Manu, D., Bothamley, G., Mei, J., Wei, L., Bentley, S., Harris, S.R., Niemann, S., Diehl, R., Aseffa, A., Gao, Q., Young, D., dan Gagneux, S. 2013. Out-of-Africa migration and Neolithic coexpansion of *Mycobacterium tuberculosis* with modern humans. *Nature Genetics* 45(10), 1176–1182. <http://www.ncbi.nlm.nih.gov/pubmed/23995134>. [diakses 23 Okt 2018].
- Croftton, J., dan Mitchison, D.A. 1948. Streptomycin resistance in pulmonary tuberculosis. *British medical journal* 2(4588), 1009–15. <http://www.ncbi.nlm.nih.gov/pubmed/18100441>. [diakses 27 Okt 2018].
- Denkinger, C.M., Pai, M., dan Dowdy, D.W. 2014. Do we need to detect isoniazid resistance in addition to rifampicin resistance in diagnostic tests for tuberculosis? *PloS one* 9(1), e84197. <http://www.ncbi.nlm.nih.gov/pubmed/24404155>. [diakses 4 Des 2018].
- Dewey, F.E., Grove, M.E., Pan, C., Goldstein, B. a, Bernstein, J. a, Chaib, H., Merker, J.D., Goldfeder, R.L., Enns, G.M., David, S.P., Pakdaman, N., Ormond, K.E., Caleshu, C., Kingham, K., Klein, T.E., Whirl-Carrillo, M., Sakamoto, K., Wheeler, M.T., Butte, A.J., Ford, J.M., Boxer, L., Ioannidis, J.P.A., Yeung, A.C., Altman, R.B., Assimes, T.L., Snyder, M., Ashley, E.A., dan Quertermous, T. 2014. Clinical Interpretation and Implications of Whole-Genome Sequencing. *JAMA* 311(10), 1035–1045. <http://jama.jamanetwork.com/article.aspx?doi=10.1001/jama.2014.1717>.
- Dheda, K., Gumbo, T., Maartens, G., Dooley, K.E., McNerney, R., Murray, M., Furin, J., Nardell, E.A., London, L., Lessem, E., Theron, G., van Helden, P., Niemann, S., Merker, M., Dowdy, D., Van Rie, A., Siu, G.K.H., Pasipanodya, J.G., Rodrigues, C., Clark, T.G., Sirgel, F.A., Esmail, A., Lin, H.H., Atre, S.R., Schaaf, H.S., Chang, K.C., Lange, C., Nahid, P., Udwardia, Z.F., Horsburgh, C.R., Churchyard, G.J., Menzies, D., Hesselning, A.C., Nuermberger, E., McIlleron, H., Fennelly, K.P., Goemaere, E., Jaramillo, E., Low, M., Jara, C.M., Padayatchi, N., dan Warren, R.M. 2017. The epidemiology, pathogenesis, transmission, diagnosis, and management of multidrug-resistant, extensively drug-resistant, and incurable tuberculosis. *The Lancet Respiratory Medicine* 5(4), 291–360. <http://www.ncbi.nlm.nih.gov/pubmed/28344011>. [diakses 28 Okt 2018].
- Dippenaar, A., Parsons, S.D.C., Sampson, S.L., van der Merwe, R.G., Drewe, J.A., Abdallah, A.M., Siame, K.K., Gey van Pittius, N.C., van Helden, P.D., Pain, A., dan Warren, R.M. 2015. Whole genome sequence analysis of *Mycobacterium suricattae*. *Tuberculosis* 95(6), 682–688. <https://www.sciencedirect.com/science/article/pii/S1472979215301712>. [diakses 21 Jul 2018].

- Dookie, N., Rambaran, S., Padayatchi, N., Mahomed, S., dan Naidoo, K. 2018. Evolution of drug resistance in *Mycobacterium tuberculosis*: a review on the molecular determinants of resistance and implications for personalized care. *Journal of Antimicrobial Chemotherapy* 73(5), 1138–1151. <https://academic.oup.com/jac/article/73/5/1138/4817621>. [diakses 27 Sep 2018].
- Edison, E. 2016. Hubungan Tipe Strain *Mycobacterium tuberculosis* dan Riwayat Minum Obat Dengan Pola Resistensi Pada Penderita Tuberkulosis Paru di Sumatera Barat. Universitas Andalas.
- Eldholm, V., Norheim, G., von der Lippe, B., Kinander, W., Dahle, U.R., Caugant, D.A., Mannsåker, T., Mengshoel, A.T., Dyrhol-Riise, A.M., dan Balloux, F. 2014. Evolution of extensively drug-resistant *Mycobacterium tuberculosis* from a susceptible ancestor in a single patient. *Genome biology* 15(11), 490. <http://www.ncbi.nlm.nih.gov/pubmed/25418686>. [diakses 30 Nov 2018].
- Eybpoosh, S., Haghdoost, A.A., Mostafavi, E., Bahrampour, A., Azadmanesh, K., dan Zolala, F. 2017. Molecular epidemiology of infectious diseases. *Electronic physician* 9(8), 5149–5158. <http://www.ncbi.nlm.nih.gov/pubmed/28979755>. [diakses 26 Agu 2018].
- Fàbrega, A., Madurga, S., Giralt, E., dan Vila, J. 2009. Mechanism of action of and resistance to quinolones. *Microbial Biotechnology* 2(1), 40–61. <http://www.ncbi.nlm.nih.gov/pubmed/21261881>. [diakses 28 Okt 2018].
- Farhat, M.R., Jacobson, K.R., Franke, M.F., Kaur, D., Sloutsky, A., Mitnick, C.D., dan Murray, M. 2016. Gyrase Mutations Are Associated with Variable Levels of Fluoroquinolone Resistance in *Mycobacterium tuberculosis*. *Journal of clinical microbiology* 54(3), 727–33. <http://www.ncbi.nlm.nih.gov/pubmed/26763957>. [diakses 1 Des 2018].
- Fenner, L., Egger, M., Bodmer, T., Altpeter, E., Zwahlen, M., Jaton, K., Pfyffer, G.E., Borrell, S., Dubuis, O., Bruderer, T., Siegrist, H.H., Furrer, H., Calmy, A., Fehr, J., Stalder, J.M., Ninet, B., Böttger, E.C., Gagneux, S., dan Group, for the S.H.C.S. and the S.M.E. of T.S. 2012. Effect of Mutation and Genetic Background on Drug Resistance in *Mycobacterium tuberculosis*. *Antimicrobial Agents and Chemotherapy* 56(6), 3047–3053. <http://www.ncbi.nlm.nih.gov/pubmed/22470121>. [diakses 4 Des 2018].
- Finken, M., Kirschner, P., Meier, A., Wrede, A., dan Böttger, E.C. 1993. Molecular basis of streptomycin resistance in *Mycobacterium tuberculosis*: alterations of the ribosomal protein S12 gene and point mutations within a functional 16S ribosomal RNA pseudoknot. *Molecular microbiology* 9(6), 1239–46. <http://www.ncbi.nlm.nih.gov/pubmed/7934937>. [diakses 27 Okt 2018].
- Fitzgerald, D.W., Sterling, T.R., dan Haas, D.W. 2015. *Mycobacterium tuberculosis*. In: Bennett, J.E., Dolin, R., dan Blaser, M.J. (Editor). *Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases*. Philadelphia, PA: Saunders, hal. 2787–2818.e5.
- Fivian-Hughes, A.S., Houghton, J., dan Davis, E.O. 2012. *Mycobacterium tuberculosis* thymidylate synthase gene *thyX* is essential and potentially

- bifunctional, while thyA deletion confers resistance to p-aminosalicylic acid. *Microbiology (Reading, England)* 158(Pt 2), 308–18. <http://www.ncbi.nlm.nih.gov/pubmed/22034487>. [diakses 1 Des 2018].
- Ford, C.B., Shah, R.R., Maeda, M.K., Gagneux, S., Murray, M.B., Cohen, T., Johnston, J.C., Gardy, J., Lipsitch, M., dan Fortune, S.M. 2013. *Mycobacterium tuberculosis* mutation rate estimates from different lineages predict substantial differences in the emergence of drug-resistant tuberculosis. *Nature genetics* 45(7), 784–90. <http://www.ncbi.nlm.nih.gov/pubmed/23749189>. [diakses 21 Okt 2018].
- Franklin, R.E., dan Gosling, R.G. 1953. Molecular configuration in sodium thymonucleate. *Nature* 171, 740–741. <http://www.nature.com/doi/10.1038/171740a0>. [diakses 18 Okt 2018].
- Gagneux, S. 2009. Fitness cost of drug resistance in *Mycobacterium tuberculosis*. *Clinical Microbiology and Infection* 15, 66–68. <https://www.sciencedirect.com/science/article/pii/S1198743X14604195>. [diakses 5 Des 2018].
- Gagneux, S., Long, C.D., Small, P.M., Van, T., Schoolnik, G.K., dan Bohannon, B.J.M. 2006. The competitive cost of antibiotic resistance in *Mycobacterium tuberculosis*. *Science (New York, N.Y.)* 312(5782), 1944–6. <http://www.ncbi.nlm.nih.gov/pubmed/16809538>. [diakses 5 Des 2018].
- Galagan, J.E. 2014. Genomic insights into tuberculosis. *Nature Reviews Genetics* 15(5), 307–320. <http://www.ncbi.nlm.nih.gov/pubmed/24662221>. [diakses 1 Des 2018].
- Gardy, J.L., Johnston, J.C., Sui, S.J.H., Cook, V.J., Shah, L., Brodtkin, E., Rempel, S., Moore, R., Zhao, Y., Holt, R., Varhol, R., Birol, I., Lem, M., Sharma, M.K., Elwood, K., Jones, S.J.M., Brinkman, F.S.L., Brunham, R.C., dan Tang, P. 2011. Whole-Genome Sequencing and Social-Network Analysis of a Tuberculosis Outbreak. *New England Journal of Medicine* 364(8), 730–739. <http://www.nejm.org/doi/abs/10.1056/NEJMoa1003176>. [diakses 27 Agu 2018].
- Genetic Home Reference 2018. What is DNA? - Genetics Home Reference - NIH,US Natl. Libr. Med. <https://ghr.nlm.nih.gov/primer/basics/dna>. [diakses 18 Okt 2018].
- Genetics Home Reference 2018. What is a genome? - Genetics Home Reference - NIH,US Natl. Libr. Med. <https://ghr.nlm.nih.gov/primer/hgp/genome>. [diakses 18 Okt 2018].
- Georghiou, S.B., Magana, M., Garfein, R.S., Catanzaro, D.G., Catanzaro, A., dan Rodwell, T.C. 2012. Evaluation of Genetic Mutations Associated with *Mycobacterium tuberculosis* Resistance to Amikacin, Kanamycin and Capreomycin: A Systematic Review. *PLoS ONE* 7(3), e33275. <http://www.ncbi.nlm.nih.gov/pubmed/22479378>. [diakses 28 Okt 2018].
- Gillespie, S.H. 2002. Evolution of drug resistance in *Mycobacterium tuberculosis*: clinical and molecular perspective. *Antimicrobial agents and chemotherapy* 46(2), 267–74. <http://www.ncbi.nlm.nih.gov/pubmed/11796329>. [diakses 27



Okt 2018].

- Golovko, G., Khanipov, K., Rojas, M., Martinez-Alcántara, A., Howard, J.J., Ballesteros, E., Gupta, S., Widger, W., dan Fofanov, Y. 2012. Slim-filter: an interactive Windows-based application for illumina genome analyzer data assessment and manipulation. *BMC bioinformatics* 13, 166. <http://www.ncbi.nlm.nih.gov/pubmed/22800377>. [diakses 26 Nov 2018].
- Goude, R., Amin, A.G., Chatterjee, D., dan Parish, T. 2009. The arabinosyltransferase EmbC is inhibited by ethambutol in *Mycobacterium tuberculosis*. *Antimicrobial agents and chemotherapy* 53(10), 4138–46. <http://www.ncbi.nlm.nih.gov/pubmed/19596878>. [diakses 1 Des 2018].
- Grau, T., Selchow, P., Tigges, M., Burri, R., Gitzinger, M., Böttger, E.C., Fussenegger, M., dan Sander, P. 2012. Phenylethyl butyrate enhances the potency of second-line drugs against clinical isolates of *Mycobacterium tuberculosis*. *Antimicrobial agents and chemotherapy* 56(2), 1142–5. <http://www.ncbi.nlm.nih.gov/pubmed/22106218>. [diakses 1 Des 2018].
- Hanekom, M., Gey van Pittius, N.C., McEvoy, C., Victor, T.C., Van Helden, P.D., dan Warren, R.M. 2011. *Mycobacterium tuberculosis* Beijing genotype: A template for success. *Tuberculosis* 91(6), 510–523. <http://www.ncbi.nlm.nih.gov/pubmed/21835699>. [diakses 23 Okt 2018].
- Hazbon, M.H., Brimacombe, M., Bobadilla del Valle, M., Cavatore, M., Guerrero, M.I., Varma-Basil, M., Billman-Jacobe, H., Lavender, C., Fyfe, J., Garcia-Garcia, L., Leon, C.I., Bose, M., Chaves, F., Murray, M., Eisenach, K.D., Sifuentes-Osornio, J., Cave, M.D., Ponce de Leon, A., dan Alland, D. 2006. Population Genetics Study of Isoniazid Resistance Mutations and Evolution of Multidrug-Resistant *Mycobacterium tuberculosis*. *Antimicrobial Agents and Chemotherapy* 50(8), 2640–2649. <http://www.ncbi.nlm.nih.gov/pubmed/16870753>. [diakses 22 Okt 2018].
- Hazbón, M.H., Motiwala, A.S., Cavatore, M., Brimacombe, M., Whittam, T.S., dan Alland, D. 2008. Convergent evolutionary analysis identifies significant mutations in drug resistance targets of *Mycobacterium tuberculosis*. *Antimicrobial agents and chemotherapy* 52(9), 3369–76. <http://www.ncbi.nlm.nih.gov/pubmed/18591265>. [diakses 1 Des 2018].
- Ioerger, T.R., Koo, S., No, E.G., Chen, X., Larsen, M.H., Jacobs, W.R., Pillay, M., Sturm, A.W., dan Sacchettini, J.C. 2009. Genome Analysis of Multi- and Extensively-Drug-Resistant Tuberculosis from KwaZulu-Natal, South Africa. *PLoS ONE* 4(11), e7778. <https://dx.plos.org/10.1371/journal.pone.0007778>. [diakses 27 Okt 2018].
- Jagielski, T., Ignatowska, H., Bakula, Z., Dziewit, Ł., Napiórkowska, A., Augustynowicz-Kopeć, E., Zwolska, Z., dan Bielecki, J. 2014. Screening for Streptomycin Resistance-Confering Mutations in *Mycobacterium tuberculosis* Clinical Isolates from Poland. *PLoS ONE* 9(6), e100078. <http://www.ncbi.nlm.nih.gov/pubmed/24937123>. [diakses 27 Okt 2018].
- de Jong, B.C., Antonio, M., dan Gagneux, S. 2010. *Mycobacterium africanum*—Review of an Important Cause of Human Tuberculosis in West Africa. *PLoS*

Neglected Tropical Diseases 4(9), e744.  
<http://dx.plos.org/10.1371/journal.pntd.0000744>. [diakses 4 Des 2018].

- Kato-Maeda, M., Shanley, C.A., Ackart, D., Jarlsberg, L.G., Shang, S., Obregon-Henao, A., Harton, M., Basaraba, R.J., Henao-Tamayo, M., Barrozo, J.C., Rose, J., Kawamura, L.M., Coscolla, M., Fofanov, V.Y., Koshinsky, H., Gagneux, S., Hopewell, P.C., Ordway, D.J., dan Orme, I.M. 2012. Beijing sublineages of *Mycobacterium tuberculosis* differ in pathogenicity in the guinea pig. *Clinical and vaccine immunology: CVI* 19(8), 1227–37. <http://www.ncbi.nlm.nih.gov/pubmed/22718126>. [diakses 1 Des 2018].
- Katoh, K., Misawa, K., Kuma, K., dan Miyata, T. 2002. MAFFT: a novel method for rapid multiple sequence alignment based on fast Fourier transform. *Nucleic Acids Research* 30(14), 3059–3066. <https://academic.oup.com/nar/article-lookup/doi/10.1093/nar/gkf436>. [diakses 20 Okt 2018].
- Katoh, K., dan Standley, D.M. 2013. MAFFT Multiple Sequence Alignment Software Version 7: Improvements in Performance and Usability. *Molecular Biology and Evolution* 30(4), 772–780. <https://academic.oup.com/mbe/article-lookup/doi/10.1093/molbev/mst010>. [diakses 20 Okt 2018].
- Kearse, M., Moir, R., Wilson, A., Stones-Havas, S., Cheung, M., Sturrock, S., Buxton, S., Cooper, A., Markowitz, S., Duran, C., Thierer, T., Ashton, B., Meintjes, P., dan Drummond, A. 2012. Geneious Basic: An integrated and extendable desktop software platform for the organization and analysis of sequence data. *Bioinformatics* 28(12), 1647–1649. <http://www.ncbi.nlm.nih.gov/pubmed/22543367>. [diakses 20 Okt 2018].
- Koboldt, D.C., Ding, L., Mardis, E.R., dan Wilson, R.K. 2010. Challenges of sequencing human genomes. *Briefings in bioinformatics* 11(5), 484–98. <http://www.ncbi.nlm.nih.gov/pubmed/20519329>. [diakses 26 Nov 2018].
- Koch, A., dan Mizrahi, V. 2018. *Mycobacterium tuberculosis*. *Trends in Microbiology* 26(6), 555–556. <https://www.sciencedirect.com/science/article/pii/S0966842X18300489>. [diakses 24 Agu 2018].
- Koch, R. 1882. Die Ätiologie der Tuberkulose. *Berliner Klinischen Wochenschrift*.
- Kohl, T.A., Diel, R., Harmsen, D., Rothgänger, J., Walter, K.M., Merker, M., Weniger, T., dan Niemann, S. 2014. Whole-genome-based *Mycobacterium tuberculosis* surveillance: a standardized, portable, and expandable approach. *Journal of clinical microbiology* 52(7), 2479–86. <http://www.ncbi.nlm.nih.gov/pubmed/24789177>. [diakses 26 Agu 2018].
- Konno, K., Feldmann, F.M., dan McDermott, W. 1967. Pyrazinamide susceptibility and amidase activity of tubercle bacilli. *The American review of respiratory disease* 95(3), 461–9. <http://www.ncbi.nlm.nih.gov/pubmed/4225184>. [diakses 22 Okt 2018].
- Köser, C.U., Summers, D.K., dan Archer, J.A.C. 2011. Thr270Ile in embC (Rv3793) is not a marker for ethambutol resistance in the *Mycobacterium tuberculosis* complex. *Antimicrobial agents and chemotherapy* 55(4), 1825.



- <http://www.ncbi.nlm.nih.gov/pubmed/21422234>. [diakses 1 Des 2018].
- Krishnan, N., Malaga, W., Constant, P., Caws, M., Thi Hoang Chau, T., Salmons, J., Thi Ngoc Lan, N., Bang, N.D., Daffé, M., Young, D.B., Robertson, B.D., Guilhot, C., dan Thwaites, G.E. 2011. Mycobacterium tuberculosis Lineage Influences Innate Immune Response and Virulence and Is Associated with Distinct Cell Envelope Lipid Profiles. *PLoS ONE* 6(9), e23870. <http://www.ncbi.nlm.nih.gov/pubmed/21931620>. [diakses 23 Okt 2018].
- Larsen, M.H., Vilchèze, C., Kremer, L., Besra, G.S., Parsons, L., Salfinger, M., Heifets, L., Hazbon, M.H., Alland, D., Sacchettini, J.C., dan Jacobs, W.R. 2002. Overexpression of *inhA*, but not *kasA*, confers resistance to isoniazid and ethionamide in *Mycobacterium smegmatis*, *M. bovis* BCG and *M. tuberculosis*. *Molecular microbiology* 46(2), 453–66. <http://www.ncbi.nlm.nih.gov/pubmed/12406221>. [diakses 22 Okt 2018].
- Lee, R.S., dan Behr, M.A. 2016. The implications of whole-genome sequencing in the control of tuberculosis. *Therapeutic advances in infectious disease* 3(2), 47–62. <http://www.ncbi.nlm.nih.gov/pubmed/27034776>. [diakses 27 Agu 2018].
- Lisdawati, V., Gitawati, R., dan Sukmawati 2010. Identifikasi dan Karakterisasi Strain *Mycobacterium tuberculosis* Dari Isolat Dahak Pasien Tuberkulosis Paru Di Indonesia (Tahap III). Jakarta: .
- Luo, T., Yang, C., Peng, Y., Lu, L., Sun, G., Wu, J., Jin, X., Hong, J., Li, F., Mei, J., DeRiemer, K., dan Gao, Q. 2014. Whole-genome sequencing to detect recent transmission of *Mycobacterium tuberculosis* in settings with a high burden of tuberculosis. *Tuberculosis* 94(4), 434–440. <https://www.sciencedirect.com/science/article/pii/S1472979214204422>. [diakses 27 Jul 2018].
- Machado, D., Perdigão, J., Ramos, J., Couto, I., Portugal, I., Ritter, C., Boettger, E.C., dan Viveiros, M. 2013. High-level resistance to isoniazid and ethionamide in multidrug-resistant *Mycobacterium tuberculosis* of the Lisboa family is associated with *inhA* double mutations. *Journal of Antimicrobial Chemotherapy* 68(8), 1728–1732. <http://www.ncbi.nlm.nih.gov/pubmed/23539241>. [diakses 22 Okt 2018].
- Mahomed, S., Naidoo, K., Dookie, N., dan Padayatchi, N. 2017. Whole genome sequencing for the management of drug-resistant TB in low income high TB burden settings: Challenges and implications. *Tuberculosis* 107, 137–143. <https://www.sciencedirect.com/science/article/pii/S147297921730094X>. [diakses 26 Agu 2018].
- Malik, S., Willby, M., Sikes, D., Tsodikov, O. V, dan Posey, J.E. 2012. New insights into fluoroquinolone resistance in *Mycobacterium tuberculosis*: functional genetic analysis of *gyrA* and *gyrB* mutations. *PloS one* 7(6), e39754. <http://www.ncbi.nlm.nih.gov/pubmed/22761889>. [diakses 1 Des 2018].
- Maruri, F., Sterling, T.R., Kaiga, A.W., Blackman, A., van der Heijden, Y.F., Mayer, C., Cambau, E., dan Aubry, A. 2012. A systematic review of gyrase

- mutations associated with fluoroquinolone-resistant *Mycobacterium tuberculosis* and a proposed gyrase numbering system. *Journal of Antimicrobial Chemotherapy* 67(4), 819–831. <http://www.ncbi.nlm.nih.gov/pubmed/22279180>. [diakses 28 Okt 2018].
- Merker, M., Kohl, T.A., Roetzer, A., Truebe, L., Richter, E., Rüsç-Gerdes, S., Fattorini, L., Oggioni, M.R., Cox, H., Varaine, F., dan Niemann, S. 2013. Whole Genome Sequencing Reveals Complex Evolution Patterns of Multidrug-Resistant *Mycobacterium tuberculosis* Beijing Strains in Patients. *PLoS ONE* 8(12), e82551. <https://dx.plos.org/10.1371/journal.pone.0082551>. [diakses 21 Okt 2018].
- Mestre, O., Luo, T., Dos Vultos, T., Kremer, K., Murray, A., Namouchi, A., Jackson, C., Rauzier, J., Bifani, P., Warren, R., Rasolof, V., Mei, J., Gao, Q., dan Gicquel, B. 2011. Phylogeny of *Mycobacterium tuberculosis* Beijing Strains Constructed from Polymorphisms in Genes Involved in DNA Replication, Recombination and Repair. *PLoS ONE* 6(1), e16020. <https://dx.doi.org/10.1371/journal.pone.0016020>. [diakses 23 Okt 2018].
- Mikusová, K., Slayden, R.A., Besra, G.S., dan Brennan, P.J. 1995. Biogenesis of the mycobacterial cell wall and the site of action of ethambutol. *Antimicrobial agents and chemotherapy* 39(11), 2484–9. <http://www.ncbi.nlm.nih.gov/pubmed/8585730>. [diakses 4 Des 2018].
- Mitchison, D.A. 1979. Basic mechanisms of chemotherapy. *Chest* 76(6 Suppl), 771–81. <http://www.ncbi.nlm.nih.gov/pubmed/92392>. [diakses 22 Okt 2018].
- Mitchison, D.A., Wallace, J.G., Bhatia, A.L., Selkon, J.B., Subbaiah, T.V., dan Lancaster, M.C. 1960. A comparison of the virulence in Guinea-pigs of south indian and British tubercle bacilli. *Tubercle* 41(1), 1–22. <https://www.sciencedirect.com/science/article/pii/S0041387960800190>. [diakses 4 Des 2018].
- Moazed, D., dan Noller, H.F. 1987. Interaction of antibiotics with functional sites in 16S ribosomal RNA. *Nature* 327(6121), 389–394. <http://www.ncbi.nlm.nih.gov/pubmed/2953976>. [diakses 27 Okt 2018].
- Muto, A., dan Osawa, S. 1987. The guanine and cytosine content of genomic DNA and bacterial evolution. *Proceedings of the National Academy of Sciences of the United States of America* 84(1), 166–9. <http://www.ncbi.nlm.nih.gov/pubmed/3467347>. [diakses 26 Nov 2018].
- Nakamura, T., Yamada, K.D., Tomii, K., dan Katoh, K. 2018. Parallelization of MAFFT for large-scale multiple sequence alignments. *Bioinformatics* 34(14), 2490–2492. <https://academic.oup.com/bioinformatics/article/34/14/2490/4916099>. [diakses 3 Des 2018].
- National Center for Biotechnology Information (NCBI) t.t. BLAST: Basic Local Alignment Search Tool. <https://blast.ncbi.nlm.nih.gov/Blast.cgi>. [diakses 31 Agu 2018].
- Nikolayevskyy, V., Kranzer, K., Niemann, S., dan Drobniewski, F. 2016. Whole genome sequencing of *Mycobacterium tuberculosis* for detection of recent

- transmission and tracing outbreaks: A systematic review. *Tuberculosis* 98, 77–85. <https://www.sciencedirect.com/science/article/pii/S1472979215302705>. [diakses 26 Agu 2018].
- O'Toole, R.F., dan Gautam, S.S. 2017. Limitations of the *Mycobacterium tuberculosis* reference genome H37Rv in the detection of virulence-related loci. *Genomics* 109(5–6), 471–474. <https://www.sciencedirect.com/science/article/pii/S0888754317300617?via%3Dihub>. [diakses 27 Jul 2018].
- Okamoto, S., Tamaru, A., Nakajima, C., Nishimura, K., Tanaka, Y., Tokuyama, S., Suzuki, Y., dan Ochi, K. 2007. Loss of a conserved 7-methylguanosine modification in 16S rRNA confers low-level streptomycin resistance in bacteria. *Molecular Microbiology* 63(4), 1096–1106. <http://www.ncbi.nlm.nih.gov/pubmed/17238915>. [diakses 27 Okt 2018].
- Otchere, I.D., Asante-Poku, A., Osei-Wusu, S., Baddoo, A., Sarpong, E., Ganiyu, A.H., Aboagye, S.Y., Forson, A., Bonsu, F., Yahayah, A.I., Koram, K., Gagneux, S., dan Yeboah-Manu, D. 2016. Detection and characterization of drug-resistant conferring genes in *Mycobacterium tuberculosis* complex strains: A prospective study in two distant regions of Ghana. *Tuberculosis (Edinburgh, Scotland)* 99, 147–54. <http://www.ncbi.nlm.nih.gov/pubmed/27450017>. [diakses 28 Nov 2018].
- Outhred, A.C., Jelfs, P., Suliman, B., Hill-Cawthorne, G.A., Crawford, A.B.H., Marais, B.J., dan Sintchenko, V. 2015. Added value of whole-genome sequencing for management of highly drug-resistant TB. *The Journal of antimicrobial chemotherapy* 70(4), 1198–202. <http://www.ncbi.nlm.nih.gov/pubmed/25492392>. [diakses 1 Des 2018].
- Palomino, J., dan Martin, A. 2014. Drug Resistance Mechanisms in *Mycobacterium tuberculosis*. *Antibiotics* 3(3), 317–340. <http://www.ncbi.nlm.nih.gov/pubmed/27025748>. [diakses 21 Okt 2018].
- Pankhurst, L.J., Del Ojo Elias, C., Votintseva, A.A., Walker, T.M., Cole, K., Davies, J., Fermont, J.M., Gascoyne-Binzi, D.M., Kohl, T.A., Kong, C., Lemaitre, N., Niemann, S., Paul, J., Rogers, T.R., Roycroft, E., Smith, E.G., Supply, P., Tang, P., Wilcox, M.H., Wordsworth, S., Wyllie, D., Xu, L., Crook, D.W., dan COMPASS-TB Study Group 2016. Rapid, comprehensive, and affordable mycobacterial diagnosis with whole-genome sequencing: a prospective study. *The Lancet. Respiratory medicine* 4(1), 49–58. <http://www.ncbi.nlm.nih.gov/pubmed/26669893>. [diakses 27 Agu 2018].
- Papaventsis, D., Casali, N., Kontsevaya, I., Drobniowski, F., Cirillo, D.M., dan Nikolayevskyy, V. 2017. Whole genome sequencing of *Mycobacterium tuberculosis* for detection of drug resistance: a systematic review. *Clin. Microbiol. Infect.*
- Parwati, I., van Crevel, R., dan van Soolingen, D. 2010. Possible underlying mechanisms for successful emergence of the *Mycobacterium tuberculosis* Beijing genotype strains. *The Lancet Infectious Diseases* 10(2), 103–111. <http://linkinghub.elsevier.com/retrieve/pii/S1473309909703305>.



- Parwati, I., van Crevel, R., Sudiro, M., Alisjahbana, B., Pakasi, T., Kremer, K., van der Zanden, A., dan van Soolingen, D. 2008. Mycobacterium tuberculosis population structures differ significantly on two Indonesian Islands. *Journal of clinical microbiology* 46(11), 3639–45. <http://www.ncbi.nlm.nih.gov/pubmed/18842947>. [diakses 25 Jul 2018].
- Petrella, S., Gelus-Ziental, N., Maudry, A., Laurans, C., Boudjelloul, R., dan Sougakoff, W. 2011. Crystal Structure of the Pyrazinamidase of Mycobacterium tuberculosis: Insights into Natural and Acquired Resistance to Pyrazinamide. *PLoS ONE* 6(1), e15785. <http://dx.plos.org/10.1371/journal.pone.0015785>. [diakses 17 Des 2018].
- Phelan, J., Coll, F., McNerney, R., Ascher, D.B., Pires, D.E. V, Furnham, N., Coeck, N., Hill-Cawthorne, G.A., Nair, M.B., Mallard, K., Ramsay, A., Campino, S., Hibberd, M.L., Pain, A., Rigouts, L., dan Clark, T.G. 2016. Mycobacterium tuberculosis whole genome sequencing and protein structure modelling provides insights into anti-tuberculosis drug resistance. *BMC medicine* 14, 31. <http://www.ncbi.nlm.nih.gov/pubmed/27005572>. [diakses 4 Des 2018].
- Phelan, J.E. 2018. A bioinformatic analysis of Mycobacterium tuberculosis and host genomic data. London School of Hygiene & Tropical Medicine.
- Plinke, C., Cox, H.S., Zarkua, N., Karimovich, H.A., Braker, K., Diel, R., Rusch-Gerdes, S., Feuerriegel, S., dan Niemann, S. 2010. embCAB sequence variation among ethambutol-resistant Mycobacterium tuberculosis isolates without embB306 mutation. *Journal of Antimicrobial Chemotherapy* 65(7), 1359–1367. <https://academic.oup.com/jac/article-lookup/doi/10.1093/jac/dkq120>. [diakses 27 Nov 2018].
- Projahn, M., Köser, C.U., Homolka, S., Summers, D.K., Archer, J.A.C., dan Niemann, S. 2011. Polymorphisms in Isoniazid and Prothionamide Resistance Genes of the Mycobacterium tuberculosis Complex. *Antimicrobial Agents and Chemotherapy* 55(9), 4408–4411. <https://aac.asm.org/content/55/9/4408>. [diakses 1 Des 2018].
- Pym, A.S., Saint-Joanis, B., dan Cole, S.T. 2002. Effect of katG mutations on the virulence of Mycobacterium tuberculosis and the implication for transmission in humans. *Infection and immunity* 70(9), 4955–60. <http://www.ncbi.nlm.nih.gov/pubmed/12183541>. [diakses 27 Nov 2018].
- Ramaswamy, S. V, Amin, A.G., Göksel, S., Stager, C.E., Dou, S.J., El Sahly, H., Moghazeh, S.L., Kreiswirth, B.N., dan Musser, J.M. 2000. Molecular genetic analysis of nucleotide polymorphisms associated with ethambutol resistance in human isolates of Mycobacterium tuberculosis. *Antimicrobial agents and chemotherapy* 44(2), 326–36. <http://www.ncbi.nlm.nih.gov/pubmed/10639358>. [diakses 30 Nov 2018].
- Ramaswamy, S. V, Reich, R., Dou, S.J., Jasperse, L., Pan, X., Wanger, A., Quitugua, T., dan Graviss, E.A. 2003. Single nucleotide polymorphisms in genes associated with isoniazid resistance in Mycobacterium tuberculosis. *Antimicrobial agents and chemotherapy* 47(4), 1241–50. <http://www.ncbi.nlm.nih.gov/pubmed/12654653>. [diakses 22 Okt 2018].

- Regmi, S.M., Chaiprasert, A., Kulawonganuchai, S., Tongsimma, S., Coker, O.O., Prammananan, T., Viratyosin, W., dan Thaipisuttikul, I. 2015a. Whole genome sequence analysis of multidrug-resistant *Mycobacterium tuberculosis* Beijing isolates from an outbreak in Thailand. *Molecular Genetics and Genomics* 290(5), 1933–1941. <http://link.springer.com/10.1007/s00438-015-1048-0>. [diakses 27 Jul 2018].
- Regmi, S.M., Coker, O.O., Kulawonganuchai, S., Tongsimma, S., Prammananan, T., Viratyosin, W., Thaipisuttikul, I., dan Chaiprasert, A. 2015b. Polymorphisms in drug-resistant-related genes shared among drug-resistant and pan-susceptible strains of sequence type 10, Beijing family of *Mycobacterium tuberculosis*. *International Journal of Mycobacteriology* 4(1), 67–72. <https://www.sciencedirect.com/science/article/pii/S2212553115000138>. [diakses 27 Nov 2018].
- Roetzer, A., Diel, R., Kohl, T.A., Rückert, C., Nübel, U., Blom, J., Wirth, T., Jaenicke, S., Schuback, S., Rüsck-Gerdes, S., Supply, P., Kalinowski, J., dan Niemann, S. 2013. Whole Genome Sequencing versus Traditional Genotyping for Investigation of a *Mycobacterium tuberculosis* Outbreak: A Longitudinal Molecular Epidemiological Study. *PLoS Medicine* 10(2), e1001387. <http://dx.plos.org/10.1371/journal.pmed.1001387>. [diakses 27 Jul 2018].
- Roycroft, E., O’Toole, R.F., Fitzgibbon, M.M., Montgomery, L., O’Meara, M., Downes, P., Jackson, S., O’Donnell, J., Laurensen, I.F., McLaughlin, A.M., Keane, J., dan Rogers, T.R. 2018. Molecular epidemiology of multi- and extensively-drug-resistant *Mycobacterium tuberculosis* in Ireland, 2001–2014. *Journal of Infection* 76(1), 55–67. <https://linkinghub.elsevier.com/retrieve/pii/S0163445317303158>.
- Safi, H., Lingaraju, S., Amin, A., Kim, S., Jones, M., Holmes, M., McNeil, M., Peterson, S.N., Chatterjee, D., Fleischmann, R., dan Alland, D. 2013. Evolution of high-level ethambutol-resistant tuberculosis through interacting mutations in decaprenylphosphoryl- $\beta$ -D-arabinose biosynthetic and utilization pathway genes. *Nature genetics* 45(10), 1190–7. <http://www.ncbi.nlm.nih.gov/pubmed/23995136>. [diakses 1 Des 2018].
- Sander, P., Springer, B., Prammananan, T., Sturmfels, A., Kappler, M., Pletschette, M., dan Böttger, E.C. 2002. Fitness cost of chromosomal drug resistance-conferring mutations. *Antimicrobial agents and chemotherapy* 46(5), 1204–11. <http://www.ncbi.nlm.nih.gov/pubmed/11959546>. [diakses 5 Des 2018].
- Saraswathy, N., dan Ramalingam, P. 2011. *Concepts and Techniques in Genomics and Proteomics*. Oxford: Woodhead Publishing.
- Scorpio, A., dan Zhang, Y. 1996. Mutations in *pncA*, a gene encoding pyrazinamidase/nicotinamidase, cause resistance to the antituberculous drug pyrazinamide in tubercle bacillus. *Nature medicine* 2(6), 662–7. <http://www.ncbi.nlm.nih.gov/pubmed/8640557>. [diakses 22 Okt 2018].
- Seifert, M., Catanzaro, D., Catanzaro, A., dan Rodwell, T.C. 2015. Genetic mutations associated with isoniazid resistance in *Mycobacterium tuberculosis*: a systematic review. *PloS one* 10(3), e0119628.

- <http://www.ncbi.nlm.nih.gov/pubmed/25799046>. [diakses 4 Des 2018].
- Sekiguchi, J. ichiro, Miyoshi-Akiyama, T., Augustynowicz-Kopeć, E., Zwolska, Z., Kirikae, F., Toyota, E., Kobayashi, I., Morita, K., Kudo, K., Kato, S., Kuratsuji, T., Mori, T., dan Kirikae, T. 2007. Detection of multidrug resistance in *Mycobacterium tuberculosis*. *Journal of clinical microbiology* 45(1), 179–92. <http://www.ncbi.nlm.nih.gov/pubmed/17108078>. [diakses 28 Nov 2018].
- Sheen, P., Ferrer, P., Gilman, R.H., Christiansen, G., Moreno-Román, P., Gutiérrez, A.H., Sotelo, J., Evangelista, W., Fuentes, P., Rueda, D., Flores, M., Olivera, P., Solis, J., Pesaresi, A., Lamba, D., dan Zimic, M. 2012. Role of metal ions on the activity of *Mycobacterium tuberculosis* pyrazinamidase. *The American journal of tropical medicine and hygiene* 87(1), 153–61. <http://www.ncbi.nlm.nih.gov/pubmed/22764307>. [diakses 17 Des 2018].
- Shi, W., Zhang, X., Jiang, X., Yuan, H., Lee, J.S., Barry, C.E., Wang, H., Zhang, W., dan Zhang, Y. 2011. Pyrazinamide Inhibits Trans-Translation in *Mycobacterium tuberculosis*. *Science* 333(6049), 1630–1632. <http://www.sciencemag.org/cgi/doi/10.1126/science.1208813>.
- Shimao, T. 1987. Drug resistance in tuberculosis control. *Tubercle* 68(2 Suppl), 5–18. <http://www.ncbi.nlm.nih.gov/pubmed/3120383>. [diakses 21 Okt 2018].
- Simons, S.O., Mulder, A., van Ingen, J., Boeree, M.J., dan van Soolingen, D. 2013. Role of *rpsA* gene sequencing in diagnosis of pyrazinamide resistance. *Journal of clinical microbiology* 51(1), 382. <http://www.ncbi.nlm.nih.gov/pubmed/23269981>. [diakses 1 Des 2018].
- Somoskovi, A., Parsons, L.M., dan Salfinger, M. 2001. The molecular basis of resistance to isoniazid, rifampin, and pyrazinamide in *Mycobacterium tuberculosis*. *Respiratory research* 2(3), 164–8. <http://www.ncbi.nlm.nih.gov/pubmed/11686881>. [diakses 22 Okt 2018].
- Spies, F.S., da Silva, P.E.A., Ribeiro, M.O., Rossetti, M.L., dan Zaha, A. 2008. Identification of mutations related to streptomycin resistance in clinical isolates of *Mycobacterium tuberculosis* and possible involvement of efflux mechanism. *Antimicrobial agents and chemotherapy* 52(8), 2947–9. <http://www.ncbi.nlm.nih.gov/pubmed/18541729>. [diakses 27 Okt 2018].
- Stamatakis, A. 2014. RAxML version 8: a tool for phylogenetic analysis and post-analysis of large phylogenies. *Bioinformatics* 30(9), 1312–1313. <https://academic.oup.com/bioinformatics/article-lookup/doi/10.1093/bioinformatics/btu033>. [diakses 3 Des 2018].
- de Steenwinkel, J.E.M., ten Kate, M.T., de Knecht, G.J., Kremer, K., Aarnoutse, R.E., Boeree, M.J., Verbrugh, H.A., van Soolingen, D., dan Bakker-Woudenberg, I.A.J.M. 2012. Drug susceptibility of *Mycobacterium tuberculosis* Beijing genotype and association with MDR TB. *Emerging infectious diseases* 18(4), 660–3. <http://www.ncbi.nlm.nih.gov/pubmed/22469099>. [diakses 21 Okt 2018].
- Stoffels, K., Allix-Béguec, C., Groenen, G., Wanlin, M., Berkvens, D., Mathys, V., Supply, P., dan Fauville-Dufaux, M. 2013. From Multidrug- to Extensively Drug-Resistant Tuberculosis: Upward Trends as Seen from a 15-Year



- Nationwide Study. PLoS ONE 8(5), e63128. <https://dx.plos.org/10.1371/journal.pone.0063128>. [diakses 4 Des 2018].
- Sueoka, N. 1961. Variation and heterogeneity of base composition of deoxyribonucleic acids: A compilation of old and new data. *Journal of Molecular Biology* 3(1), 31-115. <https://www.sciencedirect.com/science/article/pii/S0022283661800053>. [diakses 26 Nov 2018].
- Sun, Y.J., Lee, A.S.G., Wong, S.Y., dan Paton, N.I. 2007. Analysis of the role of *Mycobacterium tuberculosis* *kasA* gene mutations in isoniazid resistance. *Clinical Microbiology and Infection* 13(8), 833-835. <http://www.ncbi.nlm.nih.gov/pubmed/17501974>. [diakses 30 Nov 2018].
- Sun, Z., Zhang, J., Zhang, X., Wang, S., Zhang, Y., dan Li, C. 2008. Comparison of *gyrA* gene mutations between laboratory-selected ofloxacin-resistant *Mycobacterium tuberculosis* strains and clinical isolates. *International Journal of Antimicrobial Agents* 31(2), 115-121. <http://www.ncbi.nlm.nih.gov/pubmed/18164184>. [diakses 28 Okt 2018].
- Takayama, K., dan Kilburn, J.O. 1989. Inhibition of synthesis of arabinogalactan by ethambutol in *Mycobacterium smegmatis*. *Antimicrobial agents and chemotherapy* 33(9), 1493-9. <http://www.ncbi.nlm.nih.gov/pubmed/2817850>. [diakses 4 Des 2018].
- Takiff, H.E., dan Feo, O. 2015. Clinical value of whole-genome sequencing of *Mycobacterium tuberculosis*. *The Lancet Infectious Diseases* 15(9), 1077-1090. <https://www.sciencedirect.com/science/article/pii/S1473309915000717>. [diakses 21 Jul 2018].
- Takiff, H.E., Salazar, L., Guerrero, C., Philipp, W., Huang, W.M., Kreiswirth, B., Cole, S.T., Jacobs, W.R., Telenti, A., dan Telenti, A. 1994. Cloning and nucleotide sequence of *Mycobacterium tuberculosis gyrA* and *gyrB* genes and detection of quinolone resistance mutations. *Antimicrobial agents and chemotherapy* 38(4), 773-80. <http://www.ncbi.nlm.nih.gov/pubmed/8031045>. [diakses 28 Okt 2018].
- Talbot, E.A., dan Raffa, B.J. 2015. *Mycobacterium tuberculosis*. In: Tang, Y.W., Sussman, M., Liu, D., Poxton, I.R., dan Schwartzman, J.D. (Editor). *Molecular Medical Microbiology*. London: Academic Press, hal. 1637-1653.
- Tan, Y., Hu, Z., Zhang, T., Cai, X., Kuang, H., Liu, Y., Chen, J., Yang, F., Zhang, K., Tan, S., dan Zhao, Y. 2014. Role of *pncA* and *rpsA* gene sequencing in detection of pyrazinamide resistance in *Mycobacterium tuberculosis* isolates from southern China. *Journal of clinical microbiology* 52(1), 291-7. <http://www.ncbi.nlm.nih.gov/pubmed/24131688>. [diakses 1 Des 2018].
- Torres, J.N., Paul, L. V, Rodwell, T.C., Victor, T.C., Amallraja, A.M., Elghraoui, A., Goodmanson, A.P., Ramirez-Busby, S.M., Chawla, A., Zadorozhny, V., Streicher, E.M., Sirgel, F.A., Catanzaro, D., Rodrigues, C., Gler, M.T., Crudu, V., Catanzaro, A., dan Valafar, F. 2015. Novel *katG* mutations causing isoniazid resistance in clinical *M. tuberculosis* isolates. *Emerging microbes &*

- infections 4(7), e42. <http://www.ncbi.nlm.nih.gov/pubmed/26251830>. [diakses 4 Des 2018].
- Verma, J.S., Gupta, Y., Nair, D., Manzoor, N., Rautela, R.S., Rai, A., dan Katoch, V.M. 2014. Evaluation of gidB alterations responsible for streptomycin resistance in Mycobacterium tuberculosis. Journal of Antimicrobial Chemotherapy 69(11), 2935–2941. <http://www.ncbi.nlm.nih.gov/pubmed/25074855>. [diakses 27 Okt 2018].
- Vilchèze, C., dan Jacobs, Jr., W.R. 2007. The Mechanism of Isoniazid Killing: Clarity Through the Scope of Genetics. Annual Review of Microbiology 61(1), 35–50. <http://www.ncbi.nlm.nih.gov/pubmed/18035606>. [diakses 22 Okt 2018].
- Vilchèze, C., dan Jacobs JR., W.R. 2014. Resistance to Isoniazid and Ethionamide in Mycobacterium tuberculosis: Genes, Mutations, and Causalities. Microbiology Spectrum 2(4). <http://www.asmscience.org/content/journal/microbiolspec/10.1128/microbiolspec.MGM2-0014-2013>. [diakses 1 Des 2018].
- Wada, T., Hijikata, M., Maeda, S., Hang, N.T. Le, Thuong, P.H., Hoang, N.P., Hung, N. Van, dan Keicho, N. 2017. Complete Genome Sequence of a Mycobacterium tuberculosis Strain Belonging to the East African-Indian Family in the Indo-Oceanic Lineage, Isolated in Hanoi, Vietnam. Genome announcements 5(24). <http://www.ncbi.nlm.nih.gov/pubmed/28619797>. [diakses 1 Des 2018].
- Walker, T.M., Kohl, T.A., Omar, S. V, Hedge, J., Del Ojo Elias, C., Bradley, P., Iqbal, Z., Feuerriegel, S., Niehaus, K.E., Wilson, D.J., Clifton, D.A., Kapatai, G., Ip, C.L.C., Bowden, R., Drobniowski, F.A., Allix-Béguec, C., Gaudin, C., Parkhill, J., Diel, R., Supply, P., Crook, D.W., Smith, E.G., Walker, A.S., Ismail, N., Niemann, S., dan Peto, T.E.A. 2015. Whole-genome sequencing for prediction of Mycobacterium tuberculosis drug susceptibility and resistance: a retrospective cohort study. The Lancet Infectious Diseases 15(10), 1193–1202. <https://www.sciencedirect.com/science/article/pii/S1473309915000626>. [diakses 23 Okt 2018].
- Wang, Q., Lau, S.K.P., Liu, F., Zhao, Y., Li, H.M., Li, B.X., Hu, Y.L., Woo, P.C.Y., dan Liu, C.H. 2014. Molecular epidemiology and clinical characteristics of drug-resistant Mycobacterium tuberculosis in a tuberculosis referral hospital in China. PloS one 9(10), e110209. <http://www.ncbi.nlm.nih.gov/pubmed/25302501>. [diakses 28 Nov 2018].
- Wang, X.D., Gu, J., Wang, T., Bi, L.J., Zhang, Z.P., Cui, Z.Q., Wei, H.P., Deng, J.Y., dan Zhang, X.E. 2011a. Comparative analysis of mycobacterial NADH pyrophosphatase isoforms reveals a novel mechanism for isoniazid and ethionamide inactivation. Molecular Microbiology 82(6), 1375–1391. <http://doi.wiley.com/10.1111/j.1365-2958.2011.07892.x>. [diakses 27 Nov 2018].
- Wang, X.D., Gu, J., Wang, T., Bi, L.J., Zhang, Z.P., Cui, Z.Q., Wei, H.P., Deng, J.Y., dan Zhang, X.E. 2011b. Comparative analysis of mycobacterial NADH

- pyrophosphatase isoforms reveals a novel mechanism for isoniazid and ethionamide inactivation. *Molecular microbiology* 82(6), 1375–91. <http://www.ncbi.nlm.nih.gov/pubmed/22026918>. [diakses 1 Des 2018].
- Watson, J., Baker, T., Bell, S., Gann, A., Levine, M., dan Losick, R. 2014. *Molecular Biology of the Gene*. 7th ed. New York: Cold Spring Harbor.
- WHO 2016. *Global tuberculosis report 2016*, World Health Organization. Geneva: World Health Organization.
- WHO 2017. *Global tuberculosis report 2017*, World Health Organization. Geneva: World Health Organization.
- Wong, S.Y., Lee, J.S., Kwak, H.K., Via, L.E., Boshoff, H.I.M., dan Barry, C.E. 2011. Mutations in *gidB* confer low-level streptomycin resistance in *Mycobacterium tuberculosis*. *Antimicrobial agents and chemotherapy* 55(6), 2515–22. <http://www.ncbi.nlm.nih.gov/pubmed/21444711>. [diakses 27 Nov 2018].
- Xu, Y., Jia, H., Huang, H., Sun, Z., dan Zhang, Z. 2015. Mutations Found in *embCAB*, *embR*, and *ubiA* Genes of Ethambutol-Sensitive and -Resistant *Mycobacterium tuberculosis* Clinical Isolates from China. *BioMed research international* 2015, 951706. <http://www.ncbi.nlm.nih.gov/pubmed/26417605>. [diakses 28 Nov 2018].
- Yang, C., Lu, L., Warren, J.L., Wu, J., Jiang, Q., Zuo, T., Gan, M., Liu, M., Liu, Q., DeRiemer, K., Hong, J., Shen, X., Colijn, C., Guo, X., Gao, Q., dan Cohen, T. 2018. Internal migration and transmission dynamics of tuberculosis in Shanghai, China: an epidemiological, spatial, genomic analysis. *The Lancet Infectious diseases* 18(7), 788–795. <http://www.ncbi.nlm.nih.gov/pubmed/29681517>. [diakses 28 Nov 2018].
- Zaychikova, M. V, Zakharevich, N. V, Sagaidak, M.O., Bogolubova, N.A., Smirnova, T.G., Andreevskaya, S.N., Larionova, E.E., Alekseeva, M.G., Chernousova, L.N., dan Danilenko, V.N. 2015. *Mycobacterium tuberculosis* Type II Toxin-Antitoxin Systems: Genetic Polymorphisms and Functional Properties and the Possibility of Their Use for Genotyping. *PloS one* 10(12), e0143682. <http://www.ncbi.nlm.nih.gov/pubmed/26658274>. [diakses 1 Des 2018].
- Zhang, Y., dan Mitchison, D. 2003. The curious characteristics of pyrazinamide: a review. *The international journal of tuberculosis and lung disease : the official journal of the International Union against Tuberculosis and Lung Disease* 7(1), 6–21. <http://www.ncbi.nlm.nih.gov/pubmed/12701830>. [diakses 22 Okt 2018].
- Zhu, L., Zhong, J., Jia, X., Liu, G., Kang, Y., Dong, M., Zhang, X., Li, Q., Yue, L., Li, C., Fu, J., Xiao, J., Yan, J., Zhang, B., Lei, M., Chen, S., Lv, L., Zhu, B., Huang, H., dan Chen, F. 2016. Precision methylome characterization of *Mycobacterium tuberculosis* complex (MTBC) using PacBio single-molecule real-time (SMRT) technology. *Nucleic Acids Research* 44(2), 730–743. <https://academic.oup.com/nar/article-lookup/doi/10.1093/nar/gkv1498>. [diakses 30 Nov 2018].



- Zimhony, O., Cox, J.S., Welch, J.T., Vilchèze, C., dan Jacobs, W.R. 2000. Pyrazinamide inhibits the eukaryotic-like fatty acid synthetase I (FASI) of *Mycobacterium tuberculosis*. *Nature Medicine* 6(9), 1043–1047. <http://www.ncbi.nlm.nih.gov/pubmed/10973326>. [diakses 22 Okt 2018].
- Zimhony, O., Vilchèze, C., Arai, M., Welch, J.T., dan Jacobs, Jr., W.R. 2007. Pyrazinoic Acid and Its n-Propyl Ester Inhibit Fatty Acid Synthase Type I in Replicating Tubercle Bacilli. *Antimicrobial agents and chemotherapy* 51(2), 752–754. <https://aac.asm.org/content/51/2/752>. [diakses 22 Okt 2018].

