

## DAFTAR PUSTAKA

- [1] Sebastine I M, Wakeman R J: Consumption and environmental hazard of pharmaceutical substances in the UK. *Proc. Saf. Environ. Protect* 2003, 81:229-235.
- [2] Buxton H, Kolpin D W: Pharmaceuticals, Hormones, and Other Organic Wastewater Contaminants in U.S. Streams, *Fact Sheet FS-027-02* 2002, United States Geological Survey.
- [3] Larsson D G J, de Pedro C, Paxius N: Effluent from drug manufactures contains extremely high levels of pharmaceuticals. *J Hazard Mater* 2007, 148:751–5.
- [4] Roy J: Pharmaceutical impurities; A mini review. *AAPs PharmSciTech* 2002, 3(2): article 6.
- [5] X Yang, R C Flowers, H S Weinberg, P C Singer: Occurrence and removal of pharmaceuticals and personal care products (PPCPs) in an advanced wastewater reclamation plant. *Water Res* 2011, 45:5218-5228.
- [6] Löeffler D, Römbke J, Meller M, Ternes T: Environmental fate of pharmaceuticals in water/sediment systems. *Environ. Sci. Technol* 2005, 39(14):5209-5218.
- [7] He H Y: Photo-catalytic Degradation of Methyl Orange in Water on CuS-Cu S powders. *Int. J. Environ. Res* 2008, 2 (1):23-26.
- [8] Klavarioti M, Mantzavinos D, Kassinos D: Removal of residual pharmaceuticals from aqueous systems by advanced oxidation processes - Review article. *Environ. Int* 2009, 35:402-417.
- [9] Morikawa T, Asahi R, Ohwaki T, Aoki K, Taga Y: Visible-Light Photocatalysis in Nitrogen-Doped Titanium Oxides. *Jpn. J. Appl. Phys* 2001, 40:L561.
- [10] Debby Anggraini: Degradasi Zat Warna Direct Red 23 Dan Direct Violet Melalui Proses Ozonolisis dan Fotolisis Dengan Sinar UV Dan Cahaya Matahari Menggunakan Katalis N-Doped TiO<sub>2</sub>. *Jurnal Litbang Industri* 2015, 5(2).

- [11] Yusi Febriana: Degradasi senyawa paraquat dalam pestisida Gramoxone<sup>®</sup> melalui proses fotolisis sinar UV dan cahaya matahari menggunakan katalis N-doped TiO<sub>2</sub>. *J. Kimia Unand. Submitted.*
- [12] Nurul Pratiwi, dkk. Studi Keterulangan Lapis Tipis N-Doped TiO<sub>2</sub> Pada Kaca Untuk Aplikasi Material Pembersih Diri (*Self Cleaning Material*). *Program Kreativitas Mahasiswa PKM-P 2014*, Universitas Andalas, Padang.
- [13] Akpan U G, Hameed B H: Parameters affecting danthe photocatalytic degradation of dyes using TiO<sub>2</sub>-based photocatalysts: A Review. *Journal Of Hazardous Materials* 2009, 170:520-529.
- [14] Hiremath D C, Hiremath C V, Nandibewoor S T: Oxidation of paracetamol drug by a new oxidant diperiodatoargentate (III) in aqueous alkaline medium. *E-J. Chem* 2006, 3(10):13-24.
- [15] Andreozzi R, Caprio V, Marotta R, Vogna D, Paracetamol oxidation from aqueous solutions by means of ozonation and H<sub>2</sub>O<sub>2</sub> /UV system, *Water Res* 2003, 37:9931004.
- [16] Dalmazio I, Alves T M A, Augusti R: An Appraisal on the Degradation of Paracetamol by TiO<sub>2</sub>/UV System in Aqueous Medium, Product Identification by Gas Chromatography-Mass Spectrometry (GC-MS). *J. Braz. Chem. Soc* 2008, 19(1):81-88.
- [17] Isariebel Q P, Carine J L., Javier J H U, Marie W A, Henri D: Sonolysis of levodopa and Paracetamol in aqueous solutions. *Ultrason Sonochem* 2009, 16:610-616.
- [18] Tekin H, Bilkay O, Ataberk S S, Balta T H, Ceribasi T H, Sanin F D, Dilek F B, Yetis U: Use of Fenton oxidation to improve the biodegradability of a pharmaceutical wastewater. *J. Hazard. Mater* 2006, 136:258265.
- [19] Wulandari M G D, Friamita R D, Patramurti C: Penetapan Kadar Kafein dalam Campuran Parasetamol, Salisilamida, dan Kafein Secara Spektrofotometri Derivatif. 2006, Fakultas Farmasi. Universitas Sanata Dharma. Yogyakarta.
- [20] Zulvi Winda: Degradasi parasetamol secara sonolisis, fotolisis, dan ozonolisis dengan menggunakan katalis ZnO/Zeolit. 2014, Universitas Andalas, Padang.

- [21] Barczak M, Dabrowski, Crini G, Badot P M: A. Adsorption of phenolic compounds on activated carbons. In *Sorption Processes and Pollution*, Eds. Presses Universitaires de Franche-Comté: Besançon 2010, France.
- [22] Serpone N: Relative photonic efficiencies and quantum yields in heterogeneous photocatalysis. *Journal of Photochemistry and Photobiology A:Chemistry* 1997, 104(1-3):1-12.
- [23] Mohapatra S K, M Misra, Mahajan V K, S Raja K: Design of a highly efficient photoelectrolytic cell for hydrogen generation by water splitting: Application of  $TiO_2-xCx$  nanotubes as a photoanode and Pt/ $TiO_2$  nanotubes as a cathode. *J. Phys. Chem. Catal* 2007, 111:8677-8685.
- [24] M Anpo: Utilization of  $TiO_2$  photocatalysts in green chemistry. *Pure Appl. Chem* 2000, 72:1265-1270.
- [25] Safni, Fardila Sari, Maizatisna, Zulfarman: Degradasi zat warna methanil yellow secara sonolisis dan fotolisis dengan penambahan  $TiO_2$  anatase. *Jurnal Sains Materi Indonesia* 2009, 11(1):47-51.
- [26] Yosi Febrika, Zilfa, Safni: Degradasi senyawa profenofos dalam insektisida curacron 500Ec secara ozonolisis dengan penambahan  $TiO_2$ /Zeolit. *Jurnal Kimia Unand* 2013, 2(1).
- [27] Safni, Titin Nafita Hamda Puteri, Hamzar Suryani: Degradasi zat warna rhodamin-B secara sonolisis dan fotolisis dengan penambahan  $TiO_2$ -anatase. *Jurnal Sains dan Teknologi Farmasi* 2008, 13(1): 38-42.
- [28] Hoffman M R, Scot T, Martin, Wonyong Choi, Detlef W Bahneman: Environmental application of semiconductor photocatalysis. *Chem Rev* 1995, 95:69-96.
- [29] S K Kansal, M Chopra: Photocatalytic degradation of 2,6-Dichlorophenol in aqueous phase using titania as a photocatalyst. *Engineering* 2012, 4:416-420.
- [30] Lee S H, Kang M, Cho S M, Han G Y, Kim B Y, Yon K.J, Chung C H: Synthesis of  $TiO_2$  photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance. *Journal of Photochemistry and Photobiology A: Chemistry* 2001, 146:121-128.

- [31] Syukri T, Ban Y Ohya, Y Takahashi: A simple synthesis of metallic Ni and Ni-Co alloy fine powders from a mixed-metal acetate precursor. *Mater Chem Phys* 2003, 17:645-649.
- [32] Rilda Yetria, Arief S, Dharma A, Alif A: Modifikasi dan karakterisasi titania ( $M\text{-TiO}_2$ ) dengan doping ion logam transisi feni dan cuni. *Jurnal Natur Indonesia* 2010, 12(2):178-185.
- [33] Afrozi A S: Sintesis dan karakterisasi katalis nanokomposit berbasis titania untuk produksi hidrogen dari gliserol dan air. *Tesis* 2010, Jurusan Teknik Kimia Fakultas Teknik, Universitas Indonesia.
- [34] O Reagen B, Gratzel M: A low-cost, high efficiency solar cell based on dye-sensitized colloidal  $\text{TiO}_2$  film nature. 1991, 353:737.
- [35] E Neyens, J Baeyens: A review of classic Fenton's peroxidation as an advanced oxidation technique, *J. Hazard. Mater* 2003, 98:33–50.
- [36] Ihara, T.; Miyoshi, M.; Iriyama, Y.; Matsumoto, O.; Sugihara, S. Enhanced Nitrogen Doping in  $\text{TiO}_2$  Nanoparticles *Appl. Catal. B*, 2003, 42, 403.
- [37] Xin B, L Jing, Z Ren, B Wang, H Fu: Effects of simultaneously doped and deposited ag on the photocatalytic activity and surface states of  $\text{TiO}_2$ . *J. Phys. Chem B* 2005, 109:2805-2809.
- [38] Luo H, K Takata, Y Lee, J Zhao: photocatalytic activity enhancing for titanium dioxide by Co-doping with bromine and chlorine. *chem. mater* 2004, 16:846-849.
- [39] Wawrzyniak B, Janus M, Grzmil B, Morawski A W: Preparation of the  $\text{TiO}_2$  photocatalyst using pressurized ammonia. *Polish Journal of Chemical Technology* 2007, 9(1):51-56.
- [39] Saraswati T E: Efektifitas Zeolit- $\text{TiO}_2$  sebagai Fotokatalis dalam Reaksi Fotodegradasi Larutan Zat Warna Metilen Blue. *Skripsi* 2003, Universitas Sebelas Maret, Surakarta.
- [40] Xu X, W Hui-xiang S, Da-hui W: Ozonation with ultrasonic enchanment of p-nitrophenol wastewater. *J. Zhejiang Univ Science B.5* 2005, 319-323.
- [41] Fesenden and Fesenden: Organic Chemistry. 1986, Wadsworth Inc. Belmont, California.

- [42] Gottschalk C, Libra J A, Saupe A: Ozonation of water and wastewater. A practical guide to understanding ozone and its application. 2000, Weinheim, German,Wiley-VchVerlag Gmbh.
- [43] Kasprzyk-Hordern, B., M. Ziolek, and J. Nawrocki, *Catalytic ozonation and methods of enhancing molecular ozone reactions in water treatment*. Applied Catalysis B: Environmental, 2003. 46(4): p. 639-669.
- [44] Yulianto M E, Handayani D, Silviana: Kajian Pengolahan Limbah Industri FattyAlcohol Dengan Teknologi Photokatalitik Menggunakan Energi Surya. *Gema Teknologi* 2005, 22-27.
- [45] E Moctezuma, E Leyva, G Palestino, H de Lasa: Photocatalytic degradation of methyl parathion: reaction pathways and intermediate reaction products. *J. Photochem. Photobiol. A: Chem* 2007, 186:71-84.
- [46] P F Schwarz, N J Turro, S H Bossmann, A M Broun, A Wahab, H Dürr: A new method to determine the generation of hydroxyl radicals in illuminated TiO<sub>2</sub> suspension. *J.Phys.Chem.B* 1997, 101:7127–7134.
- [47] Yang L, L E Yu, M B Ray: Photocatalytic oxidation of paracetamol:Dominant reactants, intermediates, and reaction mechanisms. *Environmental Sciences and Technology* 2009, 43(2):460-465.
- [48] Fatimah, Syamsul, Darma Ardiantoro, Yoskasih: Kinerja spektrofotometer UV-Vis menggunakan metode Quality Control Chart. 2008, PTBN BATAN, Serpong.
- [49] Hendayana S: Kimia Analitik Instrumen. Edisi 1. 1994, IKIP Semarang, Semarang, 157-160.
- [50] Ibrahim, S., 1998, *Pengembangan Metode Analisis Menggunakan Kromatografi Cair Kinerja Tinggi*, Seminar HPLC Application for Analysis of Drugs, Food and Environment, Bandung, 13 November 1998, 1-23.
- [51] Karuna B Singh, Shekhar B Waikar, Suhas P Padmane: A validated RP-HPLC method for the simultaneous estimation of paracetamol and naproxen in tablet formulation. *International Journal of Pharmaceutical Sciences and Research* 2012, 3(10):3742-3745.
- [52] MD Irshad Alam, Nazia Khanam, Sovan Ganguly, Saikat Barik, A R Siddiqui: Development of assay method and forced degradation study of

dexibuprofen and paracetamol by RP-HPLC in tablet formulation. *Der Pharmacia Lettre* 2014, 6(3):184-191.

[53] Prasanna Reddy, Battu: Simultaneous RP-HPLC Determination of Nimesulide and Paracetamol in Tablets. *International Journal of PharmTech Research* 2009, 1 (3):514-516.

[54] Zilfa, Hamzar Suyani, Safni dan Novesar Jamarun. Degradasi Senyawa Permetrin Secara Fotolisis Dengan  $\text{TiO}_2$ -Anatase Sebagai Katalis. *Jurnal Sains Materi Indonesia Indonesian Journal of Materials Science* 2010, 11(2):107-111.

[55] H X Li, J X Li, Y N Huo: Highly active  $\text{TiO}_2\text{N}$  photocatalysts prepared by treating  $\text{TiO}_2$  precursors in  $\text{NH}_3/\text{ethanol}$  fluid under supercritical conditions. *Journal of Physical Chemistry B* 2006, 110(4):1559–1565.

[56] Safni, Fardila S, Maizatisna, Zulfarman. Degradasi Zat Warna Methanil Yellow Secara Sonolisis Dan Fotolisis Dengan Penambahan  $\text{TiO}_2$  Anatase. *Jurnal Sains. Materi Indonesia. Indonesian Journal of Materials Science* 2009, 11(1):47 – 51.

