

## DAFTAR PUSTAKA

- Abdou, H. M.. 1989. *Dissolution, bioavaibility and bioequivalence*. Pennsylvania: Mack Publishing Company.
- American Society of Health Systems Pharmacist.. 2005. *American Hospital Formulary Drug Information*. Bethesda: Amerriican Society of Health Pharmacist Inc.
- Anonim.. 2001. *Introduction to fourier transform infrared spectrometry*. United States of America : Thermo Nicolet Corporation.
- Anonim.. 2003. *United states pharmacopoeia XXVI (revision)*. Rockville : United State Pharmacopoeia Conventing Inc.
- Anonim.. 2008. *Cavamax Cyclodextrin Forming ang Analyzing Drug Inclusion Complexes*. International Specialty Products: USA
- Banakar, U. V.. 1992. *Pharmaceutical dissolution testing*. New York : Marcel Dekker, Inc.
- Bekers, O., Uijtendaal, E.V., Beijnen, J.H., Bult, A., and Udenberg, W.J.M.. 1991, *Cyclodextrin in Pharmaceutical Field, Drug Dev. Ind. Pharm*, 17 (11), 1503 –1549.
- British Pharmacopoeia Commission.. 2009. *British pharmacopoeia 2009*. London: The Pharmaceutical Press.
- Colombo, Grassi, G., & Grassi, M.. 2009. Drug mechanochemical activation, *Journal of Pharmaceutical sciences*, 98,11.
- Dachriyanus.. 2004. Analisis Struktur Senyawa Organik Secara Spektroskopi. Padang: Universitas Andalas.
- Davies, N.M., & Skjodt, N.M.. 1999. Clinical pharmacokinetics of meloxicam. *British Journal of Rheumatology*, 36, 2, 115-126.
- Dokoumetzidis, A. & Macheras, P.. 2006. A century of dissolution research : from noyes and whitney to the biopharmaceutics classification system, *International Journal of Pharmaceutics*, 321, 1–11.
- Frank SG.. 1975. Inclusion compound, *J Pharm Sci*, 64(10), 1585- 1601.
- Garg, A, dan Singh, S.. 2009. Solid State Interaction of Raloxifene HCL with Diffeent Hydrophilic Carriers During Co-grinding and its Effect on Dissolution Rate, *Drug Development Industrial Pharmacy*, 35, 455-470.
- Jalali, M. B., Validazeh, H., Dastmalchi, S., Shadbad, M. R., Jalali, A. B., Adibkia, K., & Mohammadi, Ghobad.. 2007. Enhancing dissolution rate of carbamazepine via Co-grinding with crosopvidone and hydroxypropylmethyl cellulose, *Iranian Journal of Pharmaceutical Research.*, 6, 159-165.
- Loftsson T, Brewster ME.. 1996. Pharmaceutical applications of b-siklodekstrin I, drug solubilization and stabilization. *J Pharm Sci*, 85(10), 1017-1024.
- Martin, A., Swarbrick, J., & Cammarata, A.. 1983. *Physical pharmacy* (Edisi 3). Philadelphia : Lea & Febiger.

Neha, Preeti, C., Atin, K., Rajan, P., Kumar, M. R., Santanu, M., Pardeep, K., Munsab, A., & Shamim, A.. 2012. Approaches to improve the solubility and bioavailability of poorly soluble drugs and different parameter to screen them, *Novel Science International Journal of Pharmaceutical Science*, 1(4), 171-182.

Rani, S., Guttikar, S., Rathod, R., Cherian, B., Nivsarkar, M., & Padh, H. 2004. Determination of oral meloxicam pharmacokinetic parameters in asian indians: comparasion with a german population. *Saudi Pharmaceutical Journal*, 12, 4.

Rowe, R. C., Sheskey, P. J., and Weller, P. J.. 2009, *Handbook of Pharmaceutical Excipients Sixth Edition*, London : Pharmaceutical Press.

Shargel, L. & Yu, A. B. C.. 1988. *Biofarmasetika dan farmakokinetika terapan* (Edisi 2), diterjemahkan oleh Fasich dan Siti Sjamsiah. Surabaya: Airlangga University Press.

Sweetman, S.C. (Ed).. 2009. Martindale, The Complete Drug Reference (36<sup>th</sup> Ed). London: The Pharmaceutical Press.

Turck, D., Roth, W., & Busch, U.. 2002. A riview of the clinical pharmacokinetics of meloxicam. *British Journal of Rheumatology*, 35, 13-16.

United States Pharmacopoeial Convention.. 2007. United states of pharmacopoeia (30th ed.). New York: United States Pharmacopoeial Convention Inc.

Vadher, A. H., Parikh, J. R., Parikh, R. H., & Solanki, A. B.. 2009. Preparation and characterization of co-grinded mixtures of aceclofenac and neusilin us<sub>2</sub> for enhancement of aceclofenac, *AAPS Pharmaceutical Sciences and Technology*, 10(2).

West, A. R.. 2001. *Basic solid state chemistry* (Edisi 2). Toronto : John Wiley & Sons.

Yamada, T., Saito, N., Imai, T., & Otagiri, M.. 1999. Effect of grinding with hydroxypropyl cellulose on the dissolution and particle size of poorly water-soluble drug, *Chem. Pharm. Bull.*, 47, 1311-1313.

Zaini, E., Yeyet C.S., Sundani N. S., & Auzal Halim.. 2010. Identifikasi Interaksi Fisika antara Trimetoprim dan Sulfametoksazol dengan Metode Kontak Kofler dan Reaksi Kristalisasi. *Majalah Farmasi Indonesia*, 21 (1). 32 – 39.