

DAFTAR PUSTAKA

1. World Health Organization (2018). Obesity and overweight. World Health Organization. <http://www.who.int/en/news-room/fact-sheets/detail/obesity-and-overweight> - Diakses September 2018
2. Hales CM, Carroll MD, Fryar CD, Ogden CL. Prevalence of Obesity Among Adults and Youth: United States, 2015–2016. NCHS Data Brief [Internet]. 2017;288(288):1–8.
3. Kementerian Kesehatan RI. Buku saku pemantauan Status Gizi dan Indikator Kinerja Gizi tahun 2017. Kemenkes RI. Jakarta;2018
4. Badan Penelitian dan Pengembangan Kesehatan, [RISKESDAS] Riset Kesehatan Dasar. Departemen Kesehatan, Republik Indonesia. Jakarta;2007
5. Kemenkes RI. Laporan Hasil Riset Kesehatan Dasar (Riskesdas) Indonesia tahun 2013. Jakarta : Badan Penelitian dan Pengembangan Kesehatan Kemenkes RI; 2013.
6. Dinas Kesehatan Provinsi Sumatera Barat. Profil Kesehatan Sumatera Barat Tahun 2015. Padang;2016.
7. Hruby A, Hu FB. HHS Public Access. Pharmacoeconomics: The Epidemiology of Obesity. 2016;33(7):673–89.
8. Callaghan BC, Gao LL, Li Y, Zhou X, Reynolds E, Banerjee M, et al. Diabetes and obesity are the main metabolic drivers of peripheral neuropathy. *Ann Clin Transl Neurol.* 2018;5(4):397–405.
9. Sharief F, Kanmani J, Kumar S. Risk factors, symptom severity and functional status among patients with carpal tunnel syndrome. *Neurol India* 2018;66:743-46
10. Alotaibi SNS, Alqahtani SSM, Alammar RMS. The Prevalence and Patterns of Carpal Tunnel Syndrome and Their Associated Risk Factors among Diabetic Population in South - West of Kingdom of Saudi Arabia. *Egypt J Hosp Med* [Internet]. 2018;70(7):1152-1157
11. Habib KR. Estimation of Carpal Tunnel Syndrome (CTS) Prevalence in Adult Population in Western European Countries: A Systematic Review. *Eur J Clin Biomed Sci* [Internet]. 2017;3(1):13.
12. Aroori S , Spence RA . Carpal tunnel syndrome. *Ulster Med J* 2008;77:6–17.
13. Hall M, Nourbakhsh A, Tan V, Initial HP. Direct and Indirect Utilities of Severe Versus Non-Severe Carpal Tunnel Syndrome Patients. 2018;62–3.
14. Padua L, Coraci D, Erra C, Pazzaglia C, Paolasso I, Loreti C, et al. Carpal tunnel syndrome: clinical features, diagnosis, and management. *Lancet Neurol* [Internet]. 2016;15(12):1273–84.
15. Nageeb RS, Shehta N, Nageeb GS, Omran AA. Body mass index and vitamin D level in carpal tunnel syndrome patients. *Egypt J Neurol Psychiatry Neurosurg* [Internet]. 2018;54(1):14.

16. Tamba LMT, Pudjowidyanto H. *Media Medika*. Karakteristik Penderita Sindroma Terowongan Karpal di Poliklinik Instalasi Rehabilitasi Medik RS dr. Kariadi Semarang 2006. Semarang;2008
17. Puchalski P, Zyluk P, Szlosser Z, Zyluk A. Factors involved in the clinical profile of carpal tunnel syndrome. *Handchirurgie · Mikrochirurgie · Plast Chir* [Internet]. 2018;50(01):8–13.
18. Aboonq MS. Pathophysiology of carpal tunnel syndrome. *Neurosciences (Riyadh)* [Internet]. 2015;20(1):4–9.
19. Mansoor S, Siddiqui M, Mateen F, Saadat S, Khan ZH, Zahid M, et al. Prevalence of Obesity in Carpal Tunnel Syndrome Patients: A Cross-Sectional Survey. *Cureus* [Internet]. 2017;9(7):3–9.
20. Nuttall FQ. Body mass index: Obesity, BMI, and health: A critical review. *Nutr Today*. 2015;50(3):117–28.
21. World Health Organization. *The Asia-Pacific perspective: redefining obesity and its treatment*. Geneva: World Health Organization Western Pasific Regional Office, 2000.
22. Ghasemi-rad M. A handy review of carpal tunnel syndrome: From anatomy to diagnosis and treatment. *World J Radiol* [Internet]. 2014;6(6):284.
23. Heymsfield SB, Wadden TA. Mechanisms, Pathophysiology, and Management of Obesity. *N Engl J Med* [Internet]. 2017;376(3):254–66
24. Grantham JP, Henneberg M. The estrogen hypothesis of obesity. *PLoS One*. 2014;9(6):1–7.
25. Grossmann M, Tang Fui M, Dupuis P. Lowered testosterone in male obesity: Mechanisms, morbidity and management. *Asian J Androl* [Internet]. 2014;16(2):223.
26. Pinto KA, Griep RH, Rotenberg L, Da Conceição Chagas Almeida M, Barreto RS, Aquino EML. Gender, time use and overweight and obesity in adults: Results: Of the Brazilian Longitudinal Study of Adult Health (ELSA- Brasil). *PLoS One*. 2018;13(3):1–13.
27. Govindan M, Gurm R, Mohan S, Kline-Rogers E, Corriveau N, Goldberg C, et al. Gender Differences in Physiologic Markers and Health Behaviors Associated With Childhood Obesity. *Pediatrics* [Internet]. 2013;132(3):468–74.
28. De Tata V. Age-related impairment of pancreatic beta-cell function: Pathophysiological and cellular mechanisms. *Front Endocrinol (Lausanne)*. 2014;5(SEP):1–8.
29. Khabazkhoob M, Emamian MH, Hashemi H, Shariati M, Fotouhi A. Prevalence of Overweight and Obesity in the Middle-age Population: A Priority for the Health System. *Iran J Public Health* [Internet]. 2017;46(6):827–34.
30. Tian J, Venn A, Otahal P, Gall S. The association between quitting smoking and weight gain: A systemic review and meta-analysis of prospective cohort studies. *Obes Rev*. 2015;16(10):883–901.
31. Carreras-Torres R, Johansson M, Haycock PC, Relton CL, Davey Smith G, Brennan P, et al. Role of obesity in smoking behaviour: Mendelian

- randomisation study in UK Biobank. *Bmj* [Internet]. 2018;k1767.
32. Dare S, Mackay DF, Pell JP. Relationship between smoking and obesity: A cross-sectional study of 499,504 middle-aged adults in the UK general population. *PLoS One*. 2015;10(4):1–12.
 33. Watanabe Y, Saito I, Henmi I, Yoshimura K, Maruyama K, Yamauchi K, et al. Skipping Breakfast is Correlated with Obesity. *J Rural Med JRM / Japanese Assoc Rural Med* [Internet]. 2014;9(2):51–8.
 34. Llido LO, Mirasol R. Comparison of Body Mass Index based nutritional status using WHO criteria versus “Asian” criteria: report from the Philippines. *PhilSPEN Online J Parenter Enter Nutr* [Internet]. :1–8.
 35. Zhao M, Bovet P, Ma C, Xi B. Performance of different adiposity measures for predicting cardiovascular risk in adolescents. *Sci Rep*. 2017;7:1–6.
 36. Okafor C, Raimi T, Gezawa I, Sabir A, Enang O, Puepet F, et al. Performance of waist circumference and proposed cutoff levels for defining overweight and obesity in Nigerians. *Ann Afr Med* [Internet]. 2016;15(4):185.
 37. Craig E, Bland R, Ndirangu J, Reilly JJ. Use of mid-upper arm circumference for determining overweight and overfatness in children and adolescents. *Arch Dis Child*. 2014;99(8):763–6.
 38. Goswami AK, Kalaivani M, Gupta SK, Nongkynrih B, Pandav CS, Gupta K, et al. Usefulness of Mid-Upper Arm Circumference in Assessment of Nutritional Status of Elderly Persons in Urban India. 2018;8(1):34–7.
 39. Wyatt HR. Update on Treatment Strategies for Obesity. *J Clin Endocrinol Metab* [Internet]. 2013;98(4):1299–306.
 40. Heymsfield SB, Wadden TA. Mechanisms, Pathophysiology, and Management of Obesity. *N Engl J Med* [Internet]. 2017;376(3):254–66.
 41. Habib KR. Estimation of Carpal Tunnel Syndrome (CTS) Prevalence in Adult Population in Western European Countries: A Systematic Review. *Eur J Clin Biomed Sci* [Internet]. 2017;3(1):13.
 42. Alfonso C, Jann S, Massa R, Torreggiani A. Diagnosis, treatment and follow-up of the carpal tunnel syndrome: a review. *Neurolog Sci* 2010; 31(3): 243-52.
 43. Atroshi I, Gummesson C, Johnsson R, Ornstein E, Ranstam J, Rosen I. Prevalence of carpal tunnel syndrome in a general population. *JAMA* 1999; 282(2): 153-8.
 44. Mondelli M, Giannini F, Giacchi M. Carpal tunnel syndrome incidence in a general population. *Neurology* 2002; 58: 289-94.
 45. Dale AM, Harris-Adamson C, Rempel D, et al. Prevalence and incidence of carpal tunnel syndrome in US working populations: pooled analysis of six prospective studies. *Scandinavian journal of work, environment & health*. 2013;39(5):495-505.
 46. Eleftheriou A, Rachiotis G, Varitimidis SE, Koutis C, Malizos KN, Hadjichristodoulou C. Cumulative keyboard strokes: A possible risk factor for carpal tunnel syndrome. *J Occup Med Toxicol* [Internet]. 7(1):1. Available from: *Journal of Occupational Medicine and Toxicology*

47. Bonfiglioli R, Mattioli S, Armstrong TJ, Graziosi F, Marinelli F, Farioli A, et al. Validation of the ACGIH TLV for hand activity level in the OCTOPUS cohort: A two-year longitudinal study of carpal tunnel syndrome. *Scand J Work Environ Heal*. 2013;39(2):155–63
48. Shiri R. Arthritis as a risk factor for carpal tunnel syndrome: a meta-analysis. *Scand J Rheumatol [Internet]*. 2016;45(5):339–46
49. Hendriks SH, van Dijk PR, Groenier KH, Houpt P, Bilo HJ, Kleefstra N. Type 2 diabetes seems not to be a risk factor for the carpal tunnel syndrome: a case control study. *BMC Musculoskelet Disord*. 2014;15:346.
50. Young Han H, Min Kim H, Young Park S, Kim M-W, Min Kim J, Jang D-H. Clinical Findings of Asymptomatic Carpal Tunnel Syndrome in Patients With Diabetes Mellitus. *Ann Rehabil Med Orig Artic Ann Rehabil Med [Internet]*. 2016;40(3):489–95.
51. Snell R. Upper Limb. In: *Clinical Anatomy by Regions*. 9 ed. Philadelphia: Lippincott Williams & Wilkins. 2012.351-4
52. Chammas M, Boretto J, Burmann LM, Ramos RM, dos Santos Neto FC, Silva JB. Carpal tunnel syndrome – Part I (anatomy, physiology, etiology and diagnosis). *Rev Bras Ortop (English Ed [Internet])*. 2014;49(5):429–36.
53. Campbell W. De Jong's The Neurologic Examination. 7 ed. Philadelphia: Lippincott Williams & Wilkins. 2013.667-77
54. Duncan SFM, Kakinoki R. Carpal Tunnel Syndrome and Related Median Neuropathies [Internet]. 2017.15
55. U.S. DEPARTMENT OF HEALTH, AND HUMAN SERVICES, National Institutes of Health. Carpal Tunnel Syndrome fact sheet. NIH Publ No 17- 4898 [Internet]. 2017;
56. Sucher BM, Schreiber AL. Carpal tunnel syndrome diagnosis. *Phys Med Rehabil Clin N Am [Internet]*. 2014;25(2):229–47.
57. Urbano FL. Tinel's Sign and Phalen's Manoeuvre: Physical Signs of Carpal Tunnel Syndrome. *Hosp Physician*. (July):39–44.
58. Aragaki D, Estrada D. *Musculoskeletal Physical Examination Guide for Geriatricians [Internet]*. University of California, Los Angeles. 2017.
59. de Jesus Filho AG, do Nascimento BF, Amorim M de C, Naus RAS, Loures E de A, Moratelli L. Comparative study between physical examination, electroneuromyography and ultrasonography in diagnosing carpal tunnel syndrome. *Rev Bras Ortop (English Ed [Internet])*. 2014;49(5):446–51.
60. Wang H, Ma J, Zhao L, Wang Y, Jia X. Utility of MRI Diffusion Tensor Imaging in Carpal Tunnel Syndrome: A Meta-Analysis. *Med Sci Monit [Internet]*. 2016;22:736–42.
61. Ibrahim I, Khan WS, Goddard N, Smitham P. Carpal tunnel syndrome: a review of the recent literature. *Open Orthop J [Internet]*. 6:69–76.
62. Sucher BM. Grading severity of carpal tunnel syndrome in electrodiagnostic reports: Why grading is recommended. *Muscle and Nerve*. 2013;48(3):331–3.

63. Eftekharsadat B, Babaei-ghazani A, Habibzadeh A. The Efficacy of 100 and 300 mg Gabapentin in the Treatment of Carpal Tunnel Syndrome. 2015;14(April 2014):1275–80.
64. Nakamoto H, Hamada C, Shimaoka T, Sekiguchi Y, Io H, Kaneko K, et al. Accumulation of advanced glycation end products and beta2-microglobulin in fibrotic thickening of the peritoneum in long-term peritoneal dialysis patients. *J Artif Organs*. 2014;17(1):60–8.
65. Gerrits EG. Limited joint mobility syndrome in diabetes mellitus: A minireview. *World J Diabetes* [Internet]. 2015;6(9):1108.
66. Kuroda M, Sakaue H. Adipocyte Death and Chronic Inflammation in Obesity. *J Med Investig* [Internet]. 2017;64(3.4):193–6.
67. World Health Organization (2018). Malnutrition . World Health Organization. <http://www.who.int/news-room/fact-sheets/detail/malnutrition> - Diakses Oktober 2018
68. Dobner J, Kaser S. Body mass index and the risk of infection - from underweight to obesity. *Clin Microbiol Infect* [Internet]. 2018;24(1):24–8.
69. The Nutrition Source Harvard School of Public Health. 2018. Healthy Weight. <https://www.hsph.harvard.edu/nutritionsource/healthy-weight/> - Diakses pada Oktober 2018
70. Tang QY, Lai WH, Tay SC. The Effect of Hand Dominance on Patient-Reported Outcomes of Carpal Tunnel Release in Patients with Bilateral Carpal Tunnel Syndrome. 2017;22(3):303–8.
71. M SE, El-najid M. iMedPub Journals Neurophysiologic Pattern and Severity Grading Scale of Carpal Tunnel Syndrome in Sudanese Patients Abstract. 2017;1–9.
72. Nandar S, Husna M, Rasyid H Al. THE RELATIONSHIP OF CARPAL TUNNEL SYNDROME CLINICAL SYMPTOMPS. 2016;(January 2015).
73. Kemenkes RI. Laporan Hasil Riset Kesehatan Dasar (Riskesdas) Indonesia tahun 2018. Jakarta : Badan Penelitian dan Pengembangan Kesehatan Kemenkes RI; 2018.
74. Mondelli M, Aretini A, Ginanneschi F, Greco G, Mattioli S. Journal of the Neurological Sciences Waist circumference and waist-to-hip ratio in carpal tunnel syndrome : A case – control study. *J Neurol Sci* [Internet]. 2014;338(1–2):207–13.
75. Komurcu HF, Selim K, Omer A. Relationship of Age , Body Mass Index, Wrist and Waist Circumferences to Carpal Tunnel Syndrome Severity. 2014;395–400.
76. Bland, J. D. P. The Relationship of Obesity, Age, and Carpal Tunnel Syndrome: More complex than was thought? *Muscle & Nerve*.2005;32(4): 527–32.
77. Wang L. Electrodiagnosis of Carpal Tunnel Syndrome. *Phys Med Rehabil Clin NA* [Internet]. 2013;24(1):67–77.