

DAFTAR PUSTAKA

1. World Health Organization (2017). Autism spectrum disorders. <http://www.who.int/news-room/fact-sheets/detail/autism-spectrum-disorders> – Diakses Mei 2018.
2. Centers for Disease Control and Prevention (2018). Autism spectrum disorders. <https://www.cdc.gov/ncbddd/autism/data.html> – Diakses Mei 2018.
3. YPAC. Buku penanganan dan pendidikan autis di YPAC. http://www.academia.edu/29696439/BUKU_PENANGANAN_dan_Pendidikan_Autis_di_YPAC 7April – Diakses Mei 2018.
4. Pardo CA, Eberhart CG. The Neurobiology of autism. *Brain Pathol.* 2007;17:434-47.
5. Amaral DG. The promise and the pitfalls of autism research: an introductory note for new autism researchers. *Brain Res.* 2011;1380:1-10.
6. Kazdoba TM, Leach PT, Crawley JN. Behavioral phenotypes of genetic mouse models of autism. *Genes Brain Behav.* 2016;15:7-26.
7. Vohra R, Madhavan S, Sambamoorthi U, Peter SC. Access to services, quality of care, and family impact for children with autism, other developmental disabilities, and other mental health conditions. *Autism.* 2014;18(7):815-26.
8. Keenan BM, Newman LK, Gray KM, Rinehart NJ. Parents of children with ASD experience more psychological distress, parenting stress, and attachment-related anxiety. *J Autism Dev Disord.* 2016;46(9):2979-91.
9. Green SA, Carter AS. Predictors and course of daily living skills development in toddlers with autism spectrum disorders. *J Autism Dev Disord.* 2014;44(2):256-63.
10. Neri EM, Vila D, Santiago K, Garcia P, Canino G. The prevalence of psychiatric disorders and mental health services utilization by parents and relatives living with individuals with autism spectrum disorders in puerto rico. *J Nerv Ment Dis.* 2018;206(4):226-30.
11. Lyall K, Rebecca JS, Irva HP. Maternal lifestyle and environmental risk factors for autism spectrum disorders. *Int J Epidemiol.* 2014;43(2):443-64.

12. Yang MS, Gill M. A review of gene linkage, association and expression studies in autism and an assessment of convergent evidence. *Int J Dev Neurosci.* 2007;25(2):69-85.
13. Geschwind DH, Levitt P. Autism spectrum disorders: developmental disconnection syndromes. *Curr Opin Neurobiol.* 2007;17(1):103-11.
14. Beata T, Bolton P, Happe F, Rutter M, Rijdsdijk F. Heritability of autism spectrum disorders: a meta-analysis of twin studies. *J Child Psychol Psychiatry.* 2016;57(5):585-95.
15. Chiara N, Fahnestock M. The valproic acid induced rodent of autism. *J Expneurol.* 2018;29:217-27.
16. Hiroshi Y, Hara Y, Ago Y, Takano E, Hasebe S, Nakazawa T. Environmental enrichment attenuates behavioral abnormalities in valproic acid-exposed autism model mice. *Behav Brain Res.* 2017;333:67-73.
17. Courchesne E. Brain development in autism: early overgrowth followed by premature arrest of growth. *Ment Retard Dev Disabil Res Rev.* 2004;10:106-11.
18. Smith IM, Nichols SL, Issekutz K, Blake K. Behavioral profiles and symptoms of autism in CHARGE syndrome: preliminary Canadian epidemiological data. *Am J Med Genet A.* 2005;133:248-56.
19. Herbert MR, Ziegler DA, Makris N, Filipek PA, Kemper TL, Normandin JJ, et al. Localization of white matter volume increase in autism and developmental language disorder. *Ann Neurol.* 2004;55:530-40.
20. Lin HC, Gean PW, Wang CC, Chan YH, Chen PS. The amygdala excitatory/inhibitory balance in a valproate-induced rat autism model. *PloS ONE.* 2013;8(1).
21. Minshew NJ, Williams DL. The new neurobiology of autism: cortex, connectivity, and neuronal organization. *Arch Neurol.* 2007;64:945-50.
22. Lamy M, Erickson CA. Pharmacological management of behavioral disturbances in children and adolescents with autism spectrum disorders. *Curr Probl Pediatr Adolesc Health Care.* 2018.
23. Schneider T, Turczak J, Przewlocki R. Environmental enrichment reverses behavioral alterations in rats prenatally exposed to valproic acid: Issues for a therapeutic approach in autism. *Neuropsychopharmacology.* 2006;31:36-46.

24. Jess N, Anthony JH. Enriched environments, experience dependent plasticity and disorders of nervous system. *Nat Rev Neurosci.* 2006;7(9):697-709.
25. During MJ, Cao L. VEGF, a mediator of the effect of experience on hippocampal neurogenesis. *Curr. Alzheimer Res.* 2006;3:29-33.
26. Ziv Y, Ron N, Butovsky O, Landa G, Sudai E, Greenberg N, et al. Immune cells contribute to the maintenance of neurogenesis and spatial learning abilities in adulthood. *Nat Neurosci.* 2006;9(2):268-75.
27. Ickes BR, Pham TM, Sanders LA, Albeck DS, Mohammed AH, Granholm AC. Long-term environmental enrichment leads to regional increases in neurotrophin levels in rat brain. *Exp Neurol.* 2000;164(1):45-52.
28. Naka F, Narita N, Okado N, Narita M. Modification of AMPA receptor properties following environmental enrichment. *Brain Dev.* 2005;27:275-8.
29. Mesh D, Drew MR, Saxe M, Ansorge MS, David D, Santarelli L, et al. Hippocampal neurogenesis is not required for behavioral effects of environmental enrichment. *Nature Neurosci.* 2006;9(6):729-31.
30. Bennetto L, Kushner ES, Hyman SL. Olfaction and taste in autism. *Biol Psychiatry.* 2007;62(9):1015-21.
31. Woo CC, Leon M. Environmental enrichment as an effective treatment for autism: a randomized controlled trial. *Behav Neurosci.* 2013;127(4):487-97.
32. Maslim, Rusdi. *Diagnosis Gangguan Jiwa, Rujukan Ringkas PPDGJ-III dan DSM-V. Cetakan 2 – Bagian Ilmu Kedokteran Jiwa Fakultas Kedokteran Unika Atma Jaya.* Jakarta: PT Nuh Jaya; 2013.
33. Kaplan HI, Saddock BJ, Grebb JA. *Kaplan-Sadock Sinopsis Psikiatri Ilmu Pengetahuan Prilaku Psikiatri Klinis Jilid Dua.* Tangerang: Bina Rupa Aksara; 2010.
34. Elvira, Sylvia D, Gitayanti H. *Buku Ajar Psikiatri.* Jakarta: Badan Penerbit FK UI; 2010.
35. Courchesne E, Pierce K, Schumann CM, Redcay E, Morgan J, Kennedy DP, et al. Mapping Early Brain Development in Autism. *Neuron.* 2007;56(2):399-414.

36. Landa RJ, Holman KC, Garrett-Mayer E. Social and communication development in toddlers with early and later diagnosis of autism spectrum disorders. *Arch Gen Psychiatry*. 2007;64(7):853-64.
37. Licinio J, Alvarado I, Wong ML. Autoimmunity in autism. *Mol Psychiatry*. 2002;7(4):329.
38. Vargas DL, Nascimbene C, Krishnan C, Zimmerman AW, Pardo CA. Neuroglial activation and neuroinflammation in the brain of patients with autism. *Ann Neurol*. 2004;57(1):67-81.
39. Ullian EM, Christopherson KS, Barres BA. Role for glia in synaptogenesis. *Glia*. 2004;47:209-16.
40. Ashwood P, Wills S, Van de WJ. The immune response in autism: a new frontier for autism research. *J Leukoc Biol*. 2006;80:1-15.
41. Kern JK, Jones AM. Evidence of toxicity, oxidative stress, and neuronal insult in autism. *J Toxicol Environ Health B Crit Rev*. 2006;9:485-99.
42. James SJ, Melnyk S, Jernigan S, Cleves MA, Halsted CH, Wong DH, et al. Metabolic endophenotype and related genotypes are associated with oxidative stress in children with autism. *Am J Med Genet B Neuropsychiatr Genet*. 2006;141:947-56.
43. Nagode DA, Meng X, Winkowski DE, Smith E, Kareddy V, Kao JPY, et al. Abnormal development of the earliest cortical circuits in a mouse model of autism spectrum disorder. *Cell Rep*. 2017;18(5):1100-08.
44. Warren Z, McPheeters ML, Sathre N, Foss-Feig JH, Glasser A, Veenestra VJ. A systematic review of early intensive intervention for autism spectrum disorder. *Pediatrics*. 2011;127(5):1303-11.
45. Favre MR, La MD, Meystre J, Cochrane MJ, Markram H, Markram K, et al. Predictable enriched environment prevents development of hyper-emotionality in the VPA rat model of autism. *Front Neurosci*. 2015;9:127.
46. Supekar K, Kochalka J, Schaer M, Wakeman H, Qin S, Menon V, et al. Deficits in mesolimbic reward pathway underlie social interaction impairments in children with autism. *Brain*. 2018;141(9):2795-805.

47. Szatmari P, Georgiades S, Bryson S, Zwaigenbaum L, Roberts W, Mahoney W, et al. Investigating the structure of the restricted, repetitive behaviours and interests domain of autism. *J Child Psychol Psychiatry*. 2006;73:582-90.
48. Watt N, Wetherby AM, Barber A, Morgan L. Repetitive and stereotyped behaviors in children with autism spectrum disorders in the second year of life. *J Autism Dev Disord*. 2008;38(8):1518-33.
49. Lewis MH, Tanimura Y, Lee LW, Bodfish JW. Animal models of restricted repetitive behavior in autism. *Behav Brain Res*. 2007;176(1):66-74.
50. Schneider T, Przewlocki R. Behavioral alterations in rats prenatally exposed to valproic acid: animal model of autism. *Neuropsychopharmacology*. 2005;30(1):80-9.
51. Presti MF, Gibney BC, Lewis MH. Effects of intrastriatal administration of selective dopaminergic ligands on spontaneous stereotypy in mice. *Physiol Behav*. 2004;80(4):433-9.
52. Dominick KC, Davis NO, Lainhart J, Tager-Flusberg H, Folstein S. Atypical behaviors in children with autism and children with a history of language impairment. *Res Dev Disabil*. 2007;28:145-62.
53. Estes AM, Dawson G, Sterling L, Munson J. Level of intellectual functioning predicts patterns of associated symptoms in school-age children with autism spectrum disorder. *Am J Ment Retard*. 2007;112:439-49.
54. De GA, Craig F, Terenzio V, Coppola A, Campa MG, Passeri G. Aggressive behaviors and verbal communication skills in autism spectrum disorders. *Glob Pediatr Health*. 2016;3:1-5.
55. Dufour RD, Vourch P, Tourlet S, Guilloteau D, Chalon S, Andres CR. Fetal exposure to teratogens: evidence of genes involved in autism. *Neurosci Biobehav Rev*. 2011;35(5):1254-65.
56. Fukuchi M, Nii T, Ishimaru N, Minamino A, Hara D, Takasaki I, et al. Valproic acid induces up- or down-regulation of gene expression responsible for the neuronal excitation and inhibition in rat cortical neurons through its epigenetic actions. *Neurosci Res*. 2009;65(1):35-43.
57. Go HS, Kim KC, Choi CS, Han SH, Jeon SJ, Shin CY, et al. Prenatal exposure to valproic acid increases the neural progenitor cell pool and induces

- macrocephaly in rat brain via a mechanism involving the GSK-3beta/beta-catenin pathway. *Neuropharmacology*. 2012;63(6):1028-41.
58. Tung EW, Winn LM. Epigenetic modifications in valproic acid-induced teratogenesis. *Toxicol Appl Pharmacol*. 2010;248(3):201-9.
59. Markram K, Rinaldi T, Mendola DL, Sandi C, Markram H. Abnormal fear conditioning and amygdala processing in an animal model of autism. *Neuropsychopharmacology*. 2008;33(4):901-12.
60. Kim KC, Lee DK, Go HS, Shin CY, Jeon SJ, Choi CS, et al. Pax6-dependent cortical glutamatergic neuronal differentiation regulates autism-like behavior in prenatally valproic acid-exposed rat offspring. *Mol Neurobiol*. 2013;49(1):512-28.
61. Chen Q, He S, Hu X, Zhou Y, Zheng J, Duan WH, et al. Differential roles of NR2A and NR2B-containing NMDA receptors in activity-dependent brain-derived neurotrophic factor gene regulation and limbic epileptogenesis. *J Neurosci*. 2007;27(3):542-52.
62. Binder DK, Croll SD, Gall CM, Scharfman HE. BDNF and epilepsy: too much of a good thing?. *Trends Neurosci*. 2001;24(1):47-53.
63. Van PH, Kempermann G, Gage FH. Neural consequences of environmental enrichment. *Nature Rev Neurosci*. 2000;1(3):191-8.
64. Ben-Sasson, A., Hen, L., Fluss, R., Cermak, S. A., Engel-Yeger, B., & Gal, E. (2009). A meta-analysis of sensory modulation symptoms in individuals with autism spectrum disorders. *J Autism Dev Disord*. 2009;39(1):1-11.
65. Hilton CL, Harper JD, Kueker RH, Lang AR, Abbacchi AM, Todorov A, et al. Sensory responsiveness as a predictor of social severity in children with high functioning autism spectrum disorders. *J Autism Dev Disord*. 2010;40:937-45.
66. Mabunga DF, Kim JW, Shin CY, Gonzales EL, Kim KC. Exploring the validity of valproic acid animal model of autism. *Exp Neurobiol*. 2015;24(4):285-300.
67. Graff J, Kahn M, Samiei A, Gao J, Ota KT, Rei D, et al. A dietary regimen of caloric restriction or pharmacological activation of SIRT1 to delay the onset of neurodegeneration. 2013;33(21):8951-60.
68. Kelleher RJ, Bear MF. The autistic neuron: troubled translation. *Cell*. 2008;135(3):401-6.

69. Kataoka S, Takuma K, Hara Y, Maeda Y, Ago Y, Matsuda T. Autism-like behaviours with transient histone hyperacetylation in mice treated prenatally with valproic acid. *Int J Neuropsychopharmacol*. 2013;16(1):91-103.
70. Hara Y, Maeda Y, Kataoka S, Ago Y, Takuma K, Matsuda T. Effect of prenatal valproic acid exposure on cortical morphology in female mice. *J Pharmacol Sci*. 2012;118(4):543-6.
71. World Health Organization. General guideline for methodologies on research and evaluation of traditional medicine. Geneva: World Health Organization. Geneva; 2000.
72. Madiyono B, Moeslichan S, Sastroasmoro S, Budiman I, Purwanto S. Perkiraan besar sampel. dalam: dasar-dasar metodologi penelitian klinis. 4th ed. Jakarta: Sagung Seto; 2011.p.348-81.
73. Baronio D, Castro K, Nunes GD, Riesgo R, Gottfried C, Melo GM, et al. Effects of an h3r antagonist on the animal model of autism induced by prenatal exposure to valproic acid. *PLoS One*. 2015;10(1):1-11.
74. Elizabeth C, Bryda. The mighty mouse: the impact of rodents on advances in biomedical research. *Mo Med*. 2013;110(3):207-11.
75. Yanis, A. Pengaruh pengayaan lingkungan terhadap gejala *autistic like behavior*, ekspresi protein neureksin dan neuroligin pada regio korteks prefrontal (disertasi). Fakultas Kedokteran, Universitas Andalas; 2018.
76. Cotman CW, Berchtold NC. Exercise: a behavioral intervention to enhance brain health and plasticity. *Trends Neurosci*. 2002;25:295-301.
77. Schneider T, Turczak J, Przewłocki R. Environmental enrichment reverses behavioral alterations in rats prenatally exposed to valproic acid: issues for a therapeutic approach in autism. *Neuropsychopharmacology*. 2006;31:36-46.
78. Feyder M, Karlsson RM, Mathur P, Lyman M, Bock R, Momenan R, et al. Association of mouse *Dlg4* (PSD-95) gene deletion and human *DLG4* gene variation with phenotypes relevant to autism spectrum disorders and Williams'syndrome. *Am J Psychiatry*. 2010;167:1508-17.
79. Pham TM., Ickes B, Albeck D, Derstro S, Granholm A, Mohammed AH. Changes in brain NGF levels and NGF receptors in rats exposed to environmental enrichment for one year. *Neuroscience*.1999.94:279-86.
80. Korte M, Kang H, Bonhoeffer T, Schuman E. A role for BDNF in the late-phase of hippocampal long-term potentiation. *Neuropharmacology*. 1998;37:553-9.