

## DAFTAR PUSTAKA

1. Lowenstein DH, Bleck T, Macdonald RL. It's time to revise the definition of status epilepticus. *Epilepsia*. 1999;40(1):120-2.
2. Bhalla D, Tchalla AE, Mignard C, Marin B, Midnard D, Jallon P, et al. First-ever population-based study on status epilepticus in French Island of La reunion (France) – incidence and fatality. *Seizure*. 2014;23(9):769-73.
3. Dham BS, Hunter K, Rincon F. The epidemiology of status epilepticus in the United States. *Neurocrit Care*. 2014;20(3):476-83.
4. Murthy JM, Jayalaxmi SS, Kanikanna MA. Convulsive status epilepticus: clinical profile in a developing country. *Epilepsia*. 2007;48(12):2217-23.
5. Lui HK, Hui KF, Fong WC, Ip CT, Lui HT. De novo status epilepticus is associated with adverse outcome: an 11-year retrospective study in hong kong. *Seizure*. 2016;40:42-5.
6. Vignatelli L, Tono C, D'Alessandro R. Incidence and short-term prognosis of status epilepticus in adults in Bologna, Italy. *Epilepsia*. 2003;44(7):964-8.
7. Skinner HJ, Dubon-Murcia SA, Thompson AR, Medina MT, Edwards JC, et al. Adult convulsive status epilepticus in the developing country of Honduras. *Seizure*. 2010;19(6):363-7.
8. DeLorenzo RJ, Hauser WA, Towne A.R., Boggs JG, Pellock J. M., Penberthy L, et al. A prospective, population-based epidemiologic study of status epilepticus in Richmond, Virginia. *Neurology*. 1996;46(4):1029-35.
9. Ong CT, Sheu S, Tsai CF, Wong YS, Chen SC. Age-dependent sex difference of the incidence and mortality of status epilepticus : a twelve year nationwide population-based cohort study in Taiwan. *PLoS One*. 2015;10(3):1-9.
10. Hesdorffer DC, Logroscino G, Gascino G, Annegers JF, hauser WA. Incidence of status epilepticus in Rochester, Minnesota, 1965-1984. *Neurology*. 1998;50(3):735-41.
11. Newton CR. Status epilepticus in the resource poor countries. *Epilepsia*. 2009;50(12):54-5.
12. Towne AR. Epidemiology and outcomes of status epilepticus in the elderly. *Neurobiology*. 2007;81:111-27.

13. Lai A, Outin HD, Jabot J, Megarbane B, Gaudry S, Coudroy R, et al. Functional outcome of prolonged refractory status epilepticus. *Critical Care*. 2015;19(199):1-7.
14. Olubosede OA, Oseni SBA, Aladekomo SA, Adegoke SA, Kuti BP, Ogundare OE, et al. Prevalence, aetiology, and outcome of status epilepticus in children with convulsion at the Wesley Guild Hospital, Ilesa. *J Pediatr Neurol Med*. 2017;2(1):1-5.
15. Kang DC, Lee YM, Lee J, Kim HD, Coe C. Prognostic factors of status epilepticus in children. *Yonsei Med J*. 2005;46(1):27-33.
16. Sheppard E, Lippe S. Cognitive outcome of status epilepticus in children. *Epilepsy Research and Treatment*. 2012:1-8
17. Vilella L, Gonzalez CM, Quintana LM, Toledo M, Sueiras M. Prognosis of status epilepticus in elderly patients. *Acta Neurol Scand*. 2017;1-8
18. Chen L, Zhou B, Li JM, Zhu Y, Hwang JH, Sander JW, et al. Clinical features of convulsive status epilepticus: a study of 220 cases in Western China. *Eur J Neurol*. 2009;16(4):444-9.
19. Shinnar S, Pellock JM, Moshe SL, Maytal J, O'dell C, Driscoll SM, et al. In whom does status epilepticus occur: age-related differences in children. *Epilepsia*. 1997;38(8):907-14.
20. Asadi-Pooya AA, Poordast A. Etiologies and outcomes of status epilepticus in children. *Epilepsy & Behaviour*. 2005;7:502-5.
21. Misra UK, Kalita J, Dubey D. A study of super refractory status epilepticus from India. *Front Neurol*. 2017;8(636):1-6.
22. Komur M, Arslankoylu AE, Okuyaz C, Keceli M, Derici D. Management of patients with status epilepticus treated at a pediatric intensive care unit in Turkey. *Pediatr Neurol*. 2012;46(6):382-6.
23. Hocker SE, Britton JW, Mandrekar JN, et al. Predictors of outcome in refractory status epilepticus. *Jama Neurol*. 2013;70(1):72-7.
24. Strzelczyk A, Ansorge S, Hapfelmeier J, Bonthapally V, Erder H, Rosenow F. Costs, length of stay, and mortality, of super-refractory status epilepticus : a population-based study from Germany. *Epilepsia*. 2017;58(9):1533-41.
25. Daniel H Lowenstein. Seizures and epilepsy. In : Stephen L Hauser, Scott Andrew Josephson, editors. *Harrison's Neurology in Clinical Medicine*. New York : McGraw Hill; 2010. 222-45.

26. Trinka E, Cock H, Hesdorffer D, Rossetti AO, Scheffer IE, Shinnar S, et al. A definition and classification of status epilepticus-report of the ILAE task force on classification of status epilepticus. *Epilepsia*. 2015;56(10):1515-23.
27. Hirsch LJ, Gaspard N. Status epilepticus. *Continuum (Minneapolis)*. 2013;19(3):767-94.
28. Knake S, Rosenow F, Vescovi M, Oertel WH, Mueller HH, Wirbatz A, et al. Incidence of status epilepticus in adults in Germany : a prospective, population-based study. *Epilepsia*. 2001;42(6):714-8.
29. Wu YW, Shek DW, Garcia PA, S Zhao, SC Johnston. Incidence and mortality of generalized convulsive status epilepticus in California. *Neurology*. 2002; 58:1070-76.
30. Coeytaux A, Jallon P, Galobardes B, Morabia A. Incidence of status epilepticus in french-speaking Switzerland (EPISTAR). *Neurology*. 2000;55:693-7.
31. Maldonado A, Ramos W, Perez J, Huaman LA, Gutierrez EL. Convulsive status epilepticus: clinico-epidemiologic characteristics and risk factors in Peru. *Neurologia*. 2010;25(8):478-84.
32. Towne AR, Pellock JM, Ko D, Delorenzo RJ. Determinants of mortality in status epilepticus. *Epilepsia*. 1994;35(1):27-34.
33. Maytal J, Shinnar S, Moshe SL, Alvarez LA. Low morbidity and mortality of status epilepticus in children. *Pediatrics*. 1989;83(3):323-31.
34. DeToledo JC. Changing presentation of seizures with aging: clinical and etiological factors. *Gerontology*. 1999;45:329-35
35. Jayalakshmi S, Vooturi S, Chepuru R, Sahu S, Surath M. Etiology and outcome of generalized convulsive status epilepticus in elderly. *Seizure*. 2015;29:104-8.
36. Trinka E, Hoefler J, Zerbs A. Causes of status epilepticus. *Epilepsia*. 2012;53(4):127-38.
37. Drislane FW. Presentation, evaluation, and treatment of nonconvulsive status epilepticus. *Epilepsy & Behaviour*. 2000;1(5):301-14.
38. Michail K, Katerina T, Dimitrios T. Absence status epilepticus. In : *Atlas of Epilepsies*. London : Springer-Verlag; 2010. 546.
39. Cascino GD. Generalized convulsive status epilepticus. *Mayo Clin Proc*. 1996;1(5):787-92.

40. Nandhagopal R. Generalised convulsive status epilepticus: an overview. *Postgrad Med J.* 2006;82(973):723-32.
41. Tatum WO IV, French JA, Benbadis SR, Kaplan PW. The etiology and diagnosis of status epilepticus. *Epilepsy & Behaviour.* 2001;2(4):311-17.
42. Jagoda A, Richey-Klein V, Riggio S. Psychogenic status epilepticus. *Am J Emerg Med.* 1995;13(1):31-35.
43. Scott RC, Surtees RA, Neville BG. Status epilepticus: pathophysiology, epidemiology, and outcomes. *Arch Dis Child.* 1998;79:73-77.
44. American Epilepsy Society (US). Basic mechanish underlying seizures and epilepsy. In : *An Introduction to Epilepsy.* West Hartford; 2006.
45. Chin RF, Neville BG, Scott RC. A systematic review of the epidemiology of status epilepticus. *Eur J Neurol.* 2004;11(12):800-10.
46. Carlson C, Dugan P, Krisch HE, Friedman E. Sex differences in seizure types and symptoms. *Epilepsy Behav.* 2014;0:103-8.
47. Stevens SJ, Harden CL. Hormonal therapy for epilepsy. *Curr Neurol Neurosci Rep.* 2011;11:435-42.
48. Harden CL, Pulver MC, Ravdin L, Jacobs AR. The effect of menopause and perimenopause on the course of epilepsy. *Epilepsia.* 1999;40(10):1402-07.
49. Erel T, Guralp O. Epilepsy and menopause. *Arch Gynecol Obstet.* 2011;284(3):749-55.
50. Mayer SA, Claassen J, Lokin J, Mendelsohn F, Dennis LJ, Fitzsimmons BF. Short and long term outcomes after status epilepticus. *Arch Neurol* 2002;59:205-10
51. Glauser T, Shinnar S, Gloss D, Alldredge B, Arya R, Brainbridge J, et al. Evidence-based guideline: treatment of convulsive status epilepticus in children and adults: report of the guideline committee of the america epilepsy society. *Epilepsy Currents.* 2016;16(1):48-61.
52. Andermann F, Robb JP. Absence status a reappraisal following review of thirty-eight patients. *Epilepsia.* 1972;13(1):177-87.
53. Ropper AH, Samuels MA, Klein JP. *Adams and Victor's Principles of Neurology.* 10<sup>th</sup> edition. New York : McGraw Hill; 2014.

54. Thandavarayan M, Ramaswamy S, Bose P, Thirumalaikumarasamy S. Immediate outcome and risk factors determining the outcome of status epilepticus in children attending tertiary care centre. *Int J Contemp Pediatr*. 2017;4(4):1289-95.
55. <https://www.tes.com> – Diakses Juli 2018
56. Lawson L, Yeager S. Status epilepticus in adults: a review of diagnosis and treatment. *Crit Care Nurse*. 2016;36(2):62-73.
57. Maes C, Hermans L, Pauwels L, Chalavi S, Leunissen I, Levin O, et al. Age-related differences in GABA levels are driven by bulk tissue changes. *Humm Brain Map*. 2018;00:1-11.
58. Wu C, Sun D. GABA receptors in brain development, function, and injury. *Metab Brain Dis*. 2015;30(2):367-79.
59. McHugh JC, Delanty N. Epidemiology and classification of epilepsy : gender comparisons. *Int Rev Neurobiol*. 2008;83:11-26.
60. Garzon E, Fernandes RM, Sakamoto AC. Analysis of clinical characteristics and risk factors for mortality in human status epilepticus. *Seizure*. 2003;12:337-45
61. Verma A, Kiran K, Vaishya GP, Kumar A. Adult convulsive status epilepticus: clinical, etiological and predictors of outcome study from rural population of north india. *Int J Neuosci*. 2018;26:1-22
62. Afsar N, Kaya D, Aktan S, Aykut-Bingol C. Stroke and status epilepticus: stroke type, type of status epilepticus, and prognosis. *Seizure*. 2003;12:23-7
63. Carmel A, Rodney A, Radtke, E. Wayne M. Therapy of seizure associated with stroke. *Clin Neuropharmacol*. 1991;14(1):17-27.
64. Gupta SR, Naheedy MH, Elias D, Rubino FA. Postinfarction seizures a clinical study. *Stroke*. 1988;19(12):1477-81.
65. Decarolis P, D'alessandro R, Ferrara R, Andreoli A, Sacquegna T, Lugaresi E. Late seizures in patients with internal carotid and middle cerebral artery occlusive disease following ischaemic events. *J Neurol Neurosurg Psychiatry*. 1984;47:1345-7.
66. Tiamkao S, Pranboon S, Thepsuthammarat K, Sawanyawisuth K. Status epilepticus in the elderly patients: A national data study in Thailand. *J Neurol Sci*. 2016;372:501-5.

67. Mayer SA, Claassen J, Lokin J, Mendelsohn F, Dennis LJ, Fitzsimmons BF. Refractory status epilepticus frequency, risk factors, and impact on outcome. *Arch Neurol.* 2002;59(2):205-10.
68. Fernandez IS, Abend NS, Arndt DH, Carpenter JL, Chapman KE, Cornett KM, et al. Electrographic seizures after convulsive status epilepticus in children and young adults, a retrospective multicenter study. *J Pediatr.* 2014;164(2):339–46
69. Tasker RC, Goodkin HP, Fernandez IS, Chapman KE, Abend NS, Arya R, et al. Refractory status epilepticus in children: intention-to-treat with continuous infusions of midazolam and pentobarbital. *Pediatr Crit Care Med.* 2016; 7(10): 968–75.
70. Siefkes HM, Hosti M, Morita D, Cook LJ, Bratton S. Seizure treatment in children transported to tertiary care : recommendation adherence and outcomes. *Pediatrics.* 2016;138(6):1-10
71. Santhanam I, Yoganathan S, Sivakumar VA, Ramakrishnamurugan R, Sathish S, Thandavarayan M. Predictors of outcome in children with status epilepticus during resuscitation in pediatric emergency department: a retrospective observational study. *Ann Indian Acad Neurol.* 2017;20(2):142-8.
72. Barzegar M, Mahdavi M, Zalegolab behbehani A, Tabrizi A. Refractory convulsive status epilepticus in children: etiology, associated risk factors and outcome. *Iran J Child Neurol.* 2015;9(4): 24-31.

