DAFTAR PUSTAKA

Abcam.(2007).*T47D (Human ductal breast epithelial tumor cell line)* WholeCell Lysate (ab 14899) data sheet. http://www.abcam.com/index.htmldatasheet = 14899, diakses Agustus 2015.

Brunton, Laurance L., Keith L. Parker, Donald K. Blumenthal, Iain L.O. Buxton. 2007. *Goodman dan Gilman's Manual of Pharmacology and Therapeutics*. New York: McGraw Hill.

Burdall, E.S., Hanby M.A., Landsdown, R.J.M., dan Speirs, V. 2003.Bereast Cancer Cell Line, *Breast Cancer Res*., 5(2): 89-95.

Burkill, I. 1966. *A Dictionary of the Economic Products of the Malay Peninsula* 2nd Ed. Ministry of Agriculture and Co-Operatives, Kuala Lumpur, Malaysia.

Campbell, N.A., Reece, J. B dan Mitchell. L. G. 2008. *Biologi* (Edisi 8). Jakarta: Erlangga.

CCRC. 2009. Prosedur Tetap Uji Sitotoksik Metoda MTT. Yogyakarta:.Fakultas Farmasi, UGM.

Clarke RB, Howell A dan Anderson E. 1997. *Breast Cancer Res*. Treat., 45: 121-133.

Collins, K., Jacks, T., Pavletich, Nikola P. 1997. The cell cycle and cancer. *Proc. Natl. Acad. Sci. USA*, 94, 2776–2778.

Darwati, Husen H. B., Suriyatna, dan Dachriyanus. 2009. Kowanin, Suatu Santon dari Kulit Batang *Garcinia cowa Roxb*. *J. Natur Indonesia* 11(2): 109-114.

Dipiro Joseph., Talbert, Robert L., Yee, dan Gary C. 2008. *Pharmacotherapy: A Pathophysiology Approach* 7th Ed. New York: The Mc Graw-Hill Companies Inc.

Dipiro Joseph T., Barbara G.Wells, Terry L. Schwinghammer and Cecily V. 2009. *Pharmacotherapy Handbook* (7th Edition). New York: The Mc Graw-Hill Companies Inc.

Doyle, A., dan Griffiths, J. B. 2000. Cell and Tissue Culture for Medical Research. John Willey and Sons Ltd. : New York.

Freshney, R.I. 1986. *Animal Cell Culture, A Practical Approach*(1st Ed). Washington D.C.: IRL Press.

Freshney, R.I. 1987. *Culture of Animal Cells, A Manual of Basic Technique,* 2nd Ed. New York: Wiley-Liss Inc.

Freshney, R.I., 2004, *Animal Cell Cult*ure, A Practical Approach, (4th Ed).IRL Press: Washington DC.

Ganiswara, S. dan Nafrialdi. 1995. *Antikanker dan Immunosupresan*, dalam Ganiswara, S., (Ed), Farmakologi dan Terapi, Bagian Farmakologi Fakultas Kedokteran, Universitas Indonesia.

Guyton, A. C. 1997. *Buku Ajar Fisiologi Kedokteran*(Ed IX). Jakarta: EGC.

Hanahan, D., R. A. Weinberg. 2000. The Halfmark of Cancer. *Cell*, 100, 57-70.

Hawari, Dadang. 2004. *Kanker Payudara Dimensi Psikoreligi*. Jakarta: FKUI
.

Husni, E., 2015. Uji Aktivitas Sitotoksik Ekstrak dan Senyawa Hasil Isolasi dari Kulit Batang Tumbuhan *Garcinia cowa Roxb* Terhadap Cell Line Kanker Payudara T47D. *Disertasi S3 2015*

Ilham M, Yaday M, Norhanom AW. 1995. Tumor promoting activity of plants used in Malaysia tradisional medicine.*Nat. Prod Sci,* 1, 31-42.

Iqbal, F. 2015. Isolasi Senyawa Utama Pada Ekstrak Heksana Kulit Batang Asam Kandis (*Garcinia cowa Roxb*). *Skripsi S1 2015.*

Jabit, Md. Lip, Wahyuni, F.S, Rozida, K., Ahmad, I.D., Khozirah, S., Lajis Nordin H, dan Johnson, S. 2009. Cytotoxic and nitric oxide inhibitory activities of methanol extracts of Garcinia species. *Pharmaceutical Biology,*47, 1019–1026

Jena, B. S., Jayaprakasha, G. K., dan Sakariah, K. K. 2002. Organic acids from leaves, fruits, and rinds of Garcinia cowa. *J. of Agricultural and food chemistry* 50 (12): 3431-3434.

Jochems, Carlo. 2009. *Fetal Bovine Serum: Are Cell Cultures Cruelty Free.* Diakses dari: http://www.all-creatures.org/clct/ar-fetal.html. DiaksesAgustus 2015.

Katzung, Bertram G. 1997. *Farmakologi Dasar dan Klinik Edisi VI*. Jakarta: Penerbit EGC.

Kenji, M., Yukihiro, A., Emi, K., Tetsuro, I., Kenji, O., Toshiyuki, T., Munekazu, I., dan Yoshinori, N. 2003. Cytotoxic benzophenone derivatives from Garcinia species display a strong apoptosis-inducing effect against human leukemia cell lines. *Biol Pharm Bull.* 26: 569–571.

Knight, L. 2007. The Cell. In J.A. Gabriel. *The Biology of Cancer*. Chichester: John Wiley dan Sons Ltd.

Likhitwitayawuid, K., Phadungcharoen, T., Manhidol, C., Ruchirawat, S., 1997. 7-O-Methylgarcinone E from *Garcinia cowa*. *Phytochemistry*, 45, 1299–1301.

Maryati dan Sutrisna, EM. 2007. Potensi Sitotoksik Tanaman ceplukan (*Physalis angulata* L) terhadap Sel HeLa. *Pharmacon*, 8, 1.

Mather, Jennie P. dan Roberts, Penelope E. 1998. *Introduction to Cell and Tissue Culture: Theory and Technique*. New York: Plenum Press.

Melannisa, R. (2004). Pengaruh PGV-1 pada Sel Kanker Payudara T47D yang diinduksi 17β-Estradiol: Kajian Antiproliferasi, Pemacuan Apoptosis dan Antiangiogenesis, (Tesis). Program Pasca Sarjana Universitas Gadjah Mada, Yogyakarta.

Moore, G.E. and Woods L.K., (1976). *Culture Media for Human Cells- RPMI 1603, RPMI 1634, RPMI 1640 and GEM 1717*. Tissue Culture Association Manual. 3, 503-508.

Mosmann, T. 1983. Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *J. of Immunological Method*, 16;65(1-2), 55-63.

Murakami A, Jiwajinda S, Kohimizu K dan Ohigasi H. 1995. Screening for in vitro Ant-tumor promoting Activities of Edible Plants from Thailand. *Cancer Letters*, 95, 139-146..

Pollard, Thomas D., William C. Earnshaw. 2004. *Cell Biology*. Philadelphia Saunders.

Poomipamorn, S. dan Kumomg, A. 1997. *Edible Multiporpuse ree Species Faung Fa*. Bangkok: Printing (in Tai).

Promgool, T., Tresuub, M. And Deachathai, S. (2010). *Chemical Constituents from the roots of Garcinia cowa* Roxb,. *Antimicrobial and Antioxidation Properties*. On Science and Technology of Thailand.

Rao, R. R. 1981. *Ethnobotany of Meghalaya: Medicinal Plants Used by Khasi and Garo Tribes*.Economic Botany. 35(1):4-9.

Ritthiwigrom, T., Laphookhieo, S. dan Pyne, S. G. 2013. Chemical constituents and biological activities of Garcinia cowa Roxb. *Maejo International Journal of Science and Technology*, 7, 212-231.

Schafer, J.M., Lee, E.S., O'Regan, R.M., Yao, K., dan Jordan, V.C., 2000. Rapid Development of Tamoxifen-stimulated Mutant p53 Breast Tumors (T47D) in Athymic Mice, *Clinical Cancer Research*, 6, 4373-4380.

Soek, T.S., Gwendoline, E.L.C., Siau, M.H., Yang, L.M., dan Ahmad, Z. 2013. Cytotoxicity and Structure-Activity Relationships of Xanthone Derivatives from Mesuabeccariana, Mesuaferreaand Mesuacongestiflora towards Nine Human Cancer Cell Lines. *J. Molecules*,Vol 18: 1985-1994.

Sumardika, I.W., Indrayani, A.W., Jawi, I.M., Suprapta, D.N., dan Adnyana, L., 2010. Efek Sitotoksik dan Antiproliferatif Ekstrak Etanol Umbi Ubi Jalar Ungu (*Ipomoea butatas L)* Terhadap Sel Line Kanker Payudara T47D. *J. Peny Dalam,* Vol11 : 25-32.

Tussanti, I., Andrew, J., dan Kisdjamiatun. 2014. Sitotoksisitas in vitro ekstrak etanolik buah parijoto (Medinillaspeciosa, reinw.ex bl.) terhadap sel kanker payudara T47D. *J. Gizi Indonesia*. Vol. 2: 2. p. 53: 58.

Verma, S.P., Goldin, B.R., and Lin, P.S. 1998. The Inhibition of the Estrogenic Effects of Pesticides dan Enviromental Chemicals by Curcumin and Isoflavonoids. *Envir. Health Presp*, 106 (12), 807-812.

Wahyuni, F.S., Byrne, L.T., Dachriyanus, Dianita, R., Jubahar, J., Lajis, N.H., dan Sargent, M.V. 2004. A New Ring-Reduced Tetraprenyltoluquinone and a prenylated santone from Garcinia cowa. *Aust. J. Chem*. 57: 223-226.

Wahyuni, F.S., Shaari, K.,Stanslas, J., Lajis, N.H., dan Dachriyanus. 2015.Cytotoxic xanthones from the stem bark of Garcinia cowa Roxb.*USA.J. Chem. Pharm. Res*. 7(1):227-236.

Whitmore, T.C. 1973. *Guttiferae. In T.C.Whitmore (ed.) Tree Flora of Malaya* 2: 162-236. Kuala Lumpur, Longman Malaysia.