

DAFTAR PUSTAKA

- Adham, M., Kurniawan, A.N., Muhtadi, A.I., et al., 2012. Nasopharyngeal carcinoma in indonesia: Epidemiology, incidence, signs, and symptoms at presentation, *Chinese Journal of Cancer* 31 (4):185–196.
- Al-Sarraf, M., 2018. Nasopharyngeal Cancers: The Evolution of Great Success, *Journal of Cancer Epidemiology & Treatment* 2 (1):1–3.
- Arslan, N., Tuzuner, A., Koycu, A., Dursun, S. and Hucumenoglu, S., 2018. The role of nasopharyngeal examination and biopsy in the diagnosis of malignant diseases, *Brazilian Journal of Otorhinolaryngology (Online First)*, available at: <https://doi.org/10.1016/j.bjorl.2018.04.006>.
- Bei, J.-X., Li, Y., Jia, W.-H., et al., 2010. A genome-wide association study of nasopharyngeal carcinoma identifies three new susceptibility loci, *Nature Genetics* 42 (7):599–603.
- Bhattacharyya, T., Babu, G. and Kainickal, C.T., 2018. Current Role of Chemotherapy in Nonmetastatic Nasopharyngeal Cancer, *Journal of Oncology* 2018 (2018):1–7.
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R.L., Torre, L.A. and Jemal, A., 2018. Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries., *CA: A Cancer Journal for Clinicians* 68 (6):394–424.
- Bray, F., Haugen, M., Moger, T.A., Tretli, S., Aalen, O.O. and Grotmol, T., 2008. Age-Incidence Curves of Nasopharyngeal Carcinoma Worldwide: Bimodality in Low-Risk Populations and Aetiologic Implications, *Cancer Epidemiology Biomarkers & Prevention* 17 (9):2356–2365.
- Brierley, J., Gospodarowicz, M.K. and Wittekind, C., 2017. *TNM Classification of Malignant Tumours* Wiley Blackwell, West Sussex.
- Cao, S.M., Simons, M.J. and Qian, C.N., 2011. The prevalence and prevention of nasopharyngeal carcinoma in China, *Chinese Journal of Cancer* 30 (2):114–119.
- Cao, Y., 2017. EBV based cancer prevention and therapy in nasopharyngeal carcinoma, *Npj Precision Oncology* 1 (1):1–5.
- Ben Chaaben, A., Abaza, H., Douik, H., et al., 2015. Polymorphisme génétique du cytochrome P450 2E1 et le risque du cancer du nasopharynx, *Bulletin Du Cancer* 102 (12):967–972.
- Chan, A.T.C., 2010. Nasopharyngeal carcinoma., *Annals of Oncology* 21 Suppl 7 (Supplement 7):vii308-12.
- Chan, A.T.C., 2011. Current treatment of nasopharyngeal carcinoma, *European Journal of Cancer* 47 (SUPPL. 3):70179–4.
- Chan, J.Y.W., Chow, V.L.Y., Wong, S.T.S. and Wei, W.I., 2013. Surgical salvage for recurrent retropharyngeal lymph node metastasis in nasopharyngeal

- carcinoma, *Head and Neck* 35 (12):1726–1731.
- Cheesman, A.D., 2016. Clinical Head and Neck Anatomy for Surgeons, in Brennan, P.A., Evans, B.T. and Mahadevan, V. (Eds.), *CRC Press Boca Raton* pp. 181–193.
- Chen, A.M., Yang, C.C., Marsano, J., Liu, T. and Purdy, J.A., 2012. Intensity-modulated radiotherapy for nasopharyngeal carcinoma: improvement of the therapeutic ratio with helical tomotherapy vs segmental multileaf collimator-based techniques., *The British Journal of Radiology* 85 (1016):e537-43.
- Chen, C.C., Liu, H.P., Chao, M., et al., 2014. NF- κ B-mediated transcriptional upregulation of TNFAIP2 by the Epstein-Barr virus oncoprotein, LMP1, promotes cell motility in nasopharyngeal carcinoma, *Oncogene* 33 (28):3648–3659.
- Chiu, R.W.K., 2003. Quantitative Analysis of Circulating Mitochondrial DNA in Plasma, *Clinical Chemistry* 49 (5):719–726.
- Chou, J., Lin, Y.-C., Kim, J., et al., 2008. Nasopharyngeal carcinoma--review of the molecular mechanisms of tumorigenesis., *Head & Neck* 30 (7):946–63.
- Chowdhury, G., Calcutt, M.W. and Peter Guengerich, F., 2010. Oxidation of N-nitrosoalkylamines by human cytochrome p450 2a6: Sequential oxidation to aldehydes and carboxylic acids and analysis of reaction steps, *Journal of Biological Chemistry* 285 (11):8031–8044.
- Chua, M.L.K., Wee, J.T.S., Hui, E.P. and Chan, A.T.C., 2016. Nasopharyngeal carcinoma, *The Lancet* 387 (10022):1012–1024.
- Danko, I.M. and Chaschin, N.A., 2005. Association of CYP2E1 gene polymorphism with predisposition to cancer development., *Experimental Oncology* 27 (4):248–56.
- Dawson, C.W., Port, R.J. and Young, L.S., 2012. The role of the EBV-encoded latent membrane proteins LMP1 and LMP2 in the pathogenesis of nasopharyngeal carcinoma (NPC), *Seminars in Cancer Biology* 22 (2):144–153.
- Faiza, S., Rahman, S. and Asri, A.A., 2016. Karakteristik Klinis dan Patologis Karsinoma Nasofaring di Bagian THT-KL RSUP Dr.M.Djamil Padang, *Jurnal Kesehatan Andalas* 5 (1):90–96.
- Ferlay, J., Soerjomataram, I., Dikshit, R., et al., 2015. Cancer incidence and mortality worldwide: Sources, methods and major patterns in GLOBOCAN 2012, *International Journal of Cancer* 136 (5):E359–E386.
- Geng, X.T., Hu, Y.H., Dong, T. and Wang, R.Z., 2016. Associations of human leukocyte antigen-DRB1 alleles with nasopharyngeal carcinoma and its clinical significance in Xinjiang Uyghur Autonomous Region of China, *Chinese Medical Journal* 129 (11):1347–1354.
- Guo, X., Zeng, Y., Deng, H., et al., 2010. Genetic Polymorphisms of CYP2E1, GSTP1, NQO1 and MPO and the Risk of Nasopharyngeal Carcinoma in a Han Chinese Population of Southern China, *BMC Research Notes* 3 (1):212.

- Hadinoto, V., Shapiro, M., Sun, C.C. and Thorley-Lawson, D.A., 2009. The dynamics of EBV shedding implicate a central role for epithelial cells in amplifying viral output., *PLoS Pathogens* 5 (7):1–15.
- Hayashi, S., Watanabe, J. and Kawajiri, K., 1991. Genetic polymorphisms in the 5'-flanking region change transcriptional regulation of the human cytochrome P450IIE1 gene., *Journal of Biochemistry* 110 (4):559–65.
- He, S.-S., Wang, Y., Bao, Y., et al., 2018. Dynamic changes in plasma Epstein-Barr virus DNA load during treatment have prognostic value in nasopharyngeal carcinoma: a retrospective study, *Cancer Medicine* 7 (4):1110–1117.
- Hildesheim, A., Anderson, L.M., Chen, C.J., et al., 1997. CYP2E1 genetic polymorphisms and risk of nasopharyngeal carcinoma in taiwan, *Journal of the National Cancer Institute* 89 (16):1207–1212.
- Hildesheim, A., Chen, C.J., Caporaso, N.E., et al., 1995. Cytochrome P450E1 genetic polymorphisms and risk of nasopharyngeal carcinoma: results from a case-control study conducted in Taiwan., *Cancer Epidemiology, Biomarkers & Prevention* 4 (6):607–10.
- Hildesheim, A., Dosemeci, M., Chan, C.C., et al., 2001. Occupational exposure to wood, formaldehyde, and solvents and risk of nasopharyngeal carcinoma, *Cancer Epidemiology Biomarkers and Prevention* 10 (11):1145–1153.
- Hildesheim, A. and Wang, C.-P., 2012. Genetic predisposition factors and nasopharyngeal carcinoma risk: A review of epidemiological association studies, 2000–2011, *Seminars in Cancer Biology* 22 (2):107–116.
- Hou, D.-F., Wang, S.-L., He, Z.-M., Yang, F. and Chen, Z.-C., 2007. Expression of CYP2E1 in human nasopharynx and its metabolic effect in vitro, *Molecular and Cellular Biochemistry* 298 (1–2):93–100.
- Hsu, C.L., Chang, K.P., Lin, C.Y., et al., 2012. Plasma epstein-barr virus DNA concentration and clearance rate as novel prognostic factors for metastatic nasopharyngeal carcinoma, *Head and Neck*, available at:<https://doi.org/10.1002/hed.21890>.
- Jia, W.-H. and Qin, H.-D., 2012. Non-viral environmental risk factors for nasopharyngeal carcinoma: A systematic review, *Seminars in Cancer Biology* 22 (2):117–126.
- Jia, W.H., Pan, Q.H., Qin, H. De, et al., 2009. A case-control and a family-based association study revealing an association between CYP2E1 polymorphisms and nasopharyngeal carcinoma risk in Cantonese, *Carcinogenesis* 30 (12):2031–2036.
- Judajana, F.M., 2018. Asosiasi Human Leukocyte Antigen (HLA) Karsinoma Nasofaring (KNF), *Indonesian Journal of Clinical Pathology and Medical Laboratory* 15 (2):52.
- Kamran, S.C., Riaz, N. and Lee, N., 2015. Nasopharyngeal Carcinoma, *Surgical Oncology Clinics of North America* 24 (3):547–561.
- Karanikiotis, C., Daniilidis, M., Karyotis, N., et al., 2008. HLA Class II Alleles

and the Presence of Circulating Epstein-Barr Virus DNA in Greek Patients with Nasopharyngeal Carcinoma, *Strahlentherapie Und Onkologie* 184 (6):325–331.

- Khelifi, R., Messaoud, O., Rebai, A. and Hamza-Chaffai, A., 2013. Polymorphisms in the Human Cytochrome P450 and Arylamine N -Acetyltransferase: Susceptibility to Head and Neck Cancers, *BioMed Research International* 2013 (2013):1–20.
- Kongruttanachok, N., Sukdikul, S., Setavarin, S., et al., 2001. Cytochrome P450 2E1 polymorphism and nasopharyngeal carcinoma development in Thailand: a correlative study, *BMC Cancer* 1 (1):4.
- Lee, A.W.M., Lydiatt, W.M., Colevas, D., et al., 2017. AJCC cancer staging manual, in Amin, M.B., Edge, S.B. and American Joint Committee on Cancer (Eds.), , 8th ed. Springer, Chicagopp. 103–111.
- Lee, A.W.M., Ma, B.B.Y., Ng, W.T. and Chan, A.T.C., 2015. Management of nasopharyngeal carcinoma: Current practice and future perspective, *Journal of Clinical Oncology* 33 (29):3356–3364.
- Lertbutsayanukul, C., Kannarunimit, D., Prayongrat, A., Chakkabat, C., Kitpanit, S. and Hansasuta, P., 2018. Prognostic value of plasma EBV DNA for nasopharyngeal cancer patients during treatment with intensity-modulated radiation therapy and concurrent chemotherapy, *Radiology and Oncology* 52 (2):195–203.
- Li and Fasano, 2009. HLA Associations with Nasopharyngeal Carcinoma, *Curr Mol Med* 9 (6):751–765.
- Liu, T.B., Zheng, Z.H., Pan, J., Pan, L.L. and Chen, L.H., 2017. Prognostic role of plasma Epstein-Barr virus DNA load for nasopharyngeal carcinoma: A meta-analysis, *Clinical and Investigative Medicine*.
- Lo, A.K.F., Lo, K.W., Ko, C.W., Young, L.S. and Dawson, C.W., 2013. Inhibition of the LKB1-AMPK pathway by the Epstein-Barr virus-encoded LMP1 promotes proliferation and transformation of human nasopharyngeal epithelial cells, *Journal of Pathology* 230 (3):336–346.
- Lo, Y.M., Chan, L.Y., Lo, K.W., et al., 1999. Quantitative analysis of cell-free Epstein-Barr virus DNA in plasma of patients with nasopharyngeal carcinoma, *Cancer Res* 59 (6):1188–1191.
- Lou, P.-J., Hsu, W.-L., Chien, Y.-C. and Chen, C.-J., 2010. Screening and Early Diagnosis of Nasopharyngeal Carcinoma, in Lu J.J., Cooper J.S. and Lee A.W.M. (Eds.), *Nasopharyngeal Cancer. Medical Radiology (Diagnostic Imaging and Radiation Oncology)* Springer, Berlin, Heidelberg, Berlinpp. 53–64.
- Lourembam, D.S., Singh, A.R., Sharma, T.D., Singh, T.S., Singh, T.R. and Singh, L.S., 2015a. Evaluation of Risk Factors for Nasopharyngeal Carcinoma in a High-risk Area of India, the Northeastern Region., *Asian Pacific Journal of Cancer Prevention : APJCP* 16 (12):4927–35.
- Lourembam, D.S., Singh, A.R., Sharma, T.D., Singh, T.S., Singh, T.R. and Singh,

- L.S., 2015b. Evaluation of Risk Factors for Nasopharyngeal Carcinoma in a High-risk Area of India, the Northeastern Region, *Asian Pacific Journal of Cancer Prevention* 16 (12):4927–4935.
- Lung, M.L., Cheung, A.K.L., Ko, J.M.Y., Lung, H.L., Cheng, Y. and Dai, W., 2014. The interplay of host genetic factors and Epstein-Barr virus in the development of nasopharyngeal carcinoma, *Chinese Journal of Cancer* 33 (11):556–568.
- Mahdavifar, N., Ghoncheh, M., Mohammadian-Hafshejani, A., Khosravi, B. and Salehiniya, H., 2016. Epidemiology and Inequality in the Incidence and Mortality of Nasopharynx Cancer in Asia, *Osong Public Health and Research Perspectives* 7 (6):360–372.
- Makni, H., Daoud, J., Ben Salah, H., et al., 2010. HLA association with nasopharyngeal carcinoma in southern Tunisia, *Molecular Biology Reports* 37 (5):2533–2539.
- McDermott, S., Desmeules, M., Lewis, R., et al., 2011. Cancer incidence among Canadian immigrants, 1980-1998: Results from a national cohort study, *Journal of Immigrant and Minority Health* 13 (1):15–26.
- Minarovits, J. and Niller, H.H., 2017. Current Trends and Alternative Scenarios in EBV Research, *Methods in Molecular Biology*, Vol. 1532 pp. 1–32.
- Mokni-Baizig, N., Ayed, K., Ayed, F. Ben, et al., 2001. Association between HLA-A/B Antigens and -DRB1 Alleles and Nasopharyngeal Carcinoma in Tunisia, *Oncology* 61 (1):55–58.
- Mokni-Baizig, N., Gorgi, Y., Elghourabi, M., et al., 2017. HLA-A*26-A*30 and HLA-DRB1*10 could be predictors of nasopharyngeal carcinoma risk in high-risk Tunisian families, *Journal of Oral Science* 59 (2):289–296.
- Munir, D., 2008. Peran Gen HLA-DQB1 pada Penyebab Kerentanan Karsinoma Nasofaring Suku Batak, *Majalah Kedokteran Nusantara* 41 (3):185–190.
- Mutirangura, a, Pornthanakasem, W., Theamboonlers, A., et al., 1998. Epstein-Barr viral DNA in serum of patients with nasopharyngeal carcinoma., *Clinical Cancer Research* 4 (3):665–9.
- Naim, M., Zulqaiyyim, Hasanuddin and Sastra Gusdi, 2002. *Menelusuri Jejak Melayu-Minangkabau*, 1st ed. Yayasan Citra Budaya Indonesia, Padang.
- O'Neil, J.D., Owen, T.J., Wood, V.H.J., et al., 2008. Epstein-Barr virus-encoded EBNA1 modulates the AP-1 transcription factor pathway in nasopharyngeal carcinoma cells and enhances angiogenesis in vitro, *Journal of General Virology* 89 (11):2833–2842.
- Olerup, O. and Zetterquist, H., 1992. HLA-DR typing by PCR amplification with sequence-specific primers (PCR-SSP) in 2 hours: An alternative to serological DR typing in clinical practice including donor-recipient matching in cadaveric transplantation, *Tissue Antigens* 39 (5):225–235.
- Parente, V. and Corti, S., 2017. Advances in Spinal Muscular Atrophy, *Therapeutic Advances in Neurological Disorders* 23 (2s):153–156.

- Pasini, E., Caggiari, L., Maso, L.D., et al., 2009. Undifferentiated nasopharyngeal carcinoma from a nonendemic area: Protective role of HLA allele products presenting conserved EBV epitopes, *International Journal of Cancer* 125 (6):1358–1364.
- Peterson, B.R. and Nelson, B.L., 2013. Nonkeratinizing undifferentiated nasopharyngeal carcinoma., *Head and Neck Pathology* 7 (1):73–5.
- Petersson, F., 2015. Nasopharyngeal carcinoma: A review, *Seminars in Diagnostic Pathology* 32 (1):54–73.
- Poh, S.S., Chua, M.L.K. and Wee, J.T.S., 2016. Carcinogenesis of nasopharyngeal carcinoma: An alternate hypothetical mechanism, *Chinese Journal of Cancer BioMed Central* 35 (1):1–9.
- Qu, S., Liang, Z.-G. and Zhu, X.-D., 2015. Advances and challenges in intensity-modulated radiotherapy for nasopharyngeal carcinoma., *Asian Pacific Journal of Cancer Prevention : APJCP* 16 (5):1687–92.
- Rahman, S., Budiman, B.J., Novialdi, Rahmadona and Lestari, D.Y., 2016. Non-viral risk factors for nasopharyngeal carcinoma in West Sumatra, Indonesia Proceedings of the 7th Biannual International Symposium on Nasopharyngeal Carcinoma 2015, *BMC Proceedings* 10 (S1):20.
- Ressing, M.E., van Leeuwen, D., Verreck, F.A.W., et al., 2005. Epstein-Barr Virus gp42 Is Posttranslationally Modified To Produce Soluble gp42 That Mediates HLA Class II Immune Evasion, *Journal of Virology* 79 (2):841–852.
- Rickinson, A.B., 2014. Co-infections, inflammation and oncogenesis: Future directions for EBV research, *Seminars in Cancer Biology* (26):99–115.
- Ryan, J.L., Fan, H., Glaser, S.L., Schichman, S.A., Raab-Traub, N. and Gulley, M.L., 2004. Epstein-Barr Virus Quantitation by Real-Time PCR Targeting Multiple Gene Segments, *The Journal of Molecular Diagnostics* 6 (4):378–385.
- Shen, Y., Zhang, S., Sun, R., Wu, T. and Qian, J., 2015. Understanding the interplay between host immunity and Epstein-Barr virus in NPC patients, *Emerging Microbes & Infections* 4 (1):1–9.
- Shiina, T., Blancher, A., Inoko, H. and Kulski, J.K., 2017. Comparative genomics of the human, macaque and mouse major histocompatibility complex, *Immunology* 150 (2):127–138.
- Shotelersuk, K., Khorprasert, C., Sakdikul, S., Pornthanakasem, W., Voravud, N. and Mutirangura, A., 2000. Epstein-Barr virus DNA in serum/plasma as a tumor marker for nasopharyngeal cancer., *Clinical Cancer Research* 6 (3):1046–1051.
- Smatti, M.K., Al-Sadeq, D.W., Ali, N.H., Pintus, G., Abou-Saleh, H. and Nasrallah, G.K., 2018. Epstein-Barr Virus Epidemiology, Serology, and Genetic Variability of LMP-1 Oncogene Among Healthy Population: An Update, *Frontiers in Oncology* 8 (211):1–16.
- Su, W.-H., Hildesheim, A. and Chang, Y.-S., 2013. Human Leukocyte Antigens

- and Epstein–Barr Virus-Associated Nasopharyngeal Carcinoma: Old Associations Offer New Clues into the Role of Immunity in Infection-Associated Cancers, *Frontiers in Oncology* 3 (299):1–9.
- Suzanna, E., 2012. *Registrasi Kanker Berbasis Rumah Sakit Di Rumah Sakit Kanker Dharmais 2003-2007*, edited by Suzanna, E. Departemen Kesehatan RI, Jakarta.
- Tan, W.-L., Tan, E.-H., Lim, D.W.-T., et al., 2016. Advances in systemic treatment for nasopharyngeal carcinoma, *Chinese Clinical Oncology* 5 (2):1–11.
- Teow, S.-Y., Yap, H.-Y. and Peh, S.-C., 2017. Epstein-Barr Virus as a Promising Immunotherapeutic Target for Nasopharyngeal Carcinoma Treatment, *Journal of Pathogens* 2017 (2017):1–10.
- Thorley-Lawson, D.A. and Allday, M.J., 2008. The curious case of the tumour virus: 50 years of Burkitt's lymphoma, *Nature Reviews Microbiology* 6 (12):913–924.
- Tsang, C.M. and Tsao, S.W., 2015. The role of Epstein-Barr virus infection in the pathogenesis of nasopharyngeal carcinoma, *Virologica Sinica* 30 (2):107–121.
- Tsao, S.W., Yip, Y.L., Tsang, C.M., et al., 2014. Etiological factors of nasopharyngeal carcinoma, *Oral Oncology* 50 (5):330–338.
- Tse, K.-P., Su, W.-H., Chang, K.-P., et al., 2009. Genome-wide Association Study Reveals Multiple Nasopharyngeal Carcinoma-Associated Loci within the HLA Region at Chromosome 6p21.3, *The American Journal of Human Genetics* 85 (2):194–203.
- Tugizov, S.M., Berline, J.W. and Palefsky, J.M., 2003. Epstein-Barr virus infection of polarized tongue and nasopharyngeal epithelial cells, *Nature Medicine* 9 (3):307–314.
- Wang, R., Hu, Y., Yindom, L.-M., et al., 2014. Association analysis between HLA-A, -B, -C, -DRB1, and -DQB1 with nasopharyngeal carcinoma among a Han population in Northwestern China, *Human Immunology* 75 (3):197–202.
- Wang, W.-Y., Twu, C.-W., Chen, H.-H., et al., 2010. Plasma EBV DNA Clearance Rate as a Novel Prognostic Marker for Metastatic/Recurrent Nasopharyngeal Carcinoma, *Clinical Cancer Research* 16 (3):1016–1024.
- Wang, W., Feng, M., Fan, Z., Li, J. and Lang, J., 2014. Clinical Outcomes and Prognostic Factors of 695 Nasopharyngeal Carcinoma Patients Treated with Intensity-Modulated Radiotherapy, *BioMed Research International* 2014 (2014):1–10.
- Wei, K.-R., Zheng, R.-S., Zhang, S.-W., Liang, Z.-H., Li, Z.-M. and Chen, W.-Q., 2017. Nasopharyngeal carcinoma incidence and mortality in China, 2013, *Chinese Journal of Cancer* 36 (90):1–8.
- Wei, W.I., Chan, J.Y.W., Ng, R.W.M. and Ho, W.K., 2011. Surgical salvage of persistent or recurrent nasopharyngeal carcinoma with maxillary swing

- approach - Critical appraisal after 2 decades, *Head & Neck* 33 (7):969–975.
- Widodo, A.K., Farouk, H., Willy, S. and Retnowati, E., 2000. Clinico-Pathological and Serological (IgA-anti VCA , IgA-anti EBNA) Studies on Nasopharyngeal Carcinoma Patients in Surabaya, *Folia Medica Indonesiana* 36 (1):25–33.
- Wu, L., Li, C. and Pan, L., 2018. Nasopharyngeal carcinoma: A review of current updates., *Experimental and Therapeutic Medicine* 15 (4):3687–3692.
- Wu, S.-G., Liao, X.-L., He, Z.-Y., et al., 2017. Demographic and clinicopathological characteristics of nasopharyngeal carcinoma and survival outcomes according to age at diagnosis: A population-based analysis, *Oral Oncology* (73):83–87.
- Xiao, D., Ye, X., Zhang, N., et al., 2016. A meta-analysis of interaction between Epstein-Barr virus and HLA-DRB1*1501 on risk of multiple sclerosis, *Scientific Reports* 5 (1):1–7.
- Xu, L., Yang, M., Zhao, T., et al., 2014. The polymorphism of CYP2E1 Rsa I/Pst I gene and susceptibility to respiratory system cancer: a systematic review and meta-analysis of 34 studies., *Medicine* 93 (27):1–10.
- Yang, H., Yu, K., Zhang, R., et al., 2016. The HLA-DRB1 allele polymorphisms and nasopharyngeal carcinoma, *Tumor Biology* 37 (6):7119–7128.
- Yang, J., Li, L., Yin, X., et al., 2015. The association between gene polymorphisms and risk of nasopharyngeal carcinoma, *Medical Oncology* 32 (1):398.
- Yang, X. (R., 2005. Evaluation of Risk Factors for Nasopharyngeal Carcinoma in High-Risk Nasopharyngeal Carcinoma Families in Taiwan, *Cancer Epidemiology Biomarkers & Prevention* 14 (4):900–905.
- Yao, K., Qin, H., Gong, L., Zhang, R. and Li, L., 2017. CYP2E1 polymorphisms and nasopharyngeal carcinoma risk: a meta-analysis, *European Archives of Oto-Rhino-Laryngology* 274 (1):253–259.
- Yao, K., Yang, S., Shen, J., Zhang, R. and Li, L., 2017. HLA-DRB1 allele polymorphism and nasopharyngeal carcinoma risk: a meta-analysis, *European Archives of Oto-Rhino-Laryngology* 274 (1):297–303.
- Yoshizaki, T., Kondo, S., Wakisaka, N., et al., 2013. Pathogenic role of Epstein–Barr virus latent membrane protein-1 in the development of nasopharyngeal carcinoma, *Cancer Letters* 337 (1):1–7.
- Yousefi, M.S., Sharifi-Esfahani, M., Pourgholam-Amiji, N., et al., 2018. Esophageal cancer in the world: incidence, mortality and risk factors, *Biomedical Research and Therapy* 5 (7):2504–2517.
- Zeng, M.-S. and Zeng, Y.-X., 2010. Pathogenesis and Etiology of Nasopharyngeal Carcinoma, in Lu, J.J., Cooper, J.S. and Lee, A.W.M. (Eds.), *Nasopharyngeal Cancer Multidisciplinary Management* Heidelbergpp. 9–25.
- Zeng, T. and Xie, K.-Q., 2016. Cytochrome P450E1 Gene Polymorphisms and the Risks of Ethanol-Induced Health Problems in Alcoholics, *Molecular*

Aspects of Alcohol and Nutrition Elsevierpp. 231–245.

Zhuo, X., Song, J., Liao, J., et al., 2016. Does CYP2E1 RsaI/PstI polymorphism confer head and neck carcinoma susceptibility?, *Medicine* 95 (43):e5156.

Zong, J., Huang, Q., Guo, Q. and Pan, J., 2016. Evolution of the Chinese staging system for nasopharyngeal carcinoma, *Chinese Clinical Oncology* 5 (2):1–7.

