

DAFTAR PUSTAKA

1. Roh N, Hahn H, Lee Y, Choe Y, Ahn K. Clinical and histopathological investigation of seborrheic keratosis. *Ann Dermatol.* 2016;28(2):152-158.
2. Thappa D, Rajesh G, Jaisankar T. Spectrum of seborrheic keratoses in South Indians: A clinical and dermoscopic study. *Indian J of Dermatol Venereol Leprol.* 2011;77(4):483-8.
3. Hafner C, Vogt T. Seborrheic keratosis. *Journal Der Deutschen Dermatologischen Gesellschaft.* 2008;6(8):664-677.
4. Chellamaiah V, Vijayalakshmi B, Manoharan K. Clinico-pathological study of cutaneous tumours of head & neck. *J Evolution Med Dent Sci.* 2017;6(3):238-244.
5. Rajeev S, Singh S. A Clinicoepidemiological study of cutaneous manifestations in geriatric age group. *J Evolution Med Dent Sci.* 2017;6(68):4831-4841.
6. Thomas VD, Snaveley, Lee KK, Swanson Na. Benign epithelial tumors, hamartomas, and hyperplasias. Dalam: Wolff K, Goldsmith LA, Katz SI, Gilchrist BA, Paller AS, penyunting. *Fitzpatrick's Dermatology in General Medicine.* Edisi ke-8. New York: McGraw-Hill Companies; 2012:1319-1323.
7. Ishida M, Ohsato N, Okabe H. Basal cell carcinoma arising within a seborrheic keratosis with respect to immunohistochemical characteristics. *Oncology Letters.* 2011;2(4):625-627.
8. Bedir R, Yurdakul C, Gucer H, Sehitoglu I. Basal cell carcinoma arising within seborrheic keratosis. *J Clin Diagnostic Res.* 2014;8(7):6-7.
9. Brodsky J. Management of benign skin lesions commonly affecting the face: actinic keratosis, seborrheic keratosis, and rosacea. *Curr Opin Otol&Head and Neck Surgery.* 2009;17(4):315-320.
10. Gushi A, Kanekura T, Kanzaki T, Eizuru Y. Detection and sequences of human papillomavirus DNA in nongenital seborrheic keratosis of immunopotent individuals. *J Dermatol Sci.* 2003;31(2):143-149.
11. Li Y, Chen G, Dong X, Chen H. Detection of epidermodysplasia verruciformis-associated human papillomavirus DNA in nongenital seborrheic keratosis. *Br J Dermatol.* 2004;151(5):1060-1065.
12. Lally A, Casabonne D, Waterboer T, Imko-Walczuk B, Michael K, Pawlita M

- et al. Association of seborrhoeic warts with skin cancer in renal transplant recipients. *Journal of the European Academy of Dermatology and Venereology*. 2010;24(3):302-307.
13. Jeong Y, Lee W, Bak H, Oh S, Jung H, Chang S, et al. Detection of human papilloma virus DNA in seborrheic keratosis of korean skin. *Ann Dermatol*. 2007;19(3):99-105.
 14. Accardi R, Gheit T. Cutaneous HPV and skin cancer. *La Press Medicale*. 2014;43(12):e435-e443.
 15. Ibrahim F. Virologi human papillomavirus. Dalam: Andrijono, Indriatmi W, penyunting. *Infeksi Human Papillomavirus*. Edisi ke-1. Jakarta: Badan Penerbit Fakultas Kedokteran Universitas Indonesia. 2013;3-13.
 16. Androphy EJ, Kirnbauer R. Human papilloma virus infections. Dalam: Wolff K, Goldsmith LA, Katz SI, Gilchrest BA, Paller AS, penyunting. *Fitzpatrick's Dermatology in General Medicine*. Edisi ke-8. New York: McGraw-Hill Companies;2012:2421-2433.
 17. Drvar DL, Lipozenčić J, Sabol I, Mokos ZB, Ilic I, Grce M. Human papillomavirus status in extragenital nonmelanoma skin cancers. *Clin Dermatol*. 2014;32(2):248-252.
 18. Conic RZ, Napekoski K, Schuetz H, Piliang M, Bergfeld W, Atanaskova Mesinkovska N. The role of immunosuppression in squamous cell carcinomas arising in seborrheic keratosis. *J Am Acad Dermatol*. 2017;76(6):1146-1150.
 19. Naruke Y, Nakashima M, Suzuki K. Alteration of p53-binding protein 1 expression during skin carcinogenesis: Association with genomic instability. *Cancer Sci*. 2008;99(5):946-951.
 20. Batinac T, Gruber F, Lipozencic, Koncar GZ, Stasic A, Brajac I. Protein p53-structure, function, and possible therapeutic implications. *Acta Dermatovenereology Croatia*.2003;(4):225-230
 21. Ko C, Binder S. Comparison of seborrheic keratoses, inflamed seborrheic keratoses, and inverted follicular keratoses using P53, BCL-1, and BCL-2. *J Cutan Pathol*. 2008;32(1):98-98.
 22. A Brown R, Kim J. Evaluation of invasive squamous cell carcinoma, seborrheic keratosis and verruca vulgaris in superficial shave biopsies using p16, p53, p63, and PHLDA1 immunohistochemistry. *J Clin Exp Dermatol Res*. 2016;07(03):1-6.

23. Sivars L, Näsman A, Tertipis N, Vlastos A, Ramqvist T, Danialis T, et al. Human papillomavirus and p53 expression in cancer of unknown primary in the head and neck region in relation to clinical outcome. *Cancer Med.* 2014;3(2):376-384.
24. Hay C, Lachance J, Lucas F, Smith K, Jones M. Biomarkers p16, human papillomavirus and p53 predict recurrence and survival in early stage squamous cell carcinoma of the vulva. *J Low Genit Tract Dis.* 2016;20(3):252-256.
25. Jenson AB, Geyer S, Sundberg JP, Ghim S. Human Papillomavirus and Skin Cancer. *JID Symposium Proceeding.* 2001:203-206.
26. Wu YH, Hsiao P, Chen C. Seborrheic keratosis with bowenoid transformation: the immunohistochemical features and its association with human papillomavirus infection. *Am J Dermatopath.* 2015;37(6):462-468.
27. Madan V, Lear J. Benign keratinocytic acanthoma and proliferation. Dalam: Griffith C, Barker J, Bleiker T, Chalmers R, Creamer D, penyunting. *Rook's Textbook of Dermatology.* Edisi ke-9. John Wiley&Son;2016:1331-1335.
28. Bzhalava D, Guan P, Franceschi S, Dillner J, Clifford G. A systematic review of the prevalence of mucosal and cutaneous human papillomavirus types. *Virology.* 2013;445(1):1-8.
29. Meyers JM, Munger K. The viral etiology of skin cancer. *J Invest Dermatol.* 2014;134:E29-E32.
30. Tschandl P, Rosendahl C, Kittler H. Cutaneous human papillomavirus infection: manifestations and diagnosis. *Curr Probl Dermatol.* 2014;45:92-97.
31. Reva G V, Yamamoto T, Tolmachyov VE. Mechanisms of carcinogenesis in human skin against the background of papillomavirus infection. *Bull Exp Biol Med.* 2014;157(5):628-633.
32. Doan HQ, Ramirez-Fort MK, Rady PL. Viral oncogenesis. *Curr Probl Dermatology.* 2014;45:33-46.
33. Chan PKS, Picconi MA, Cheung TH, Giovannelli L. Laboratory and clinical aspects of human papillomavirus testing. *Clinical Reviews in Clinical Laboratory Sciences.* 2012;49(4):117-136.
34. Zhu W, Leonardi C, Penneys N. Detection of human papillomavirus DNA in seborrheic keratosis by polymerase chain reaction. *J Dermatol Sci.* 1992;4(3):166-171.

35. Ramezani M, Abdali E, Khazaei S, Vaisi-Raygani A, Sadeghi M. P16 INK4a immunostaining but lack of human papilloma virus type 16 in cutaneous squamous cell carcinoma and basal cell carcinoma: A report from west iran. *Asian Pacific J Cancer Prev.* 2016;17(3):1093-1096.
36. Singhi AD, Westra WH. Comparison of human papillomavirus in situ hybridization and p16 immunohistochemistry in the detection of human papillomavirus-associated head and neck cancer based on a prospective clinical experience. *Cancer.* 2010;116(9):2166-2173.
37. Vernick. The HPV DNA virus hybrid capture assay: What is it and where do we go from here?. *Med lab Obs.* 2003:8-13.
38. Huang S, Chao A, Hsueh S, Chao F, Huang C, Yang J, et al. Comparison between the hybrid capture II test and PCR-based assay for detection of human papillomavirus DNA in cervical swab samples. *J Clin Microbiol.* 2006;44(5):1733-1739.
39. O'Connor D. p53 codon 72 polymorphism and human papillomavirus associated skin cancer. *J Clin Path.* 2001;54(7):539-542.
40. Escutia B, Ledesma E, Serra-Guillen C, Gimeno C, Vilata J, Guillén C, et al. Detection of human papilloma virus in normal skin and in superficial and nodular basal cell carcinomas in immunocompetent subjects. *J Eur Aca Dermatol Venereol.* 2010;25(7):832-838.
41. Venuti A, Lohse S, Tommasino M, Smola S. Cross-talk of cutaneous beta human papillomaviruses and the immune system: Determinants of disease penetrance. *Philosophical Transactions of the Royal Society B: Biological Sciences.* 2019;374(1773):1-7.
42. Viarasio D, Gissmann L, Tommasino M. Human papillomaviruses and carcinogenesis: Well established and novel models. *Curr Opin Virol.* 2017;26:56-62.
43. Tommasino M. HPV and skin carcinogenesis. *Papillomavirus Res.* 2019;7:129-131.
44. Rollison D, Viarasio D, Amorrortu R, Gheit T, Tommasino M. An emerging issue in oncogenic virology: The role of beta human papillomavirus types in the development of cutaneous squamous cell carcinoma. *J Virol.* 2019;93(7):1-10.
45. Terada T. Pigmented Bowen disease arising in pigmented reticulated seborrheic keratosis. *Int J Clin Oncol.* 2010;15(6):608-610.

46. Salopek KM, Jukić S, Babić D. Correlation of the HPV detection, protein expression and DNA content in cutaneous pre-invasive and invasive carcinoma among Croatian patients. *Exp Mol Pathol.* 2017;102(1):123-127.
47. Toth J, Karcioğlu Z, Moshfeghi A, Issa T, Al-Ma'ani J, Patel K. The relationship between human papillomavirus and p53 gene in conjunctival squamous cell carcinoma. *Cornea.* 2000;19(2):159-162.

